











Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
Parts											
	TL-T8Sensor-5300	White							CE, RoHS	25	R 79.90
	TL-G13-9.5LH-5301	White									R 3.16
Lamp Holders											
 0.6m T8 Single Tube Lamp Holder	TL-LH-S-5302	White				64x24.5x21.5	AC85-277V		SABS Compliant	10	R 95.97
1.2m T8 Single Tube Lamp Holder	TL-LH-S-5303	White				124x24.5x21.5	AC85-277V		SABS Compliant	10	R 110.49
1.5m T8 Single Tube Lamp Holder	TL-LH-S-5304	White				155x24.5x21.5	AC85-277V		SABS Compliant	10	R 115.74
 0.6m T8 Double Tube Lamp Holder	TL-LH-D-5305	White				63.5x24.5x21.5	AC85-277V		SABS Compliant	10	R 126.55
1.2m T8 Double Tube Lamp Holder	TL-LH-D-5306	White				123.5x20.18.5	AC85-277V		SABS Compliant	10	R 159.35
1.5m T8 Double Tube Lamp Holder	TL-LH-D-5307	White				155x21x19	AC85-277V		SABS Compliant	10	R 170.75

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
T8 Rewiring Retrofit TUBE LIGHTS - Rewiring required and ballast needs to be removed – powered at one end only LOCAL ASSEMBLY! OWN Patented 1.2mm wall aluminium tube with ADVANCED Heat Dissipation.											
 With -> Sensor	10-TL-WH-C-5036	WH	Clear	10	T8 - 1P(G13)	60cm	AC85-277V	1100	CE, ROHS, DLC	25	R 125.87
	10-TL-WH-C-5036-S	WH	Clear	10	T8 - 1P(G13)	60cm	AC85-277V	1100	CE, ROHS, DLC	25	R 179.24
	10-TL-WW-C-5037	WW	Clear	10	T8 - 1P(G13)	60cm	AC85-277V	989	CE, ROHS, DLC	25	R 125.87
	10-TL-NW-C-5038	NW	Clear	10	T8 - 1P(G13)	60cm	AC85-277V	1044	CE, ROHS, DLC	25	R 125.87
	10-TL-WH-F-5039	WH	Frosted	10	T8 - 1P(G13)	60cm	AC85-277V	1072	CE, ROHS, DLC	25	R 125.87
	10-TL-WW-F-5040	WW	Frosted	10	T8 - 1P(G13)	60cm	AC85-277V	964	CE, ROHS, DLC	25	R 125.87
	10-TL-NW-F-5041	NW	Frosted	10	T8 - 1P(G13)	60cm	AC85-277V	1018	CE, ROHS, DLC	25	R 125.87
 With -> Sensor	18-TL-WH-C-5042	WH	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1980	CE, ROHS, DLC	25	R 201.41
	18-TL-WH-C-5042-S	WH	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1980	CE, ROHS, DLC	25	R 258.41
	18-TL-WW-C-5043	WW	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1780	CE, ROHS, DLC	25	R 201.41
	18-TL-NW-C-5044	NW	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1880	CE, ROHS, DLC	25	R 201.41
	18-TL-WH-F-5045	WH	Frosted	18	T8 - 1P(G13)	120cm	AC85-277V	1930	CE, ROHS, DLC	25	R 201.41
	18-TL-WW-F-5046	WW	Frosted	18	T8 - 1P(G13)	120cm	AC85-277V	1735	CE, ROHS, DLC	25	R 201.41
	18-TL-NW-F-5047	NW	Frosted	18	T8 - 1P(G13)	120cm	AC85-277V	1832	CE, ROHS, DLC	25	R 201.41
 With -> Sensor	27-TL-WH-C-5048	WH	Clear	27	T8 - 1P(G13)	150cm	AC85-277V	2970	CE, ROHS, DLC	25	R 239.60
	27-TL-WH-C-5048-S	WH	Clear	27	T8 - 1P(G13)	150cm	AC85-277V	2970	CE, ROHS, DLC	25	R 296.60
	27-TL-WW-C-5049	WW	Clear	27	T8 - 1P(G13)	150cm	AC85-277V	2670	CE, ROHS, DLC	25	R 239.60
	27-TL-NW-C-5050	NW	Clear	27	T8 - 1P(G13)	150cm	AC85-277V	2820	CE, ROHS, DLC	25	R 239.60
	27-TL-WH-F-5051	WH	Frosted	27	T8 - 1P(G13)	150cm	AC85-277V	2895	CE, RoHS	25	R 239.60
	27-TL-WW-F-5052	WW	Frosted	27	T8 - 1P(G13)	150cm	AC85-277V	2602	CE, RoHS	25	R 239.60
	27-TL-NW-F-5053	NW	Frosted	27	T8 - 1P(G13)	150cm	AC85-277V	2749	CE, RoHS	25	R 239.60
	18-TL-WH-F-5024	WH	Frosted	18	T8 - 1P(G13)	150cm	AC85-277V	1930	CE, RoHS	25	R 232.54

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
---------	-----------	-------	-------	--------------	------	-----------	---------	-------	---------------	---------	------

T8 TUBE LIGHTS - All With Radar Sensor



1. Microwave control, detecting moving objects intelligently with automatic adjustment.
2. Low power consumption in standby status, when people approach, adjust to full load automatically.
3. Standby Power: 3W (0%~100% adjustable)
4. Delay time: 35's (35's to 3min adjustable)
5. Detection Area : 8 - 10M diameter
7. Detection Angle: 180°
9. Long lifespan: 50,000 hours



Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
9-TL-WH-C-5150	WH	Clear	9	T8	60cm	AC90-260V	990	CE, RoHS	25	R 235.58
9-TL-WW-C-5151	WW	Clear	9	T8	60cm	AC90-260V	890	CE, RoHS	25	R 235.58
9-TL-NW-C-5152	NW	Clear	9	T8	60cm	AC90-260V	940	CE, RoHS	25	R 235.58
9-TL-WH-F-5153	WH	Frosted	9	T8	60cm	AC90-260V	965	CE, RoHS	25	R 235.58
9-TL-WW-F-5154	WW	Frosted	9	T8	60cm	AC90-260V	867	CE, RoHS	25	R 235.58
9-TL-NW-F-5155	NW	Frosted	9	T8	60cm	AC90-260V	916	CE, RoHS	25	R 235.58
18-TL-WH-C-5156	WH	Clear	18	T8	120cm	AC90-260V	1980	CE, RoHS	25	R 322.98
18-TL-WW-C-5157	WW	Clear	18	T8	120cm	AC90-260V	1780	CE, RoHS	25	R 322.98
18-TL-NW-C-5158	NW	Clear	18	T8	120cm	AC90-260V	1880	CE, RoHS	25	R 322.98
18-TL-WH-F-5159	WH	Frosted	18	T8	120cm	AC90-260V	1930	CE, RoHS	25	R 322.98
18-TL-WW-F-5160	WW	Frosted	18	T8	120cm	AC90-260V	1735	CE, RoHS	25	R 322.98
18-TL-NW-F-5161	NW	Frosted	18	T8	120cm	AC90-260V	1832	CE, RoHS	25	R 322.98
20-TL-WH-C-5162	WH	Clear	20	T8	150cm	AC90-260V	2520	CE, RoHS	25	R 379.96
20-TL-WW-C-5163	WW	Clear	20	T8	150cm	AC90-260V	2265	CE, RoHS	25	R 379.96
20-TL-NW-C-5164	NW	Clear	20	T8	150cm	AC90-260V	2393	CE, RoHS	25	R 379.96
20-TL-WH-F-5165	WH	Frosted	20	T8	150cm	AC90-260V	2456	CE, RoHS	25	R 379.96
20-TL-WW-F-5166	WW	Frosted	20	T8	150cm	AC90-260V	2208	CE, RoHS	25	R 379.96
20-TL-NW-F-5167	NW	Frosted	20	T8	150cm	AC90-260V	2332	CE, RoHS	25	R 379.96


T8 Emergency Tube (Backup Time: 90minutes)















1. Backup Status: 5W for 90minutes. It will darken gradually after 90minutes, lasts for 2~3 hours.
 2. Special circuit design, each LED work separately, avoiding a single broken LED to effect other LEDs.
 3. Energy saving up to more than 70% energy than normal fluorescent lamp.
 4. Instant start, no flickering, no lead, mercury, no UV & IR interference.
 5. Long lifespan: 50,000 hours, 10 times over than traditional lights.
- * Connection Options: Double-ended connection, Single-ended connection.













Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
9-TL-WH-C-5200	WH	Clear	9	T8	60cm	AC90-260V	945	CE, RoHS	25	R 246.98
9-TL-WW-C-5201	WW	Clear	9	T8	60cm	AC90-260V	850	CE, RoHS	25	R 246.98
9-TL-NW-C-5202	NW	Clear	9	T8	60cm	AC90-260V	897	CE, RoHS	25	R 246.98
9-TL-WH-F-5203	WH	Frosted	9	T8	60cm	AC90-260V	921	CE, RoHS	25	R 246.98
9-TL-WW-F-5204	WW	Frosted	9	T8	60cm	AC90-260V	828	CE, RoHS	25	R 246.98
9-TL-NW-F-5205	NW	Frosted	9	T8	60cm	AC90-260V	875	CE, RoHS	25	R 246.98
18-TL-WH-C-5206	WH	Clear	18	T8	120cm	AC90-260V	1890	CE, RoHS	25	R 322.98
18-TL-WW-C-5207	WW	Clear	18	T8	120cm	AC90-260V	1699	CE, RoHS	25	R 322.98
18-TL-NW-C-5208	NW	Clear	18	T8	120cm	AC90-260V	1795	CE, RoHS	25	R 322.98
18-TL-WH-F-5209	WH	Frosted	18	T8	120cm	AC90-260V	1842	CE, RoHS	25	R 322.98
18-TL-WW-F-5210	WW	Frosted	18	T8	120cm	AC90-260V	1656	CE, RoHS	25	R 322.98
18-TL-NW-F-5211	NW	Frosted	18	T8	120cm	AC90-260V	1749	CE, RoHS	25	R 322.98
20-TL-WH-C-5212	WH	Clear	20	T8	150cm	AC90-260V	2415	CE, RoHS	25	R 379.96
20-TL-WW-C-5213	WW	Clear	20	T8	150cm	AC90-260V	2171	CE, RoHS	25	R 379.96
20-TL-NW-C-5214	NW	Clear	20	T8	150cm	AC90-260V	2293	CE, RoHS	25	R 379.96
20-TL-WH-F-5215	WH	Frosted	20	T8	150cm	AC90-260V	2354	CE, RoHS	25	R 379.96
20-TL-WW-F-5216	WW	Frosted	20	T8	150cm	AC90-260V	2116	CE, RoHS	25	R 379.96
20-TL-NW-F-5217	NW	Frosted	20	T8	150cm	AC90-260V	2235	CE, RoHS	25	R 379.96

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP	
T8 Fitting and Tube in one TUBE LIGHTS												
	9-TL-WH-C-5018	WH	Clear	9	T8 - 1P(G13)	60cm	AC85-277V	990	CE, ROHS, DLC	25	R 159.59	
	9-TL-WW-C-5019	WW	Clear	9	T8 - 1P(G13)	60cm	AC85-277V	890	CE, ROHS, DLC	25	R 159.59	
	9-TL-NW-C-5020	NW	Clear	9	T8 - 1P(G13)	60cm	AC85-277V	940	CE, ROHS, DLC	25	R 159.59	
	9-TL-WH-F-5021	WH	Frosted	9	T8 - 1P(G13)	60cm	AC85-277V	965	CE, ROHS, DLC	25	R 159.59	
	9-TL-WW-F-5022	WW	Frosted	9	T8 - 1P(G13)	60cm	AC85-277V	867	CE, ROHS, DLC	25	R 159.59	
	9-TL-NW-F-5023	NW	Frosted	9	T8 - 1P(G13)	60cm	AC85-277V	916	CE, ROHS, DLC	25	R 159.59	
	18-TL-WH-C-5121	WH	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1980	CE, ROHS, DLC	25	R 182.39	
	With -> Sensor	18-TL-WH-C-5121-S	WH	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1980	CE, ROHS, DLC	25	R 239.39
	18-TL-WW-C-5025	WW	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1780	CE, ROHS, DLC	25	R 182.39	
	18-TL-NW-C-5026	NW	Clear	18	T8 - 1P(G13)	120cm	AC85-277V	1880	CE, ROHS, DLC	25	R 182.39	
	18-TL-WH-F-5027	WH	Frosted	18	T8 - 1P(G13)	120cm	AC85-277V	1930	CE, ROHS, DLC	25	R 182.39	
	With -> Sensor	18-TL-WH-F-5027-S	WH	Frosted	18	T8 - 1P(G13)	120cm	AC85-277V	1930	CE, ROHS, DLC	25	R 239.39
	18-TL-WW-F-5028	WW	Frosted	18	T8 - 1P(G13)	120cm	AC85-277V	1735	CE, ROHS, DLC	25	R 182.39	
	18-TL-NW-F-5029	NW	Frosted	18	T8 - 1P(G13)	120cm	AC85-277V	1832	CE, ROHS, DLC	25	R 182.39	
	22-TL-WH-C-5030	WH	Clear	22	T8 - 1P(G13)	150cm	AC85-277V	2420	CE, ROHS, DLC	25	R 258.38	
	With -> Sensor	22-TL-WH-C-5030-S	WH	Clear	22	T8 - 1P(G13)	150cm	AC85-277V	2420	CE, ROHS, DLC	25	R 315.37
	22-TL-WW-C-5031	WW	Clear	22	T8 - 1P(G13)	150cm	AC85-277V	2176	CE, ROHS, DLC	25	R 258.38	
	22-TL-NW-C-5032	NW	Clear	22	T8 - 1P(G13)	150cm	AC85-277V	2298	CE, ROHS, DLC	25	R 258.38	
22-TL-WH-F-5033	WH	Frosted	22	T8 - 1P(G13)	150cm	AC85-277V	2359	CE, RoHS	25	R 258.38		
With -> Sensor	22-TL-WH-F-5033-S	WH	Frosted	22	T8 - 1P(G13)	150cm	AC85-277V	2359	CE, RoHS	25	R 315.37	
22-TL-WW-F-5034	WW	Frosted	22	T8 - 1P(G13)	150cm	AC85-277V	2121	CE, RoHS	25	R 258.38		
22-TL-NW-F-5035	NW	Frosted	22	T8 - 1P(G13)	150cm	AC85-277V	2240	CE, RoHS	25	R 258.38		


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
T5 TUBE LIGHTS - Fluorescent Ballast needs to be removed - tubes powered at two ends											
	9-TL-WH-C-5055	WH	Clear	9	T5 - G5	60cm	AC85-277V	990	CE, RoHS	25	R 159.59
	9-TL-WW-C-5056	WW	Clear	9	T5 - G5	60cm	AC85-277V	890	CE, RoHS	25	R 159.59
	9-TL-NW-C-5057	NW	Clear	9	T5 - G5	60cm	AC85-277V	940	CE, RoHS	25	R 159.59
	9-TL-WH-F-5058	WH	Frosted	9	T5 - G5	60cm	AC85-277V	965	CE, RoHS	25	R 159.59
	9-TL-WW-F-5059	WW	Frosted	9	T5 - G5	60cm	AC85-277V	867	CE, RoHS	25	R 159.59
	9-TL-NW-F-5060	NW	Frosted	9	T5 - G5	60cm	AC85-277V	916	CE, RoHS	25	R 159.59
	18-TL-WH-C-5061	WH	Clear	18	T5 - G5	60cm	AC85-277V	1980	CE, RoHS	25	R 182.39
	18-TL-WW-C-5062	WW	Clear	18	T5 - G5	60cm	AC85-277V	1780	CE, RoHS	25	R 182.39
	18-TL-NW-C-5063	NW	Clear	18	T5 - G5	60cm	AC85-277V	1880	CE, RoHS	25	R 182.39
	18-TL-WH-F-5064	WH	Frosted	18	T5 - G5	60cm	AC85-277V	1930	CE, RoHS	25	R 182.39
	18-TL-WW-F-5065	WW	Frosted	18	T5 - G5	60cm	AC85-277V	1735	CE, RoHS	25	R 182.39
	18-TL-NW-F-5066	NW	Frosted	18	T5 - G5	60cm	AC85-277V	1832	CE, RoHS	25	R 182.39
	27-TL-WH-C-5067	WH	Clear	27	T5 - G5	60cm	AC85-277V	2970	CE, RoHS	25	R 258.38
	27-TL-WW-C-5068	WW	Clear	27	T5 - G5	60cm	AC85-277V	2670	CE, RoHS	25	R 258.38
	27-TL-NW-C-5069	NW	Clear	27	T5 - G5	60cm	AC85-277V	2820	CE, RoHS	25	R 258.38
	27-TL-WH-F-5070	WH	Frosted	27	T5 - G5	60cm	AC85-277V	2895	CE, RoHS	25	R 258.38
	27-TL-WW-F-5071	WW	Frosted	27	T5 - G5	60cm	AC85-277V	2602	CE, RoHS	25	R 258.38
	27-TL-NW-F-5072	NW	Frosted	27	T5 - G5	60cm	AC85-277V	2749	CE, RoHS	25	R 258.38




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
T5 TUBE LIGHTS - Fluorescent Ballast needs to be removed - tubes powered at two ends											
	36-TL-WH-C-5073	WH	Clear	36	T5 - G5	60cm	AC85-277V	3960	CE, RoHS	25	R 341.98
	36-TL-WW-C-5074	WW	Clear	36	T5 - G5	60cm	AC85-277V	3560	CE, RoHS	25	R 341.98
	36-TL-NW-C-5075	NW	Clear	36	T5 - G5	60cm	AC85-277V	3760	CE, RoHS	25	R 341.98
	36-TL-WH-F-5076	WH	Frosted	36	T5 - G5	60cm	AC85-277V	3860	CE, RoHS	25	R 341.98
	36-TL-WW-F-5077	WW	Frosted	36	T5 - G5	60cm	AC85-277V	3470	CE, RoHS	25	R 341.98
	36-TL-NW-F-5078	NW	Frosted	36	T5 - G5	60cm	AC85-277V	3665	CE, RoHS	25	R 341.98
	54-TL-WH-C-5079	WH	Clear	54	T5 - G5	60cm	AC85-277V	5940	CE, RoHS	25	R 415.79
	54-TL-WW-C-5080	WW	Clear	54	T5 - G5	60cm	AC85-277V	5340	CE, RoHS	25	R 415.79
	54-TL-NW-C-5081	NW	Clear	54	T5 - G5	60cm	AC85-277V	5640	CE, RoHS	25	R 415.79
	54-TL-WH-F-5082	WH	Frosted	54	T5 - G5	60cm	AC85-277V	5790	CE, RoHS	25	R 415.79
	54-TL-WW-F-5083	WW	Frosted	54	T5 - G5	60cm	AC85-277V	5205	CE, RoHS	25	R 415.79
	54-TL-NW-F-5084	NW	Frosted	54	T5 - G5	60cm	AC85-277V	5497	CE, RoHS	25	R 415.79
	18-TL-WH-C-5085	WH	Clear	18	T5 - G5	120cm	AC85-277V	1980	CE, RoHS	25	R 182.39
	18-TL-WW-C-5086	WW	Clear	18	T5 - G5	120cm	AC85-277V	1780	CE, RoHS	25	R 182.39
	18-TL-NW-C-5087	NW	Clear	18	T5 - G5	120cm	AC85-277V	1880	CE, RoHS	25	R 182.39
	18-TL-WH-F-5088	WH	Frosted	18	T5 - G5	120cm	AC85-277V	1930	CE, RoHS	25	R 182.39
	18-TL-WW-F-5089	WW	Frosted	18	T5 - G5	120cm	AC85-277V	1735	CE, RoHS	25	R 182.39
	18-TL-NW-F-5090	NW	Frosted	18	T5 - G5	120cm	AC85-277V	1832	CE, RoHS	25	R 182.39



Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
T5 TUBE LIGHTS - Fluorescent Ballast needs to be removed - tubes powered at two ends											
	36-TL-WH-C-5091	WH	Clear	36	T5 - G5	120cm	AC85-277V	3960	CE, RoHS	25	R 341.98
	36-TL-WW-C-5092	WW	Clear	36	T5 - G5	120cm	AC85-277V	3560	CE, RoHS	25	R 341.98
	36-TL-NW-C-5093	NW	Clear	36	T5 - G5	120cm	AC85-277V	3760	CE, RoHS	25	R 341.98
	36-TL-WH-F-5094	WH	Frosted	36	T5 - G5	120cm	AC85-277V	3860	CE, RoHS	25	R 341.98
	36-TL-WW-F-5095	WW	Frosted	36	T5 - G5	120cm	AC85-277V	3470	CE, RoHS	25	R 341.98
	36-TL-NW-F-5096	NW	Frosted	36	T5 - G5	120cm	AC85-277V	3665	CE, RoHS	25	R 341.98
	54-TL-WH-C-5097	WH	Clear	54	T5 - G5	120cm	AC85-277V	5940	CE, RoHS	25	R 415.79
	54-TL-WW-C-5098	WW	Clear	54	T5 - G5	120cm	AC85-277V	5340	CE, RoHS	25	R 415.79
	54-TL-NW-C-5099	NW	Clear	54	T5 - G5	120cm	AC85-277V	5640	CE, RoHS	25	R 415.79
	54-TL-WH-F-5100	WH	Frosted	54	T5 - G5	120cm	AC85-277V	5790	CE, RoHS	25	R 415.79
	54-TL-WW-F-5101	WW	Frosted	54	T5 - G5	120cm	AC85-277V	5205	CE, RoHS	25	R 415.79
	54-TL-NW-F-5102	NW	Frosted	54	T5 - G5	120cm	AC85-277V	5497	CE, RoHS	25	R 415.79
	72-TL-WH-C-5103	WH	Clear	72	T5 - G5	120cm	AC85-277V	7920	CE, RoHS	25	R 622.66
	72-TL-WW-C-5104	WW	Clear	72	T5 - G5	120cm	AC85-277V	7120	CE, RoHS	25	R 622.66
	72-TL-NW-C-5105	NW	Clear	72	T5 - G5	120cm	AC85-277V	7520	CE, RoHS	25	R 622.66
	72-TL-WH-F-5106	WH	Frosted	72	T5 - G5	120cm	AC85-277V	7720	CE, RoHS	25	R 622.66
	72-TL-WW-F-5107	WW	Frosted	72	T5 - G5	120cm	AC85-277V	6940	CE, RoHS	25	R 622.66
	72-TL-NW-F-5108	NW	Frosted	72	T5 - G5	120cm	AC85-277V	7330	CE, RoHS	25	R 622.66


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
T5 TUBE LIGHTS - Fluorescent Ballast needs to be removed - tubes powered at two ends											
	108-TL-WH-C-5109	WH	Clear	108	T5 - G5	120cm	AC85-277V	11880	CE, RoHS	25	R 846.69
	108-TL-WW-C-5110	WW	Clear	108	T5 - G5	120cm	AC85-277V	10680	CE, RoHS	25	R 877.14
	108-TL-NW-C-5111	NW	Clear	108	T5 - G5	120cm	AC85-277V	11280	CE, RoHS	25	R 877.14
	108-TL-WH-F-5112	WH	Frosted	108	T5 - G5	120cm	AC85-277V	11579	CE, RoHS	25	R 877.14
	108-TL-WW-F-5113	WW	Frosted	108	T5 - G5	120cm	AC85-277V	10410	CE, RoHS	25	R 877.14
	108-TL-NW-F-5114	NW	Frosted	108	T5 - G5	120cm	AC85-277V	10995	CE, RoHS	25	R 877.14
	27-TL-WH-C-5115	WH	Clear	27	T5 - G5	150cm	AC85-277V	2970	CE, RoHS	25	R 227.99
	27-TL-WW-C-5116	WW	Clear	27	T5 - G5	150cm	AC85-277V	2670	CE, RoHS	25	R 227.99
	27-TL-NW-C-5117	NW	Clear	27	T5 - G5	150cm	AC85-277V	2820	CE, RoHS	25	R 227.99
	27-TL-WH-F-5118	WH	Frosted	27	T5 - G5	150cm	AC85-277V	2895	CE, RoHS	25	R 227.99
	27-TL-WW-F-5119	WW	Frosted	27	T5 - G5	150cm	AC85-277V	2602	CE, RoHS	25	R 227.99
	27-TL-NW-F-5120	NW	Frosted	27	T5 - G5	150cm	AC85-277V	2749	CE, RoHS	25	R 227.99


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
TUBE LIGHTS - Parts and Pieces											
 CC Driver	10-TL-DRIVER-5121			10			AC85-277V		CE, RoHS	25	R 22.38
	15-TL-DRIVER-5122			15			AC85-277V		CE, RoHS	25	R 28.34
	18-TL-DRIVER-5123			18			AC85-277V		CE, RoHS	25	R 28.34
	27-TL-DRIVER-5124			27			AC85-277V		CE, RoHS	25	R 34.31
 Cover	TL-Cover60-C-5125		Clear			60cm			CE, RoHS	25	R 4.48
	TL-Cover60-F-5126		Frosted			60cm			CE, RoHS	25	R 4.48
	TL-Cover120-C-5127		Clear			120cm			CE, RoHS	25	R 8.35
	TL-Cover120-F-5128		Frosted			120cm			CE, RoHS	25	R 8.35
	TL-Cover150-C-5129		Clear			150cm			CE, RoHS	25	R 8.96
	TL-Cover150-F-5130		Frosted			150cm			CE, RoHS	25	R 8.96
 LED Strip Aluminium PCB	TL-LEDSTRIP60-5131					60cm	AC85-277V		CE, RoHS	25	R 38.78
	TL-LEDSTRIP120-5132					120cm	AC85-277V		CE, RoHS	25	R 74.58
	TL-LEDSTRIP150-5133					150cm	AC85-277V		CE, RoHS	25	R 89.50
 Black heat-shrinkable tubing	TL-HeatShrink-5134								CE, RoHS	25	R 2.39
 Small SM connector	TL-SmalConnect-5135								CE, RoHS	25	R 2.98
 End Cap Live End	TL-EndCapLive-5136								CE, RoHS	25	R 2.98
	TL-EndCapDead-5137								CE, RoHS	25	R 2.98
 Stickers Set	TL-Stickers-5138								CE, RoHS	25	R 2.39
 60g Thermal Paste tube	TL-Paste-5139								CE, RoHS	25	R 29.84
 0.8mm 750g solder rolls	TL-Solder-5140								CE, RoHS	25	R 387.85
 Fuse Holder	TL-FuseHold-5141								CE, RoHS	25	R 14.92
	TL-Fuse-5142								CE, RoHS	25	R 1.79
 0.6m tube	TL-T8Tube60-5143					60cm			CE, RoHS	25	R 41.08
	TL-T8Tube120-5144					120cm			CE, RoHS	25	R 71.19
	TL-T8Tube150-5145					150cm			CE, RoHS	25	R 82.58

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
BULB LIGHTS											
	3-BL-WH-F-4500	WH	Frosted	3	E27	Ø5x8.5	AC230V	322		100	R 14.53
	3-BL-WH-F-4500-B	WH	Frosted	3	B22	Ø5x8.5	AC230V	322		100	R 14.53
	3-BL-NW-F-4501	NW	Frosted	3	E27	Ø5x8.5	AC230V	305		100	R 14.53
	3-BL-WW-F-4502	WW	Frosted	3	E27	Ø5x8.5	AC230V	289		100	R 14.53
	5-BL-WH-F-4503	WH	Frosted	5	E27	Ø6x9.8	AC230V	536		100	R 18.67
	5-BL-WH-F-4503-B	WH	Frosted	5	B22	Ø6x9.8	AC230V	536		100	R 18.67
	5-BL-NW-F-4504	NW	Frosted	5	E27	Ø6x9.8	AC230V	509		100	R 18.67
	5-BL-WW-F-4505	WW	Frosted	5	E27	Ø6x9.8	AC230V	482		100	R 18.67
	7-BL-WH-F-4506	WH	Frosted	7	E27	Ø6.8x10.6	AC230V	751		100	R 22.82
	7-BL-WH-F-4506-B	WH	Frosted	7	B22	Ø6.8x10.6	AC230V	751		100	R 22.82
	7-BL-NW-F-4507	NW	Frosted	7	E27	Ø6.8x10.6	AC230V	713		100	R 22.82
	7-BL-WW-F-4508	WW	Frosted	7	E27	Ø6.8x10.6	AC230V	675		100	R 22.82
	9-BL-WH-F-4509	WH	Frosted	9	E27	Ø7.8x12.8	AC230V	965		100	R 26.97
	9-BL-WH-F-4509-B	WH	Frosted	9	B22	Ø7.8x12.8	AC230V	965		100	R 26.97
	9-BL-NW-F-4510	NW	Frosted	9	E27	Ø7.8x12.8	AC230V	916		100	R 26.97
	9-BL-WW-F-4511	WW	Frosted	9	E27	Ø7.8x12.8	AC230V	867		100	R 26.97
	12-BL-WH-F-4512	WH	Frosted	12	E27	Ø9.5x14.2	AC230V	1287		100	R 33.19
	12-BL-NW-F-4513	NW	Frosted	12	E27	Ø9.5x14.2	AC230V	1222		100	R 33.19
	12-BL-WW-F-4514	WW	Frosted	12	E27	Ø9.5x14.2	AC230V	1157		100	R 33.19
	18-BL-WH-F-4515	WH	Frosted	18	E27	Ø9.5x14.2	AC230V	1930		100	R 124.48
	18-BL-NW-F-4516	NW	Frosted	18	E27	Ø9.5x14.2	AC230V	1832		100	R 124.48
	18-BL-WW-F-4517	WW	Frosted	18	E27	Ø9.5x14.2	AC230V	1735		100	R 124.48







Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
BULB LIGHTS											
	5-BL-WH-C-4518	WH	Clear	5	E14	Φ4.3x11.3	AC100-240V	550		100	R 49.79
	5-BL-NW-C-4519	NW	Clear	5	E14	Φ4.3x11.3	AC100-240V	522		100	R 49.79
	5-BL-WW-C-4520	WW	Clear	5	E14	Φ4.3x11.3	AC100-240V	494		100	R 49.79
	5-BL-WH-C-4518b	WH	Clear	5	E27	Φ4.3x11.3	AC100-240V	550		100	R 49.79
	5-BL-NW-C-4519b	NW	Clear	5	E27	Φ4.3x11.3	AC100-240V	522		100	R 49.79
	5-BL-WW-C-4520b	WW	Clear	5	E27	Φ4.3x11.3	AC100-240V	494		100	R 49.79
	5-BL-WH-C-4518c	WH	Clear	5	B22	Φ4.3x11.3	AC100-240V	550		100	R 49.79
	5-BL-NW-C-4519c	NW	Clear	5	B22	Φ4.3x11.3	AC100-240V	522		100	R 49.79
	5-BL-WW-C-4520c	WW	Clear	5	B22	Φ4.3x11.3	AC100-240V	494		100	R 49.79

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
BULB LIGHTS (Alum body)											
	3-BL-WH-F-4521	WH	Frosted	3	E14/E27	Φ5.1x10	AC100-240V	322		100	R 36.52
	3-BL-NW-F-4522	NW	Frosted	3	E14/E27	Φ5.1x10	AC100-240V	305		100	R 36.52
	3-BL-WW-F-4523	WW	Frosted	3	E14/E27	Φ5.1x10	AC100-240V	289		100	R 36.52
	5-BL-WH-F-4524	WH	Frosted	5	E14/E27	Φ5.9x11.4	AC100-240V	536		100	R 70.95
	5-BL-NW-F-4525	NW	Frosted	5	E14/E27	Φ5.9x11.4	AC100-240V	509		100	R 70.95
	5-BL-WW-F-4526	WW	Frosted	5	E14/E27	Φ5.9x11.4	AC100-240V	482		100	R 70.95
	7-BL-WH-F-4527	WH	Frosted	7	E14/E27	Φ6x14	AC100-240V	751		100	R 87.13
	7-BL-NW-F-4528	NW	Frosted	7	E14/E27	Φ6x14	AC100-240V	713		100	R 87.13
	7-BL-WW-F-4529	WW	Frosted	7	E14/E27	Φ6x14	AC100-240V	675		100	R 87.13
	9-BL-WH-F-4530	WH	Frosted	9	E27	Φ9.6x14.5	AC100-240V	965		100	R 157.68
	9-BL-NW-F-4531	NW	Frosted	9	E27	Φ9.6x14.5	AC100-240V	916		100	R 157.68
	9-BL-WW-F-4532	WW	Frosted	9	E27	Φ9.6x14.5	AC100-240V	867		100	R 157.68
	12-BL-WH-F-4533	WH	Frosted	12	E27	Φ9.6x16.7	AC100-240V	1287		100	R 188.79
	12-BL-NW-F-4534	NW	Frosted	12	E27	Φ9.6x16.7	AC100-240V	1222		100	R 188.79
	12-BL-WW-F-4535	WW	Frosted	12	E27	Φ9.6x16.7	AC100-240V	1157		100	R 188.79
	15-BL-WH-F-4536	WH	Frosted	15	E27	Φ9.6x18.9	AC100-240V	1608		100	R 298.74
	15-BL-NW-F-4537	NW	Frosted	15	E27	Φ9.6x18.9	AC100-240V	1527		100	R 298.74
	15-BL-WW-F-4538	WW	Frosted	15	E27	Φ9.6x18.9	AC100-240V	1446		100	R 298.74
	18-BL-WH-F-4539	WH	Frosted	18	E27	Φ9.6x19.8	AC100-240V	1930		100	R 340.24
	18-BL-NW-F-4540	NW	Frosted	18	E27	Φ9.6x19.8	AC100-240V	1832		100	R 340.24
18-BL-WW-F-4541	WW	Frosted	18	E27	Φ9.6x19.8	AC100-240V	1735		100	R 340.24	

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
BULB LIGHTS											
	3-BL-WH-F-4542	WH	Frosted	3	E27	Φ5.0x8.5	AC100-240V	322		100	R 41.49
	3-BL-NW-F-4543	NW	Frosted	3	E27	Φ5.0x8.5	AC100-240V	305		100	R 41.49
	3-BL-WW-F-4544	WW	Frosted	3	E27	Φ5.0x8.5	AC100-240V	289		100	R 41.49
	5-BL-WH-F-4545	WH	Frosted	5	E27	Φ6.0x10.5	AC100-240V	536		100	R 76.76
	5-BL-NW-F-4546	NW	Frosted	5	E27	Φ6.0x10.5	AC100-240V	509		100	R 76.76
	5-BL-WW-F-4547	WW	Frosted	5	E27	Φ6.0x10.5	AC100-240V	482		100	R 76.76
	7-BL-WH-F-4548	WH	Frosted	7	E27	Φ6.0x10.5	AC100-240V	751		100	R 95.43
	7-BL-NW-F-4549	NW	Frosted	7	E27	Φ6.0x10.5	AC100-240V	713		100	R 95.43
	7-BL-WW-F-4550	WW	Frosted	7	E27	Φ6.0x10.5	AC100-240V	675		100	R 95.43
	9-BL-WH-F-4551	WH	Frosted	9	E27	Φ7.0x12.0	AC100-240V	965		100	R 165.97
	9-BL-NW-F-4552	NW	Frosted	9	E27	Φ7.0x12.0	AC100-240V	916		100	R 165.97
	9-BL-WW-F-4553	WW	Frosted	9	E27	Φ7.0x12.0	AC100-240V	867		100	R 165.97
	12-BL-WH-F-4554	WH	Frosted	12	E27	Φ7.0x12.0	AC100-240V	1287		100	R 199.17
	12-BL-NW-F-4555	NW	Frosted	12	E27	Φ7.0x12.0	AC100-240V	1222		100	R 199.17
	12-BL-WW-F-4556	WW	Frosted	12	E27	Φ7.0x12.0	AC100-240V	1157		100	R 199.17





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
BULB LIGHTS											
	15-BL-WH-F-4557	WH	Frosted	15	E27	Φ11x15	AC85-265V	1608		100	R 35.27
	15-BL-NW-F-4558	NW	Frosted	15	E27	Φ11x15	AC85-265V	1527		100	R 35.27
	15-BL-WW-F-4559	WW	Frosted	15	E27	Φ11x15	AC85-265V	1446		100	R 35.27
	18-BL-WH-F-4560	WH	Frosted	18	E27	Φ11x15	AC85-265V	1930		100	R 116.18
	18-BL-NW-F-4561	NW	Frosted	18	E27	Φ11x15	AC85-265V	1832		100	R 116.18
	18-BL-WW-F-4562	WW	Frosted	18	E27	Φ11x15	AC85-265V	1735		100	R 116.18
	24-BL-WH-F-4563	WH	Frosted	24	E27	Φ11x15	AC85-265V	2573		100	R 145.22
	24-BL-NW-F-4564	NW	Frosted	24	E27	Φ11x15	AC85-265V	2443		100	R 145.22
	24-BL-WW-F-4565	WW	Frosted	24	E27	Φ11x15	AC85-265V	2313		100	R 145.22
	36-BL-WH-F-4566	WH	Frosted	36	E27	Φ11x21	AC85-265V	3860		100	R 174.27
	36-BL-NW-F-4567	NW	Frosted	36	E27	Φ11x21	AC85-265V	3665		100	R 174.27
	36-BL-WW-F-4568	WW	Frosted	36	E27	Φ11x21	AC85-265V	3470		100	R 174.27
	50-BL-WH-F-4569	WH	Frosted	50	E27	Φ11x21	AC85-265V	5361		100	R 298.74
	50-BL-NW-F-4570	NW	Frosted	50	E27	Φ11x21	AC85-265V	5090		100	R 298.74
	50-BL-WW-F-4571	WW	Frosted	50	E27	Φ11x21	AC85-265V	4819		100	R 298.74

CFL Repacement Lights											
Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP	
	3-BL-WH-C-4576	WH	Clear	3	E27	Φ4x10	AC85-265V	330		100	R 41.49
	3-BL-WH-C-4576-B	WH	Clear	3	B22	Φ4x10	AC85-265V	330		100	R 41.49
	3-BL-NW-C-4577	NW	Clear	3	E27	Φ4x10	AC85-265V	313		100	R 41.49
	3-BL-WW-C-4578	WW	Clear	3	E27	Φ4x10	AC85-265V	297		100	R 41.49
	5-BL-WH-C-4579	WH	Clear	5	E27	Φ5.2x14.5	AC85-265V	550		100	R 62.24
	5-BL-WH-C-4579-B	WH	Clear	5	B22	Φ5.2x14.5	AC85-265V	550		100	R 62.24
	5-BL-NW-C-4580	NW	Clear	5	E27	Φ5.2x14.5	AC85-265V	522		100	R 62.24
	5-BL-WW-C-4581	WW	Clear	5	E27	Φ5.2x14.5	AC85-265V	494		100	R 62.24
	7-BL-WH-C-4582	WH	Clear	7	E27	Φ5.2x15.5	AC85-265V	770		100	R 82.99
	7-BL-WH-C-4582-B	WH	Clear	7	B22	Φ5.2x15.5	AC85-265V	770		100	R 82.99
	7-BL-NW-C-4583	NW	Clear	7	E27	Φ5.2x15.5	AC85-265V	731		100	R 82.99
	7-BL-WW-C-4584	WW	Clear	7	E27	Φ5.2x15.5	AC85-265V	692		100	R 82.99
	9-BL-WH-C-4585	WH	Clear	9	E27	Φ5.2x16.5	AC85-265V	990		100	R 91.29
	9-BL-WH-C-4585-B	WH	Clear	9	B22	Φ5.2x16.5	AC85-265V	990		100	R 91.29
	9-BL-NW-C-4586	NW	Clear	9	E27	Φ5.2x16.5	AC85-265V	940		100	R 91.29
	9-BL-WW-C-4587	WW	Clear	9	E27	Φ5.2x16.5	AC85-265V	890		100	R 91.29






Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CFL Repacement Lights											
	12-BL-WH-C-4588	WH	Clear	12	E27	Φ5.2x17.5	AC85-265V	1320		100	R 120.47
	12-BL-WH-C-4588-B	WH	Clear	12	B22	Φ5.2x17.5	AC85-265V	1320		100	R 120.47
	12-BL-NW-C-4589	NW	Clear	12	E27	Φ5.2x17.5	AC85-265V	1253		100	R 120.47
	12-BL-WW-C-4590	WW	Clear	12	E27	Φ5.2x17.5	AC85-265V	1187		100	R 120.47
	15-BL-WH-C-4591	WH	Clear	15	E27	Φ5.7x18.5	AC85-265V	1650		100	R 133.00
	15-BL-NW-C-4592	NW	Clear	15	E27	Φ5.7x18.5	AC85-265V	1567		100	R 133.00
	15-BL-WW-C-4593	WW	Clear	15	E27	Φ5.7x18.5	AC85-265V	1483		100	R 133.00
	18-BL-WH-C-4594	WH	Clear	18	E27	Φ5.7x18.5	AC85-265V	1980		100	R 151.99
	18-BL-NW-C-4595	NW	Clear	18	E27	Φ5.7x18.5	AC85-265V	1880		100	R 151.99
	18-BL-WW-C-4596	WW	Clear	18	E27	Φ5.7x18.5	AC85-265V	1780		100	R 151.99
	24-BL-WH-C-4597	WH	Clear	24	E27	Φ7.3x24.5	AC85-265V	2640		100	R 208.98
	24-BL-NW-C-4598	NW	Clear	24	E27	Φ7.3x24.5	AC85-265V	2507		100	R 208.98
	24-BL-WW-C-4599	WW	Clear	24	E27	Φ7.3x24.5	AC85-265V	2373		100	R 208.98
	27-BL-WH-C-4600	WH	Clear	27	E27	Φ7.3x25	AC85-265V	2970		100	R 227.99
	27-BL-NW-C-4601	NW	Clear	27	E27	Φ7.3x25	AC85-265V	2820		100	R 227.99
	27-BL-WW-C-4602	WW	Clear	27	E27	Φ7.3x25	AC85-265V	2670		100	R 227.99
	32-BL-WH-C-4603	WH	Clear	32	E27	Φ8x25.4	AC85-265V	3520		100	R 265.98
	32-BL-NW-C-4604	NW	Clear	32	E27	Φ8x25.4	AC85-265V	3342		100	R 265.98
	32-BL-WW-C-4605	WW	Clear	32	E27	Φ8x25.4	AC85-265V	3164		100	R 265.98

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SOLAR PANEL AND EMERGENCY BULB LIGHTS											
	3-EL-C-4000			3		L21.5xW18.3xH1.8				50	R 93.36
	4-EL-WH-F-4001	WH	Frosted	4	E27	Ø7x11.3	AC85-265V	429		50	R 272.23
	4-EL-WH-F-4002	WH	Frosted	4	B22	Ø7x11.3	AC85-265V	429		50	R 272.23
	1.44-EL-WH-C-4003	WH	Clear	1.44	E27	L15xW7xH7	100-240V	158		50	R 272.23
	1.36-EL-WH-C-4004	WH	Clear	1.36	E27	L15xW7xH7	100-240V	150		50	R 272.23
	1.6-EL-WH-C-4005	WH	Clear	1.6	E27	L13.3xW8xH8	100-240V	176			R 272.23

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SOLAR PANEL AND EMERGENCY BULB LIGHTS											
	1.14-EL-WH-C-4006	WH	Clear	1.14	E27	L13.3xW8xH8	100-240V	125		50	R 272.23
	2-EL-WH-C-4007	WH	Clear	2	E27	L10.6xW11xH11	100-240V	220		50	R 272.23
	1.92-EL-WH-C-4008	WH	Clear	1.92	E27	L10.6xW11xH11	100-240V	211		50	R 284.98
	2-EL-WH-C-4009	WH	Clear	2	E27	L12.6xW11.7xH11.7	100-240V	220		50	R 272.23
	1.92-EL-WH-C-4010	WH	Clear	1.92	E27	L12.6xW11.7xH11.7	100-240V	211		50	R 272.23






Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SOLAR PANEL AND EMERGENCY BULB LIGHTS											
	5-EL-WH-F-4011	WH	Frosted	5	E27	Ø6.5x13	AC85-265V	536		50	R 272.23
	5-EL-WW-F-4012	WW	Frosted	5	E27	Ø6.5x13	AC85-265V	482		50	R 272.23
	1.44-EL-WH-C-4013	WH	Clear	1.44	B22	L15xW7xH7	100-240V	158		50	R 272.23
	1.36-EL-WH-C-4014	WH	Clear	1.36	B22	L15xW7xH7	100-240V	150		50	R 272.23
	1.6-EL-WH-C-4015	WH	Clear	1.6	B22	L13.3xW8xH8	100-240V	176		50	R 272.23

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SOLAR PANEL AND EMERGENCY BULB LIGHTS											
	1.14-EL-WH-C-4016	WH	Clear	1.14	B22	L13.3xW8xH8	100-240V	125		50	R 272.23
	2-EL-WH-C-4017	WH	Clear	2	B22	L10.6xW11xH11	100-240V	220		50	R 272.23
	1.92-EL-WH-C-4018	WH	Clear	1.92	B22	L10.6xW11xH11	100-240V	211		50	R 272.23
	2-EL-WH-C-4019	WH	Clear	2	B22	L12.6xW11.7xH11.7	100-240V	220		50	R 272.23
	1.92-EL-WH-C-4020	WH	Clear	1.92	B22	L12.6xW11.7xH11.7	100-240V	211		50	R 272.23
	4-EL-WH-F-4021	WH	Frosted	4	E27	Ø7x11.3	AC85-265V	429		50	R 272.23
	4-EL-WH-F-4022	WH	Frosted	4	B22	Ø7x11.3	AC85-265V	429		50	R 272.23

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	5-FL-WH-C-2300	WH	Clear	5		L11.5xW8.5xH8.5	AC100-240V	550		10	R 208.98
	5-FL-WW-C-2301	WW	Clear	5		L11.5xW8.5xH8.5	AC100-240V	494		10	R 208.98
	5-FL-NW-C-2302	NW	Clear	5		L11.5xW8.5xH8.5	AC100-240V	522		10	R 208.98
	10-FL-WH-C-2303	WH	Clear	10		L11.5xW8.5xH8.5	AC100-240V	1100		10	R 235.94
	10-FL-WW-C-2304	WW	Clear	10		L11.5xW8.5xH8.5	AC100-240V	989		10	R 235.94
	10-FL-NW-C-2305	NW	Clear	10		L11.5xW8.5xH8.5	AC100-240V	1044		10	R 235.94
	20-FL-WH-C-2306	WH	Clear	20		L18xW14xH10	AC100-240V	2200		10	R 431.55
	20-FL-WW-C-2307	WW	Clear	20		L18xW14xH10	AC100-240V	1978		10	R 431.55
	20-FL-NW-C-2308	NW	Clear	20		L18xW14xH10	AC100-240V	2089		10	R 431.55
	30-FL-WH-C-2309	WH	Clear	30		L22.2xW14xH10	AC100-240V	3300		10	R 498.81
	30-FL-WW-C-2310	WW	Clear	30		L22.2xW14xH10	AC100-240V	2967		10	R 498.81
	30-FL-NW-C-2311	NW	Clear	30		L22.2xW14xH10	AC100-240V	3133		10	R 498.81
	50-FL-WH-C-2312	WH	Clear	50		L28.5xW23.5xH14	AC100-240V	5500		10	R 908.56
	50-FL-WW-C-2313	WW	Clear	50		L28.5xW23.5xH14	AC100-240V	4945		10	R 908.56
	50-FL-NW-C-2314	NW	Clear	50		L28.5xW23.5xH14	AC100-240V	5222		10	R 908.56
	60-FL-WH-C-2315	WH	Clear	60		L31.3xW23.5xH15	AC100-240V	6600		10	R 1,162.08
	60-FL-WW-C-2316	WW	Clear	60		L31.3xW23.5xH15	AC100-240V	5933		10	R 1,162.08
	60-FL-NW-C-2317	NW	Clear	60		L31.3xW23.5xH15	AC100-240V	6267		10	R 1,162.08

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	70-FL-WH-C-2318	WH	Clear	70		L36.5xW29xH11	AC100-240V	7700		10	R 1,452.24
	70-FL-WW-C-2319	WW	Clear	70		L36.5xW29xH11	AC100-240V	6922		10	R 1,452.24
	70-FL-NW-C-2320	NW	Clear	70		L36.5xW29xH11	AC100-240V	7311		10	R 1,452.24
	100-FL-WH-C-2321	WH	Clear	100		L37xW28.5xH10	AC100-240V	11000		6	R 1,650.02
	100-FL-WW-C-2322	WW	Clear	100		L37xW28.5xH10	AC100-240V	9889		6	R 1,650.02
	100-FL-NW-C-2323	NW	Clear	100		L37xW28.5xH10	AC100-240V	10445		6	R 1,650.02
	150-FL-WH-C-2324	WH	Clear	150		L42.5xW32.5xH20	AC100-240V	16500		6	R 2,475.02
	150-FL-WW-C-2325	WW	Clear	150		L42.5xW32.5xH20	AC100-240V	14834		6	R 2,475.02
	150-FL-NW-C-2326	NW	Clear	150		L42.5xW32.5xH20	AC100-240V	15667		6	R 2,475.02
	120-FL-WH-C-2327	WH	Clear	120		L42.4xW32.35xH19	AC100-240V	13200		6	R 2,310.02
	120-FL-NW-C-2328	NW	Clear	120		L42.4xW32.35xH19	AC100-240V	12533		6	R 2,310.02
	120-FL-WW-C-2329	WW	Clear	120		L42.4xW32.35xH19	AC100-240V	11867		6	R 2,310.02
	100-FL-WH-C-2330	WH	Clear	100		L36.8xW28.5xH22.2	AC100-240V	11000		6	R 1,749.01
	100-FL-WW-C-2331	WW	Clear	100		L36.8xW28.5xH22.2	AC100-240V	9889		6	R 1,749.01
	100-FL-NW-C-2332	NW	Clear	100		L36.8xW28.5xH22.2	AC100-240V	10445		6	R 1,749.01
	100-FL-WH-C-2333	WH	Clear	100		L36.8xW29.3xH21.5	AC100-240V	11000		6	R 1,815.02
	100-FL-WW-C-2334	WW	Clear	100		L36.8xW29.3xH21.5	AC100-240V	9889		6	R 1,815.02
	100-FL-NW-C-2335	NW	Clear	100		L36.8xW29.3xH21.5	AC100-240V	10445		6	R 1,815.02

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	120-FL-WH-C-2336	WH	Clear	120		L60.5xW28.8xH21.5	AC100-240V	13200		6	R 2,310.02
	120-FL-WW-C-2337	WW	Clear	120		L60.5xW28.8xH21.5	AC100-240V	11867		6	R 2,310.02
	120-FL-NW-C-2338	NW	Clear	120		L60.5xW28.8xH21.5	AC100-240V	12533		6	R 2,310.02
	140-FL-WH-C-2339	WH	Clear	140		L45.3xW31.3xH20	AC100-240V	15400		6	R 2,475.02
	140-FL-WW-C-2340	WW	Clear	140		L45.3xW31.3xH20	AC100-240V	13845		6	R 2,475.02
	140-FL-NW-C-2341	NW	Clear	140		L45.3xW31.3xH20	AC100-240V	14622		6	R 2,475.02
	200-FL-WH-C-2342	WH	Clear	200		L92.5xW29xH22	AC100-240V	22000		6	R 3,234.03
	200-FL-WW-C-2343	WW	Clear	200		L92.5xW29xH22	AC100-240V	19778		6	R 3,234.03
	200-FL-NW-C-2344	NW	Clear	200		L92.5xW29xH22	AC100-240V	20889		6	R 3,234.03
	30-FL-WH-C-2345	WH	Clear	30		L21xW17xH11	AC100-240V	3300		6	R 688.51
	30-FL-WW-C-2346	WW	Clear	30		L21xW17xH11	AC100-240V	2967		6	R 688.51
	30-FL-NW-C-2347	NW	Clear	30		L21xW17xH11	AC100-240V	3133		6	R 688.51
	50-FL-WH-C-2348	WH	Clear	50		L31.3xW23.5xH15	AC100-240V	5500		6	R 1,024.19
	50-FL-WW-C-2349	WW	Clear	50		L31.3xW23.5xH15	AC100-240V	4945		6	R 1,024.19
	50-FL-NW-C-2350	NW	Clear	50		L31.3xW23.5xH15	AC100-240V	5222		6	R 1,024.19
	100-FL-WH-C-2351	WH	Clear	100		L37xW24xH15	AC100-240V	11000		6	R 1,980.01
	100-FL-WW-C-2352	WW	Clear	100		L37xW24xH15	AC100-240V	9889		6	R 1,980.01
	100-FL-NW-C-2353	NW	Clear	100		L37xW24xH15	AC100-240V	10445		6	R 1,980.01

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	5-FL-WH-C-2354	WH	Clear	5		L18xW14xH10	AC100-240V	550		10	R 303.98
	5-FL-WW-C-2355	WW	Clear	5		L18xW14xH10	AC100-240V	494		10	R 303.98
	5-FL-NW-C-2356	NW	Clear	5		L18xW14xH10	AC100-240V	522		10	R 303.98
	20-FL-WH-C-2357	WH	Clear	20		L18xW14xH10	AC100-240V	2200		10	R 1,107.96
	20-FL-WW-C-2358	WW	Clear	20		L18xW14xH10	AC100-240V	1978		10	R 1,107.96
	20-FL-NW-C-2359	NW	Clear	20		L18xW14xH10	AC100-240V	2089		10	R 1,107.96
	30-FL-WH-C-2360	WH	Clear	30		L22.2xW14.5xH10	AC100-240V	3300		10	R 1,584.01
	30-FL-WW-C-2361	WW	Clear	30		L22.2xW14.5xH10	AC100-240V	2967		10	R 1,584.01
	30-FL-NW-C-2362	NW	Clear	30		L22.2xW14.5xH10	AC100-240V	3133		10	R 1,584.01
	50-FL-WH-C-2363	WH	Clear	50		L28.5xW23.5xH14	AC100-240V	5500		10	R 2,079.02
	50-FL-WW-C-2364	WW	Clear	50		L28.5xW23.5xH14	AC100-240V	4945		10	R 2,079.02
	50-FL-NW-C-2365	NW	Clear	50		L28.5xW23.5xH14	AC100-240V	5222		10	R 2,079.02
	12-FL-WH-C-2366	WH	Clear	12		Φ16xH15.2	AC100-240V	1320		10	R 720.89
	12-FL-WW-C-2367	WW	Clear	12		Φ16xH15.2	AC100-240V	1187		10	R 720.89
	12-FL-NW-C-2368	NW	Clear	12		Φ16xH15.2	AC100-240V	1253		10	R 720.89











Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	18-FL-WH-C-2369	WH	Clear	18		Φ18xH23.5	AC100-240V	1980		10	R 1,024.19
	18-FL-WW-C-2370	WW	Clear	18		Φ18xH23.5	AC100-240V	1780		10	R 1,024.19
	18-FL-NW-C-2371	NW	Clear	18		Φ18xH23.5	AC100-240V	1880		10	R 1,024.19
	24-FL-WH-C-2372	WH	Clear	24		Φ20.5xH23.5	AC100-240V	2640		10	R 1,716.02
	24-FL-WW-C-2373	WW	Clear	24		Φ20.5xH23.5	AC100-240V	2373		10	R 1,716.02
	24-FL-NW-C-2374	NW	Clear	24		Φ20.5xH23.5	AC100-240V	2507		10	R 1,716.02
	18-FL-WH-C-2375	WH	Clear	18		Φ18xH18.5	AC100-240V	1980		10	R 1,024.19
	18-FL-WW-C-2376	WW	Clear	18		Φ18xH18.5	AC100-240V	1780		10	R 1,024.19
	18-FL-NW-C-2377	NW	Clear	18		Φ18xH18.5	AC100-240V	1880		10	R 1,024.19
	36-FL-WH-C-2378	WH	Clear	36		Φ23xH26.5	AC100-240V	3960		10	R 2,310.02
	36-FL-WW-C-2379	WW	Clear	36		Φ23xH26.5	AC100-240V	3560		10	R 2,310.02
	36-FL-NW-C-2380	NW	Clear	36		Φ23xH26.5	AC100-240V	3760		10	R 2,310.02
	18-FL-WH-C-2381	WH	Clear	18		Φ20xH28	AC100-240V	1980		10	R 1,024.19
	18-FL-WW-C-2382	WW	Clear	18		Φ20xH28	AC100-240V	1780		10	R 1,024.19
	18-FL-NW-C-2383	NW	Clear	18		Φ20xH28	AC100-240V	1880		10	R 1,024.19
	60-FL-WH-C-2384	WH	Clear	60		Φ34.5xH16	AC100-240V	6600		10	R 4,620.04
	60-FL-WW-C-2385	WW	Clear	60		Φ34.5xH16	AC100-240V	5933		10	R 4,620.04
	60-FL-NW-C-2386	NW	Clear	60		Φ34.5xH16	AC100-240V	6267		10	R 4,620.04







Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	30-FL-WH-C-2387	WH	Clear	30		L30.5xW25.5xH77	AC100-240V	3300		10	R 2,310.02
	30-FL-WW-C-2388	WW	Clear	30		L30.5xW25.5xH77	AC100-240V	2967		10	R 2,310.02
	30-FL-NW-C-2389	NW	Clear	30		L30.5xW25.5xH77	AC100-240V	3133		10	R 2,310.02
	36-FL-WH-C-2390	WH	Clear	36		L33.7xW14.8xH20	AC100-240V	3960		10	R 2,310.02
	36-FL-WW-C-2391	WW	Clear	36		L33.7xW14.8xH20	AC100-240V	3560		10	R 2,310.02
	36-FL-NW-C-2392	NW	Clear	36		L33.7xW14.8xH20	AC100-240V	3760		10	R 2,310.02
	18-FL-WH-C-2393	WH	Clear	18		L19.2xW16.7	AC100-240V	1980		10	R 720.89
	18-FL-WW-C-2394	WW	Clear	18		L19.2xW16.7	AC100-240V	1780		10	R 720.89
	18-FL-NW-C-2395	NW	Clear	18		L19.2xW16.7	AC100-240V	1880		10	R 720.89
	36-FL-WH-C-2396	WH	Clear	36		L31xW16.5	AC100-240V	3960		10	R 4,620.04
	36-FL-WW-C-2397	WW	Clear	36		L31xW16.5	AC100-240V	3560		10	R 4,620.04
	36-FL-NW-C-2398	NW	Clear	36		L31xW16.5	AC100-240V	3760		10	R 4,620.04
	20-FL-WH-C-2399	WH	Clear	20		L22.6xW18.5xH12	AC100-240V	2200		10	R 1,716.02
	20-FL-WW-C-2400	WW	Clear	20		L22.6xW18.5xH12	AC100-240V	1978		10	R 1,716.02
	20-FL-NW-C-2401	NW	Clear	20		L22.6xW18.5xH12	AC100-240V	2089		10	R 1,716.02
	36-FL-WH-C-2402	WH	Clear	36		L32.9xW20xH12	AC100-240V	3960		10	R 2,310.02
	36-FL-WW-C-2403	WW	Clear	36		L32.9xW20xH12	AC100-240V	3560		10	R 2,310.02
	36-FL-NW-C-2404	NW	Clear	36		L32.9xW20xH12	AC100-240V	3760		10	R 2,310.02





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	70-FL-WH-C-2405	WH	Clear	70		L43.6xW23.6xH12.5	AC100-240V	7700		10	R 4,620.04
	70-FL-WW-C-2406	WW	Clear	70		L43.6xW23.6xH12.5	AC100-240V	6922		10	R 4,620.04
	70-FL-NW-C-2407	NW	Clear	70		L43.6xW23.6xH12.5	AC100-240V	7311		10	R 4,620.04
	18-FL-WH-C-2408	WH	Clear	18		L26.5xW16xH30	AC100-240V	1980		10	R 1,024.19
	18-FL-WW-C-2409	WW	Clear	18		L26.5xW16xH30	AC100-240V	1780		10	R 1,024.19
	18-FL-NW-C-2410	NW	Clear	18		L26.5xW16xH30	AC100-240V	1880		10	R 1,024.19
	24-FL-WH-C-2411	WH	Clear	24		L30xW13.5xH18	AC100-240V	2640		10	R 2,046.02
	24-FL-WW-C-2412	WW	Clear	24		L30xW13.5xH18	AC100-240V	2373		10	R 2,046.02
	24-FL-NW-C-2413	NW	Clear	24		L30xW13.5xH18	AC100-240V	2507		10	R 2,046.02
	10-FL-WH-C-2414	WH	Clear	10		L15.7xW13.3xH5.7	AC100-240V	1100		10	R 379.96
	10-FL-WW-C-2415	WW	Clear	10		L15.7xW13.3xH5.7	AC100-240V	989		10	R 379.96
	10-FL-NW-C-2416	NW	Clear	10		L15.7xW13.3xH5.7	AC100-240V	1044		10	R 379.96
	20-FL-WH-C-2417	WH	Clear	20		L17.6xW16.6xH7.7	AC100-240V	2200		10	R 451.20
	20-FL-WW-C-2418	WW	Clear	20		L17.6xW16.6xH7.7	AC100-240V	1978		10	R 451.20
	20-FL-NW-C-2419	NW	Clear	20		L17.6xW16.6xH7.7	AC100-240V	2089		10	R 451.20
	30-FL-WH-C-2420	WH	Clear	30		L19.1xW17.8xH8.1	AC100-240V	3300		10	R 1,024.19
	30-FL-WW-C-2421	WW	Clear	30		L19.1xW17.8xH8.1	AC100-240V	2967		10	R 1,024.19
	30-FL-NW-C-2422	NW	Clear	30		L19.1xW17.8xH8.1	AC100-240V	3133		10	R 1,024.19







Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	50-FL-WH-C-2423	WH	Clear	50		L22.6xW19.4xH9.5	AC100-240V	5500		10	R 1,320.02
	50-FL-WW-C-2424	WW	Clear	50		L22.6xW19.4xH9.5	AC100-240V	4945		10	R 1,320.02
	50-FL-NW-C-2425	NW	Clear	50		L22.6xW19.4xH9.5	AC100-240V	5222		10	R 1,320.02
	70-FL-WH-C-2426	WH	Clear	70		L25.9xW25xH11.6	AC100-240V	7700		10	R 1,914.01
	70-FL-WW-C-2427	WW	Clear	70		L25.9xW25xH11.6	AC100-240V	6922		10	R 1,914.01
	70-FL-NW-C-2428	NW	Clear	70		L25.9xW25xH11.6	AC100-240V	7311		10	R 1,914.01
	100-FL-WH-C-2429	WH	Clear	100		L30.9xW25xH11.6	AC100-240V	11000		6	R 2,475.02
	100-FL-WW-C-2430	WW	Clear	100		L30.9xW25xH11.6	AC100-240V	9889		6	R 2,475.02
	100-FL-NW-C-2431	NW	Clear	100		L30.9xW25xH11.6	AC100-240V	10445		6	R 2,475.02
	150-FL-WH-C-2432	WH	Clear	150		L37.5xW31xH18.7	AC100-240V	16500		6	R 3,234.03
	150-FL-WW-C-2433	WW	Clear	150		L37.5xW31xH18.7	AC100-240V	14834		6	R 3,234.03
	150-FL-NW-C-2434	NW	Clear	150		L37.5xW31xH18.7	AC100-240V	15667		6	R 3,234.03
	200-FL-WH-C-2435	WH	Clear	200		L40xW34xH12.1	AC100-240V	22000		6	R 5,115.05
	200-FL-WW-C-2436	WW	Clear	200		L40xW34xH12.1	AC100-240V	19778		6	R 5,115.05
	200-FL-NW-C-2437	NW	Clear	200		L40xW34xH12.1	AC100-240V	20889		6	R 5,115.05
	30-FL-WH-C-2438	WH	Clear	30		L28xW25xH8.5	AC100-240V	3300		10	R 379.96
	30-FL-WW-C-2439	WW	Clear	30		L28xW25xH8.5	AC100-240V	2967		10	R 379.96
	30-FL-NW-C-2440	NW	Clear	30		L28xW25xH8.5	AC100-240V	3133		10	R 379.96







Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS											
	50-FL-WH-C-2441	WH	Clear	50		L35.4xW30.6xH10.8	AC100-240V	5500		10	R 1,024.19
	50-FL-WW-C-2442	WW	Clear	50		L35.4xW30.6xH10.8	AC100-240V	4945		10	R 1,024.19
	50-FL-NW-C-2443	NW	Clear	50		L35.4xW30.6xH10.8	AC100-240V	5222		10	R 1,024.19
	80-FL-WH-C-2444	WH	Clear	80		L36.5xW28.3xH13.5	AC100-240V	8800		10	R 1,650.02
	80-FL-WW-C-2445	WW	Clear	80		L36.5xW28.3xH13.5	AC100-240V	7911		10	R 1,650.02
	80-FL-NW-C-2446	NW	Clear	80		L36.5xW28.3xH13.5	AC100-240V	8356		10	R 1,650.02
	300-FL-WH-C-2447	WH	Clear	300		L92.5xW28.5xH22.2	AC100-240V	33000		6	R 5,874.05
	300-FL-WW-C-2448	WW	Clear	300		L92.5xW28.5xH22.2	AC100-240V	29667		6	R 5,874.05
	400-FL-WH-C-2449	WH	Clear	400		L92.5xW28.5xH22.2	AC100-240V	44000		6	R 7,590.07
	400-FL-WW-C-2450	WW	Clear	400		L92.5xW28.5xH22.2	AC100-240V	39556		6	R 7,590.07
	400-FL-WH-C-2463	WH	Clear	400		L92.5xW28.5xH22.2	AC100-240V	44000		6	R 7,755.07
	400-FL-WW-C-2464	WW	Clear	400		L92.5xW28.5xH22.2	AC100-240V	39556		6	R 7,755.07
	500-FL-WH-C-2457	WH	Clear	500		L66.5xW32.3xH18.5	AC85-265V	55000		6	R 11,550.11
	500-FL-WW-C-2458	WW	Clear	500		L66.5xW32.3xH18.5	AC85-265V	49445		6	R 11,550.11
	500-FL-NW-C-2459	NW	Clear	500		L66.5xW32.3xH18.5	AC85-265V	52223		6	R 11,550.11
	750-FL-WH-C-2460	WH	Clear	750		L88xW32xH19	AC85-265V	82500		6	R 12,540.12
	750-FL-WW-C-2461	WW	Clear	750		L88xW32xH19	AC85-265V	74168		6	R 12,540.12
	750-FL-NW-C-2462	NW	Clear	750		L88xW32xH19	AC85-265V	78334		6	R 12,540.12
	1000-FL-WH-C-2454	WH	Clear	1000		D51.4xW43.6xH60.2	AC110-265V	110000		6	R 32,340.29
	1000-FL-WW-C-2455	WW	Clear	1000		D51.4xW43.6xH60.2	AC110-265V	98890		6	R 32,340.29
	1000-FL-NW-C-2456	NW	Clear	1000		D51.4xW43.6xH60.2	AC110-265V	104445		6	R 32,340.29







Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
FLOODLIGHTS - B Series - High Quality 130Lm/W with Philips 3030 LED chips and Meanwell Driver. IP65											
	50-FL-WH-C-2457-B	WH	Clear	50		36*23*12cm	AC100-240V	6500			R 1,657.67
	100-FL-WH-C-2458-B	WH	Clear	100		36*33*12cm	AC100-240V	13000			R 2,577.46
	150-FL-WH-C-2459-B	WH	Clear	150		36*43*12cm	AC100-240V	19500			R 2,989.30
	200-FL-WH-C-2460-B	WH	Clear	200		36*53*12cm	AC100-240V	26000			R 4,053.23
	240-FL-WH-C-2461-B	WH	Clear	240		36*63*12cm	AC100-240V	31200			R 4,883.79
	300-FL-WH-C-2462-B	WH	Clear	300		36*73*12cm	AC100-240V	39000			R 6,091.86
	350-FL-WH-C-2463-B	WH	Clear	350		36*83*12cm	AC100-240V	45500			R 6,905.24
	480-FL-WH-C-2464-B	WH	Clear	480		58*44*20cm	AC100-277V	62400			R 11,981.22
	720-FL-WH-C-2465-B	WH	Clear	720		83*44*20cm	AC100-277V	93600			R 18,618.76
	960-FL-WH-C-2466-B	WH	Clear	960		109*44*20cm	AC100-277V	124800			R 24,388.02




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
PANEL LIGHTS											
	30-PL-WH-F-2800	WH	Frosted	30		60x60x1.6	24VDC	3217		5	R 877.14
	30-PL-NW-F-2801	NW	Frosted	30		60x60x1.6	24VDC	3054		5	R 877.14
	30-PL-WW-F-2802	WW	Frosted	30		60x60x1.6	24VDC	2892		5	R 877.14
	45-PL-WH-F-2803	WH	Frosted	45		60x60x1.6	24VDC	4825		5	R 1,162.08
	45-PL-NW-F-2804	NW	Frosted	45		60x60x1.6	24VDC	4581		5	R 1,162.08
	45-PL-WW-F-2805	WW	Frosted	45		60x60x1.6	24VDC	4337		5	R 1,162.08
	60-PL-WH-F-2806	WH	Frosted	60		60x60x1.6	24VDC	6433		5	R 1,485.02
	60-PL-NW-F-2807	NW	Frosted	60		60x60x1.6	24VDC	6108		5	R 1,485.02
	60-PL-WW-F-2808	WW	Frosted	60		60x60x1.6	24VDC	5783		5	R 1,485.02
	8-PL-WH-F-2809	WH	Frosted	8		4 inch (Φ13.5x2)	24VDC	858		20	R 208.98
	8-PL-NW-F-2810	NW	Frosted	8		4 inch (Φ13.5x2)	24VDC	814		20	R 208.98
	8-PL-WW-F-2811	WW	Frosted	8		4 inch (Φ13.5x2)	24VDC	771		20	R 208.98
	11-PL-WH-F-2812	WH	Frosted	11		6 inch (Φ18x2)	24VDC	1179		20	R 246.98
	11-PL-NW-F-2813	NW	Frosted	11		6 inch (Φ18x2)	24VDC	1120		20	R 246.98
	11-PL-WW-F-2814	WW	Frosted	11		6 inch (Φ18x2)	24VDC	1060		20	R 246.98
	14-PL-WH-F-2815	WH	Frosted	14		8 inch (Φ24*2)	24VDC	1501		20	R 284.98
	14-PL-NW-F-2816	NW	Frosted	14		8 inch (Φ24*2)	24VDC	1425		20	R 284.98
	14-PL-WW-F-2817	WW	Frosted	14		8 inch (Φ24*2)	24VDC	1349		20	R 284.98
	10-PL-WH-F-2818	WH	Frosted	10		20x20x1.2	24VDC	1072		5	R 360.97
	10-PL-NW-F-2819	NW	Frosted	10		20x20x1.2	24VDC	1018		5	R 360.97
	10-PL-WW-F-2820	WW	Frosted	10		20x20x1.2	24VDC	964		5	R 360.97
	18-PL-WH-F-2821	WH	Frosted	18		30x30x1.6	24VDC	1930		5	R 655.75
	18-PL-NW-F-2822	NW	Frosted	18		30x30x1.6	24VDC	1832		5	R 655.75
	18-PL-WW-F-2823	WW	Frosted	18		30x30x1.6	24VDC	1735		5	R 655.75

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
PANEL LIGHTS											
	39-PL-WH-F-2824	WH	Frosted	39		60x60x1.6	24VDC	4181		5	R 1,024.19
	39-PL-NW-F-2825	NW	Frosted	39		60x60x1.6	24VDC	3970		5	R 1,024.19
	39-PL-WW-F-2826	WW	Frosted	39		60x60x1.6	24VDC	3759		5	R 1,024.19
	68-PL-WH-F-2827	WH	Frosted	68		60x120x1.6	24VDC	7291		5	R 1,485.02
	68-PL-NW-F-2828	NW	Frosted	68		60x120x1.6	24VDC	6923		5	R 1,485.02
	68-PL-WW-F-2829	WW	Frosted	68		60x120x1.6	24VDC	6554		5	R 1,485.02
	17-PL-WH-F-2830	WH	Frosted	17		30x30x1.6	24VDC	1823		5	R 655.75
	17-PL-NW-F-2831	NW	Frosted	17		30x30x1.6	24VDC	1731		5	R 655.75
	17-PL-WW-F-2832	WW	Frosted	17		30x30x1.6	24VDC	1639		5	R 655.75
	58-PL-WH-F-2833	WH	Frosted	58		30x120x1.6	24VDC	6219		5	R 1,485.02
	58-PL-NW-F-2834	NW	Frosted	58		30x120x1.6	24VDC	5905		5	R 1,485.02
	58-PL-WW-F-2835	WW	Frosted	58		30x120x1.6	24VDC	5591		5	R 1,485.02

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
PANEL LIGHTS											
	3-PL-WH-F-2836	WH	Frosted	3		Φ8.5*1.3	AC85-265V	322		20	R 107.69
	3-PL-WW-F-2837	WW	Frosted	3		Φ8.5*1.3	AC85-265V	289		20	R 107.69
	4-PL-WH-F-2838	WH	Frosted	4		Φ11*1.3	AC85-265V	429		20	R 151.99
	4-PL-WW-F-2839	WW	Frosted	4		Φ11*1.3	AC85-265V	386		20	R 151.99
	6-PL-WH-F-2840	WH	Frosted	6		Φ12*1.3	AC85-265V	643		20	R 163.39
	6-PL-WW-F-2841	WW	Frosted	6		Φ12*1.3	AC85-265V	578		20	R 163.39
	9-PL-WH-F-2842	WH	Frosted	9		Φ15*1.3	AC85-265V	965		20	R 189.98
	9-PL-WW-F-2843	WW	Frosted	9		Φ15*1.3	AC85-265V	867		20	R 189.98
	12-PL-WH-F-2844	WH	Frosted	12		Φ17*1.3	AC85-265V	1287		20	R 227.99
	12-PL-WW-F-2845	WW	Frosted	12		Φ17*1.3	AC85-265V	1157		20	R 227.99
	15-PL-WH-F-2846	WH	Frosted	15		Φ19*1.3	AC85-265V	1608		20	R 303.98
	15-PL-WW-F-2847	WW	Frosted	15		Φ19*1.3	AC85-265V	1446		20	R 303.98


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
PANEL LIGHTS											
	18-PL-WH-F-2848	WH	Frosted	18		Ø22*1.3	AC85-265V	1930		20	R 379.96
	18-PL-WW-F-2849	WW	Frosted	18		Ø22*1.3	AC85-265V	1735		20	R 379.96
	3-PL-WH-F-2850	WH	Frosted	3		8.5*8.5*1.3	AC85-265V	322		5	R 107.69
	3-PL-WW-F-2851	WW	Frosted	3		8.5*8.5*1.3	AC85-265V	289		5	R 107.69
	4-PL-WH-F-2852	WH	Frosted	4		11*11*1.3	AC85-265V	429		5	R 151.99
	4-PL-WW-F-2853	WW	Frosted	4		11*11*1.3	AC85-265V	386		5	R 151.99
	6-PL-WH-F-2854	WH	Frosted	6		12*12*1.3	AC85-265V	643		5	R 170.99
	6-PL-WW-F-2855	WW	Frosted	6		12*12*1.3	AC85-265V	578		5	R 170.99
	9-PL-WH-F-2856	WH	Frosted	9		15*15*1.3	AC85-265V	965		5	R 208.98
	9-PL-WW-F-2857	WW	Frosted	9		15*15*1.3	AC85-265V	867		5	R 208.98
	12-PL-WH-F-2858	WH	Frosted	12		17*17*1.3	AC85-265V	1287		5	R 246.98
	12-PL-WW-F-2859	WW	Frosted	12		17*17*1.3	AC85-265V	1157		5	R 246.98
	15-PL-WH-F-2860	WH	Frosted	15		19*19*1.3	AC85-265V	1608		5	R 284.98
	15-PL-WW-F-2861	WW	Frosted	15		19*19*1.3	AC85-265V	1446		5	R 284.98
	18-PL-WH-F-2862	WH	Frosted	18		22.5*22.5*1.3	AC85-265V	1930		5	R 379.96
	18-PL-WW-F-2863	WW	Frosted	18		22.5*22.5*1.3	AC85-265V	1735		5	R 379.96

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
PANEL LIGHTS											
	40-PL-WH-F-2864	WH	Frosted	40		60*60*1.4	AC85-265V	4289		5	R 1,024.19
	40-PL-WW-F-2865	WW	Frosted	40		60*60*1.4	AC85-265V	3856		5	R 1,024.19
	40-PL-NW-F-2866	NW	Frosted	40		60*60*1.4	AC85-265V	4072		5	R 1,024.19
	70-PL-WH-F-2867	WH	Frosted	70		120*60*1.1	AC85-265V	7505		5	R 1,485.02
	70-PL-WW-F-2868	WW	Frosted	70		120*60*1.1	AC85-265V	6747		5	R 1,485.02
	70-PL-NW-F-2869	NW	Frosted	70		120*60*1.1	AC85-265V	7126		5	R 1,485.02
	50-PL-WH-F-2870	WH	Frosted	50		60x60x1.2	AC100-277V	5361		5	R 1,024.19
	50-PL-NW-F-2871	NW	Frosted	50		60x60x1.2	AC100-277V	5090		5	R 1,024.19
	50-PL-WW-F-2872	WW	Frosted	50		60x60x1.2	AC100-277V	4819		5	R 1,024.19
	50-PL-WH-F-2873	WH	Frosted	50		120x60x1.2	AC100-277V	5361		5	R 1,485.02
	50-PL-NW-F-2874	NW	Frosted	50		120x60x1.2	AC100-277V	5090		5	R 1,485.02
	50-PL-WW-F-2875	WW	Frosted	50		120x60x1.2	AC100-277V	4819		5	R 1,485.02
	75-PL-WH-F-2876	WH	Frosted	75		120x60x1.2	AC100-277V	8041		5	R 1,485.02
	75-PL-NW-F-2877	NW	Frosted	75		120x60x1.2	AC100-277V	7635		5	R 1,485.02
	75-PL-WW-F-2878	WW	Frosted	75		120x60x1.2	AC100-277V	7229		5	R 1,485.02
	12-PL-WH-F-2879	WH	Frosted	12		Φ17	AC100-240V	1287		5	R 246.98
	12-PL-WW-F-2880	WW	Frosted	12		Φ17	AC100-240V	1157		20	R 246.98

Picture	Model No.			Description		Certification	Qty/ Box	MSRP
ACCESSORIES FOR PANEL LIGHTS								
	APL-2700			Higher PF=0.7 power supply 24V 2A. Standard configuration.				R 59.02
	APL-2702			Ceiling concealed installation accessory: 30x30 cm				R 148.19
	APL-2703			Ceiling concealed installation accessory: 30x60 cm				R 189.98
	APL-2704			Ceiling concealed installation accessory: 60x60 cm				R 262.18
	APL-2705			Ceiling concealed installation accessory: 30x120 cm				R 622.66
	APL-2706			Ceiling concealed installation accessory: 60x120 cm				R 468.81
	APL-2707			Sling for suspended installation. All sizes.				R 579.01




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
HIGH BAY LIGHTS											
	50-HL-WH-C-2000	WH	Clear	50		Φ50xH37.6	AC100-240V	5500		2	R 2,574.02
	50-HL-WW-C-2001	WW	Clear	50		Φ50xH37.6	AC100-240V	4945		2	R 2,574.02
	50-HL-NW-C-2002	NW	Clear	50		Φ50xH37.6	AC100-240V	5222		2	R 2,574.02
	100-HL-WH-C-2003	WH	Clear	100		Φ50xH50	AC100-240V	11000		2	R 2,640.02
	100-HL-WW-C-2004	WW	Clear	100		Φ50xH50	AC100-240V	9889		2	R 2,640.02
	100-HL-NW-C-2005	NW	Clear	100		Φ50xH50	AC100-240V	10445		2	R 2,640.02
	30-HL-WH-C-2006	WH	Clear	30		Φ36x28	AC100-240V	3300		2	R 1,650.02
	30-HL-WW-C-2007	WW	Clear	30		Φ36x28	AC100-240V	2967		2	R 1,650.02
	30-HL-NW-C-2008	NW	Clear	30		Φ36x28	AC100-240V	3133		2	R 1,650.02
	50-HL-WH-C-2009	WH	Clear	50		Φ41xH40	AC100-240V	5500		2	R 2,046.02
	50-HL-WW-C-2010	WW	Clear	50		Φ41xH40	AC100-240V	4945		2	R 2,046.02
	50-HL-NW-C-2011	NW	Clear	50		Φ41xH40	AC100-240V	5222		2	R 2,046.02
	100-HL-WH-C-2012	WH	Clear	100		Φ51.2xH47.5	AC100-240V	11000		2	R 2,640.02
	100-HL-WW-C-2013	WW	Clear	100		Φ51.2xH47.5	AC100-240V	9889		2	R 2,640.02
	100-HL-NW-C-2014	NW	Clear	100		Φ51.2xH47.5	AC100-240V	10445		2	R 2,640.02
	120-HL-WH-C-2015	WH	Clear	120		Φ51.2xH47.5	AC100-240V	13200		2	R 2,904.03
	120-HL-WW-C-2016	WW	Clear	120		Φ51.2xH47.5	AC100-240V	11867		2	R 2,904.03
	120-HL-NW-C-2017	NW	Clear	120		Φ51.2xH47.5	AC100-240V	12533		2	R 2,904.03


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
HIGH BAY LIGHTS											
	150-HL-WH-C-2018	WH	Clear	150		Φ40xH45	AC100-240V	16500		2	R 3,630.03
	150-HL-WW-C-2019	WW	Clear	150		Φ40xH45	AC100-240V	14834		2	R 3,630.03
	150-HL-NW-C-2020	NW	Clear	150		Φ40xH45	AC100-240V	15667		2	R 3,630.03
	200-HL-WH-C-2021	WH	Clear	200		Φ40xH63.5	AC100-240V	22000		2	R 4,884.05
	200-HL-WW-C-2022	WW	Clear	200		Φ40xH63.5	AC100-240V	19778		2	R 4,884.05
	200-HL-NW-C-2023	NW	Clear	200		Φ40xH63.5	AC100-240V	20889		2	R 4,884.05
	150-HL-WH-C-2024	WH	Clear	150		Φ49.8xH45	AC100-240V	16500		2	R 3,300.03
	150-HL-WW-C-2025	WW	Clear	150		Φ49.8xH45	AC100-240V	14834		2	R 3,300.03
	150-HL-NW-C-2026	NW	Clear	150		Φ49.8xH45	AC100-240V	15667		2	R 3,300.03
	150-HL-WH-C-2027	WH	Clear	150		Φ50xH61	AC100-240V	16500		2	R 3,300.03
	150-HL-WW-C-2028	WW	Clear	150		Φ50xH61	AC100-240V	14834		2	R 3,300.03
	150-HL-NW-C-2029	NW	Clear	150		Φ50xH61	AC100-240V	15667		2	R 3,300.03
	40-HL-WH-C-2030	WH	Clear	40		Φ47.4xH42.2	AC100-240V	4400		2	R 1,980.01
	40-HL-WH-C-2031	WH	Clear	40		Φ41.3xH50.5	AC100-240V	4400		2	R 1,980.01
	40-HL-WH-C-2032	WH	Clear	40		Φ36.9xH49.8	AC100-240V	4400		2	R 1,980.01
	40-HL-NW-C-2033	NW	Clear	40		Φ47.4xH42.2	AC100-240V	4178		2	R 1,980.01
	40-HL-NW-C-2034	NW	Clear	40		Φ41.3xH50.5	AC100-240V	4178		2	R 1,980.01
	40-HL-NW-C-2035	NW	Clear	40		Φ36.9xH49.8	AC100-240V	4178		2	R 1,980.01


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
HIGH BAY LIGHTS											
	40-HL-WW-C-2036	WW	Clear	40		Φ47.4xH42.2	AC100-240V	3956		2	R 1,980.01
	40-HL-WW-C-2037	WW	Clear	40		Φ41.3xH50.5	AC100-240V	3956		2	R 1,980.01
	40-HL-WW-C-2038	WW	Clear	40		Φ36.9xH49.8	AC100-240V	3956		2	R 1,980.01
	60-HL-WH-C-2039	WH	Clear	60		Φ51.4xH42.2	AC100-240V	6600		2	R 2,310.02
	60-HL-WH-C-2040	WH	Clear	60		Φ45.3xH50.5	AC100-240V	6600		2	R 2,310.02
	60-HL-WH-C-2041	WH	Clear	60		Φ40.9xH49.8	AC100-240V	6600		2	R 2,310.02
	60-HL-NW-C-2042	NW	Clear	60		Φ51.4xH42.2	AC100-240V	6267		2	R 2,310.02
	60-HL-NW-C-2043	NW	Clear	60		Φ45.3xH50.5	AC100-240V	6267		2	R 2,310.02
	60-HL-NW-C-2044	NW	Clear	60		Φ40.9xH49.8	AC100-240V	6267		2	R 2,310.02
	60-HL-WW-C-2045	WW	Clear	60		Φ51.4xH42.2	AC100-240V	5933		2	R 2,310.02
	60-HL-WW-C-2046	WW	Clear	60		Φ45.3xH50.5	AC100-240V	5933		2	R 2,310.02
	60-HL-WW-C-2047	WW	Clear	60		Φ40.9xH49.8	AC100-240V	5933		2	R 2,310.02
	80-HL-WH-C-2048	WH	Clear	80		Φ56.4xH42.2	AC100-240V	8800		2	R 2,640.02
	80-HL-WH-C-2049	WH	Clear	80		Φ50.3xH50.5	AC100-240V	8800		2	R 2,640.02
	80-HL-WH-C-2050	WH	Clear	80		Φ45.9xH49.8	AC100-240V	8800		2	R 2,640.02
	80-HL-NW-C-2051	NW	Clear	80		Φ56.4xH42.2	AC100-240V	8356		2	R 2,640.02
80-HL-NW-C-2052	NW	Clear	80		Φ50.3xH50.5	AC100-240V	8356		2	R 2,640.02	
80-HL-NW-C-2053	NW	Clear	80		Φ45.9xH49.8	AC100-240V	8356		2	R 2,640.02	

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
HIGH BAY LIGHTS											
	80-HL-WW-C-2054	WW	Clear	80		Φ56.4xH42.2	AC100-240V	7911		2	R 2,640.02
	80-HL-WW-C-2055	WW	Clear	80		Φ50.3xH50.5	AC100-240V	7911		2	R 2,640.02
	80-HL-WW-C-2056	WW	Clear	80		Φ45.9xH49.8	AC100-240V	7911		2	R 2,640.02
	70-HL-WH-C-2057	WH	Clear	70		Φ56.4xH42.2	AC100-240V	7700		2	R 2,574.02
	70-HL-WH-C-2058	WH	Clear	70		Φ50.3xH50.5	AC100-240V	7700		2	R 2,574.02
	70-HL-WH-C-2059	WH	Clear	70		Φ45.9xH49.8	AC100-240V	7700		2	R 2,574.02
	70-HL-NW-C-2060	NW	Clear	70		Φ56.4xH42.2	AC100-240V	7311		2	R 2,574.02
	70-HL-NW-C-2061	NW	Clear	70		Φ50.3xH50.5	AC100-240V	7311		2	R 2,574.02
	70-HL-NW-C-2062	NW	Clear	70		Φ45.9xH49.8	AC100-240V	7311		2	R 2,574.02
	70-HL-WW-C-2063	WW	Clear	70		Φ56.4xH42.2	AC100-240V	6922		2	R 2,574.02
	70-HL-WW-C-2064	WW	Clear	70		Φ50.3xH50.5	AC100-240V	6922		2	R 2,574.02
	70-HL-WW-C-2065	WW	Clear	70		Φ45.9xH49.8	AC100-240V	6922		2	R 2,574.02
	90-HL-WH-C-2066	WH	Clear	90		Φ56.4xH42.2	AC100-240V	9900		2	R 2,640.02
	90-HL-WH-C-2067	WH	Clear	90		Φ50.3xH50.5	AC100-240V	9900		2	R 2,640.02
	90-HL-WH-C-2068	WH	Clear	90		Φ45.9xH49.8	AC100-240V	9900		2	R 2,640.02
	90-HL-NW-C-2069	NW	Clear	90		Φ56.4xH42.2	AC100-240V	9400		2	R 2,640.02
	90-HL-NW-C-2070	NW	Clear	90		Φ50.3xH50.5	AC100-240V	9400		2	R 2,640.02
90-HL-NW-C-2071	NW	Clear	90		Φ45.9xH49.8	AC100-240V	9400		2	R 2,640.02	


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
HIGH BAY LIGHTS											
	90-HL-WW-C-2072	WW	Clear	90		Φ56.4xH42.2	AC100-240V	8900		2	R 2,640.02
	90-HL-WW-C-2073	WW	Clear	90		Φ50.3xH50.5	AC100-240V	8900		2	R 2,640.02
	90-HL-WW-C-2074	WW	Clear	90		Φ45.9xH49.8	AC100-240V	8900		2	R 2,640.02
	110-HL-WH-C-2075	WH	Clear	110		Φ61.4xH42.2	AC100-240V	12100		2	R 2,805.02
	110-HL-WH-C-2076	WH	Clear	110		Φ55.3xH50.5	AC100-240V	12100		2	R 2,805.02
	110-HL-WH-C-2077	WH	Clear	110		Φ50.9xH49.8	AC100-240V	12100		2	R 2,805.02
	110-HL-NW-C-2078	NW	Clear	110		Φ61.4xH42.2	AC100-240V	11489		2	R 2,805.02
	110-HL-NW-C-2079	NW	Clear	110		Φ55.3xH50.5	AC100-240V	11489		2	R 2,805.02
	110-HL-NW-C-2080	NW	Clear	110		Φ50.9xH49.8	AC100-240V	11489		2	R 2,805.02
	110-HL-WW-C-2081	WW	Clear	110		Φ61.4xH42.2	AC100-240V	10878		2	R 2,805.02
	110-HL-WW-C-2082	WW	Clear	110		Φ55.3xH50.5	AC100-240V	10878		2	R 2,805.02
110-HL-WW-C-2083	WW	Clear	110		Φ50.9xH49.8	AC100-240V	10878		2	R 2,805.02	
	250-HL-WH-C-2084	WH	Clear	250		Φ58xH42	AC100-240V	27500		2	R 5,940.05
	250-HL-WH-C-2085	WH	Clear	250		Φ63xH46	AC100-240V	27500		2	R 5,940.05
	250-HL-WH-C-2086	WH	Clear	250		Φ53.5xH50	AC100-240V	27500		2	R 5,940.05
	250-HL-NW-C-2087	NW	Clear	250		Φ58xH42	AC100-240V	26111		2	R 5,940.05
	250-HL-NW-C-2088	NW	Clear	250		Φ63xH46	AC100-240V	26111		2	R 5,940.05
	250-HL-NW-C-2089	NW	Clear	250		Φ53.5xH50	AC100-240V	26111		2	R 5,940.05


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
HIGH BAY LIGHTS											
	250-HL-WW-C-2090	WW	Clear	250		Ø58xH42	AC100-240V	24723		2	R 5,940.05
	250-HL-WW-C-2091	WW	Clear	250		Ø63xH46	AC100-240V	24723		2	R 5,940.05
	250-HL-WW-C-2092	WW	Clear	250		Ø53.5xH50	AC100-240V	24723		2	R 5,940.05
	300-HL-WH-C-2093	WH	Clear	300		Ø61xH42	AC100-240V	33000		2	R 8,250.08
	300-HL-WH-C-2094	WH	Clear	300		Ø65xH46	AC100-240V	33000		2	R 8,250.08
	300-HL-WH-C-2095	WH	Clear	300		Ø58.5xH50	AC100-240V	33000		2	R 8,250.08
	300-HL-NW-C-2096	NW	Clear	300		Ø61xH42	AC100-240V	31334		2	R 8,250.08
	300-HL-NW-C-2097	NW	Clear	300		Ø65xH46	AC100-240V	31334		2	R 8,250.08
	300-HL-NW-C-2098	NW	Clear	300		Ø58.5xH50	AC100-240V	31334		2	R 8,250.08
	300-HL-WW-C-2099	WW	Clear	300		Ø61xH42	AC100-240V	29667		2	R 8,250.08
	300-HL-WW-C-2100	WW	Clear	300		Ø65xH46	AC100-240V	29667		2	R 8,250.08
	300-HL-WW-C-2101	WW	Clear	300		Ø58.5xH50	AC100-240V	29667		2	R 8,250.08
	200-HL-WH-C-2102	WH	Clear	200		LampSizeØ27xH40S hadeSizeØ42xH26	AC100-277V	22000		2	R 5,610.06
	200-HL-WW-C-2103	WW	Clear	200		LampSizeØ27xH40S hadeSizeØ42xH26	AC100-277V	19778		2	R 5,610.06
	200-HL-NW-C-2104	NW	Clear	200		LampSizeØ27xH40S hadeSizeØ42xH26	AC100-277V	20889		2	R 5,610.06
	200-HL-WH-C-2105	WH	Clear	200		LampSizeØ27xH40S hadeSizeØ50xH20	AC100-277V	22000		2	R 5,610.06
	200-HL-WW-C-2106	WW	Clear	200		LampSizeØ27xH40S hadeSizeØ50xH20	AC100-277V	19778		2	R 5,610.06
	200-HL-NW-C-2107	NW	Clear	200		LampSizeØ27xH40S hadeSizeØ50xH20	AC100-277V	20889		2	R 5,610.06


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
HIGH BAY LIGHTS											
	200-HL-WH-C-2108	WH	Clear	200		LampSizeΦ27xH40S hadeSizeΦ50xH14	AC100-277V	22000		2	R 5,610.06
	200-HL-WW-C-2109	WW	Clear	200		LampSizeΦ27xH40S hadeSizeΦ50xH14	AC100-277V	19778		2	R 5,610.06
	200-HL-NW-C-2110	NW	Clear	200		LampSizeΦ27xH40S hadeSizeΦ50xH14	AC100-277V	20889		2	R 5,610.06
	300-HL-WH-C-2111	WH	Clear	300		LampSizeΦ27xH50S hadeSizeΦ42xH26	AC100-277V	33000		2	R 7,590.07
	300-HL-WW-C-2112	WW	Clear	300		LampSizeΦ27xH50S hadeSizeΦ42xH26	AC100-277V	29667		2	R 7,590.07
	300-HL-NW-C-2113	NW	Clear	300		LampSizeΦ27xH50S hadeSizeΦ42xH26	AC100-277V	31334		2	R 7,590.07
	300-HL-WH-C-2114	WH	Clear	300		LampSizeΦ27xH50S hadeSizeΦ50xH20	AC100-277V	33000		2	R 7,590.07
	300-HL-WW-C-2115	WW	Clear	300		LampSizeΦ27xH50S hadeSizeΦ50xH20	AC100-277V	29667		2	R 7,590.07
	300-HL-NW-C-2116	NW	Clear	300		LampSizeΦ27xH50S hadeSizeΦ50xH20	AC100-277V	31334		2	R 7,590.07
	300-HL-WH-C-2117	WH	Clear	300		LampSizeΦ27xH50S hadeSizeΦ50xH14	AC100-277V	33000		2	R 7,590.07
	300-HL-WW-C-2118	WW	Clear	300		LampSizeΦ27xH50S hadeSizeΦ50xH14	AC100-277V	29667		2	R 7,590.07
	300-HL-NW-C-2119	NW	Clear	300		LampSizeΦ27xH50S hadeSizeΦ50xH14	AC100-277V	31334		2	R 7,590.07




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CANOPY LIGHTS											
	75-CL-WH-C-4700	WH	Clear	75		34x34x7.5cm	AC85-265V	8250	CE, RoHS	2	R 2,970.02
	75-CL-WW-C-4701	WW	Clear	75		34x34x7.5cm	AC85-265V	7417	CE, RoHS	2	R 2,970.02
	75-CL-NW-C-4702	NW	Clear	75		34x34x7.5cm	AC85-265V	7833	CE, RoHS	2	R 2,970.02
	100-CL-WH-C-4703	WH	Clear	100		34x34x7.5cm	AC85-265V	11000	CE, RoHS	2	R 3,712.53
	100-CL-WW-C-4704	WW	Clear	100		34x34x7.5cm	AC85-265V	9889	CE, RoHS	2	R 3,712.53
	100-CL-NW-C-4705	NW	Clear	100		34x34x7.5cm	AC85-265V	10445	CE, RoHS	2	R 3,712.53
	120-CL-WH-C-4706	WH	Clear	120		34x34x7.5cm	AC85-265V	13200	CE, RoHS	2	R 4,290.04
	120-CL-WW-C-4707	WW	Clear	120		34x34x7.5cm	AC85-265V	11867	CE, RoHS	2	R 4,290.04
	120-CL-NW-C-4708	NW	Clear	120		34x34x7.5cm	AC85-265V	12533	CE, RoHS	2	R 4,290.04
	150-CL-WH-C-4709	WH	Clear	150		34x34x7.5cm	AC85-265V	16500	CE, RoHS	2	R 5,346.05
	150-CL-WW-C-4710	WW	Clear	150		34x34x7.5cm	AC85-265V	14834	CE, RoHS	2	R 5,346.05
	150-CL-NW-C-4711	NW	Clear	150		34x34x7.5cm	AC85-265V	15667	CE, RoHS	2	R 5,346.05

















Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
Retrofit Kits											
	35-RK-WH-C-4200	WH	Clear	35	E27/E40	Φ120H62	AC100-277V	3850	UL, CE, ROHS, DLC	2	R 2,032.67
	35-RK-NW-C-4201	NW	Clear	35	E27/E40	Φ120H62	AC100-277V	3656	UL, CE, ROHS, DLC	2	R 2,032.67
	35-RK-WW-C-4202	WW	Clear	35	E27/E40	Φ120H62	AC100-277V	3461	UL, CE, ROHS, DLC	2	R 2,032.67
	45-RK-WH-C-4203	WH	Clear	45	E27/E40	Φ120H62	AC100-277V	4950	UL, CE, ROHS, DLC	2	R 2,359.35
	45-RK-NW-C-4204	NW	Clear	45	E27/E40	Φ120H62	AC100-277V	4700	UL, CE, ROHS, DLC	2	R 2,359.35
	45-RK-WW-C-4205	WW	Clear	45	E27/E40	Φ120H62	AC100-277V	4450	UL, CE, ROHS, DLC	2	R 2,359.35
	60-RK-WH-C-4206	WH	Clear	60	E27/E40	Φ120H62	AC100-277V	6600	UL, CE, ROHS, DLC	2	R 2,867.51
	60-RK-NW-C-4207	NW	Clear	60	E27/E40	Φ120H62	AC100-277V	6267	UL, CE, ROHS, DLC	2	R 2,867.51
	60-RK-WW-C-4208	WW	Clear	60	E27/E40	Φ120H62	AC100-277V	5933	UL, CE, ROHS, DLC	2	R 2,867.51
	80-RK-WH-C-4209	WH	Clear	80	E27/E40	L180*W140*H78	AC100-277V	8800	UL, CE, ROHS, DLC	2	R 3,266.78
	80-RK-NW-C-4210	NW	Clear	80	E27/E40	L180*W140*H78	AC100-277V	8356	UL, CE, ROHS, DLC	2	R 3,266.78
	80-RK-WW-C-4211	WW	Clear	80	E27/E40	L180*W140*H78	AC100-277V	7911	UL, CE, ROHS, DLC	2	R 3,266.78
	100-RK-WH-C-4212	WH	Clear	100	E27/E40	L180*W140*H78	AC100-277V	11000	UL, CE, ROHS, DLC	6	R 3,448.28
	100-RK-NW-C-4213	NW	Clear	100	E27/E40	L180*W140*H78	AC100-277V	10445	UL, CE, ROHS, DLC	6	R 3,448.28
	100-RK-WW-C-4214	WW	Clear	100	E27/E40	L180*W140*H78	AC100-277V	9889	UL, CE, ROHS, DLC	6	R 3,448.28
	120-RK-WH-C-4215	WH	Clear	120	E27/E40	L180*W140*H78	AC100-277V	13200	UL, CE, ROHS, DLC	6	R 4,174.23
120-RK-NW-C-4216	NW	Clear	120	E27/E40	L180*W140*H78	AC100-277V	12533	UL, CE, ROHS, DLC	6	R 4,174.23	
120-RK-WW-C-4217	WW	Clear	120	E27/E40	L180*W140*H78	AC100-277V	11867	UL, CE, ROHS, DLC	6	R 4,174.23	








Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
Retrofit Kits											
	150-RK-WH-C-4218	WH	Clear	150	E27/E40	L180*W140*H78	AC100-277V	16500	UL, CE, ROHS, DLC	6	R 4,537.05
	150-RK-NW-C-4219	NW	Clear	150	E27/E40	L180*W140*H78	AC100-277V	15667	UL, CE, ROHS, DLC	6	R 4,537.05
	150-RK-WW-C-4220	WW	Clear	150	E27/E40	L180*W140*H78	AC100-277V	14834	UL, CE, ROHS, DLC	6	R 4,537.05
	185-RK-WH-C-4221	WH	Clear	185	E27/E40	L265*W160*H79	AC100-277V	20350	UL, CE, ROHS, DLC	6	R 5,783.88
	185-RK-NW-C-4222	NW	Clear	185	E27/E40	L265*W160*H79	AC100-277V	19322	UL, CE, ROHS, DLC	6	R 5,783.88
	185-RK-WW-C-4223	WW	Clear	185	E27/E40	L265*W160*H79	AC100-277V	18295	UL, CE, ROHS, DLC	6	R 5,783.88
	240-RK-WH-C-4224	WH	Clear	240	E27/E40	L265*W160*H79	AC100-277V	26400	UL, CE, ROHS, DLC	6	R 7,169.23
	240-RK-NW-C-4225	NW	Clear	240	E27/E40	L265*W160*H79	AC100-277V	25067	UL, CE, ROHS, DLC	6	R 7,169.23
	240-RK-WW-C-4226	WW	Clear	240	E27/E40	L265*W160*H79	AC100-277V	23734	UL, CE, ROHS, DLC	6	R 7,169.23
	320-RK-WH-C-4227	WH	Clear	320	E27/E40	L320*W237*H85	AC100-277V	35200	UL, CE, ROHS, DLC	6	R 9,628.25
	320-RK-NW-C-4228	NW	Clear	320	E27/E40	L320*W237*H85	AC100-277V	33422	UL, CE, ROHS, DLC	6	R 9,628.25
	320-RK-WW-C-4229	WW	Clear	320	E27/E40	L320*W237*H85	AC100-277V	31645	UL, CE, ROHS, DLC	6	R 9,628.25
	400-RK-WH-C-4230	WH	Clear	400	E27/E40	L320*W237*H85	AC100-277V	44000	UL, CE, ROHS, DLC	6	R 12,572.14
	400-RK-NW-C-4231	NW	Clear	400	E27/E40	L320*W237*H85	AC100-277V	41778	UL, CE, ROHS, DLC	6	R 12,572.14
	400-RK-WW-C-4232	WW	Clear	400	E27/E40	L320*W237*H85	AC100-277V	39556	UL, CE, ROHS, DLC	6	R 12,572.14
	100-RK-WH-C-4233	WH	Clear	100	E27/E40	L180*W140*H78	AC200-480V	11000	UL, CE, ROHS, DLC	6	R 3,290.23
	100-RK-NW-C-4234	NW	Clear	100	E27/E40	L180*W140*H78	AC200-480V	10445	UL, CE, ROHS, DLC	6	R 3,290.23
100-RK-WW-C-4235	WW	Clear	100	E27/E40	L180*W140*H78	AC200-480V	9889	UL, CE, ROHS, DLC	6	R 3,290.23	





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
Retrofit Kits											
	120-RK-WH-C-4236	WH	Clear	120	E27/E40	L180*W140*H78	AC200-480V	13200	UL, CE, ROHS, DLC	6	R 3,795.03
	120-RK-NW-C-4237	NW	Clear	120	E27/E40	L180*W140*H78	AC200-480V	12533	UL, CE, ROHS, DLC	6	R 3,795.03
	120-RK-WW-C-4238	WW	Clear	120	E27/E40	L180*W140*H78	AC200-480V	11867	UL, CE, ROHS, DLC	6	R 3,795.03
	150-RK-WH-C-4239	WH	Clear	150	E27/E40	L180*W140*H78	AC200-480V	16500	UL, CE, ROHS, DLC	6	R 4,323.03
	150-RK-NW-C-4240	NW	Clear	150	E27/E40	L180*W140*H78	AC200-480V	15667	UL, CE, ROHS, DLC	6	R 4,323.03
	150-RK-WW-C-4241	WW	Clear	150	E27/E40	L180*W140*H78	AC200-480V	14834	UL, CE, ROHS, DLC	6	R 4,323.03
	185-RK-WH-C-4242	WH	Clear	185	E27/E40	L265*W160*H79	AC200-480V	20350	UL, CE, ROHS, DLC	6	R 5,511.05
	185-RK-NW-C-4243	NW	Clear	185	E27/E40	L265*W160*H79	AC200-480V	19322	UL, CE, ROHS, DLC	6	R 5,511.05
	185-RK-WW-C-4244	WW	Clear	185	E27/E40	L265*W160*H79	AC200-480V	18295	UL, CE, ROHS, DLC	6	R 5,511.05
	240-RK-WH-C-4245	WH	Clear	240	E27/E40	L265*W160*H79	AC200-480V	26400	UL, CE, ROHS, DLC	6	R 6,831.06
	240-RK-NW-C-4246	NW	Clear	240	E27/E40	L265*W160*H79	AC200-480V	25067	UL, CE, ROHS, DLC	6	R 6,831.06
	240-RK-WW-C-4247	WW	Clear	240	E27/E40	L265*W160*H79	AC200-480V	23734	UL, CE, ROHS, DLC	6	R 6,831.06
	300-RK-WH-C-4248	WH	Clear	300	E27/E40	L320*W237*H85	AC200-480V	33000	UL, CE, ROHS, DLC	6	R 9,174.08
	300-RK-NW-C-4249	NW	Clear	300	E27/E40	L320*W237*H85	AC200-480V	31334	UL, CE, ROHS, DLC	6	R 9,174.08
	300-RK-WW-C-4250	WW	Clear	300	E27/E40	L320*W237*H85	AC200-480V	29667	UL, CE, ROHS, DLC	6	R 9,174.08
	450-RK-WH-C-4251	WH	Clear	450	E27/E40	L320*W237*H85	AC200-480V	49500	UL, CE, ROHS, DLC	6	R 13,794.12
450-RK-NW-C-4252	NW	Clear	450	E27/E40	L320*W237*H85	AC200-480V	47000	UL, CE, ROHS, DLC	6	R 13,794.12	
450-RK-WW-C-4253	WW	Clear	450	E27/E40	L320*W237*H85	AC200-480V	44501	UL, CE, ROHS, DLC	6	R 13,794.12	

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
Epistar chips											
	5-EpCH-WH-4400	WH		5				550	UL, CE, ROHS, DLC		R 73.43
	10-EpCH-WH-4401	WH		10				1100	UL, CE, ROHS, DLC		R 84.40
	20-EpCH-WH-4402	WH		20				2200	UL, CE, ROHS, DLC		R 111.42
	30-EpCH-WH-4403	WH		30				3300	UL, CE, ROHS, DLC		R 149.71
	50-EpCH-WH-4404	WH		50				5500	UL, CE, ROHS, DLC		R 250.79
	60-EpCH-WH-4405	WH		60				6600	UL, CE, ROHS, DLC		R 300.18
	70-EpCH-WH-4406	WH		70				7700	UL, CE, ROHS, DLC		R 349.57
	80-EpCH-WH-4407	WH		80				8800	UL, CE, ROHS, DLC		R 397.91
Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
Xinjuang Drivers											
	5-XiDR--4500			5			AC85-265V		UL, CE, ROHS, DLC		R 84.40
	10-RK--C-4501			10			AC85-265V		UL, CE, ROHS, DLC		R 101.81
	20-RK--C-4502			20			AC85-265V		UL, CE, ROHS, DLC		R 149.71
	30-RK--C-4503			30			AC85-265V		UL, CE, ROHS, DLC		R 174.79
	50-RK--C-4504			50			AC85-265V		UL, CE, ROHS, DLC		R 224.18
	60-RK--C-4505			60			AC85-265V		UL, CE, ROHS, DLC		R 579.01
	70-RK--C-4506			70			AC85-265V		UL, CE, ROHS, DLC		R 655.75
	80-RK--C-4507			80			AC85-265V		UL, CE, ROHS, DLC		R 688.51

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
STREET LIGHTS											
	80-ST-WH-C-3700	WH	Clear	80		L53xW25xH11.5	AC100-277V	8800		2	R 2,739.02
	80-ST-WW-C-3701	WW	Clear	80		L53xW25xH11.5	AC100-277V	7911		2	R 2,739.02
	80-ST-NW-C-3702	NW	Clear	80		L53xW25xH11.5	AC100-277V	8356		2	R 2,739.02
	80-ST-WH-C-3703	WH	Clear	80		L53xW25xH11.5	AC277-480V	8800		2	R 2,739.02
	80-ST-WW-C-3704	WW	Clear	80		L53xW25xH11.5	AC277-480V	7911		2	R 2,739.02
	80-ST-NW-C-3705	NW	Clear	80		L53xW25xH11.5	AC277-480V	8356		2	R 2,739.02
	100-ST-WH-C-3706	WH	Clear	100		L65xW26xH12	AC100-277V	11000		2	R 3,564.03
	100-ST-WW-C-3707	WW	Clear	100		L65xW26xH12	AC100-277V	9889		2	R 3,564.03
	100-ST-NW-C-3708	NW	Clear	100		L65xW26xH12	AC100-277V	10445		2	R 3,564.03
	100-ST-WH-C-3709	WH	Clear	100		L65xW26xH12	AC277-480V	11000		2	R 3,564.03
	100-ST-WW-C-3710	WW	Clear	100		L65xW26xH12	AC277-480V	9889		2	R 3,564.03
	100-ST-NW-C-3711	NW	Clear	100		L65xW26xH12	AC277-480V	10445		2	R 3,564.03
	150-ST-WH-C-3712	WH	Clear	150		L80xW30xH12.5	AC100-277V	16500		2	R 4,125.04
	150-ST-WW-C-3713	WW	Clear	150		L80xW30xH12.5	AC100-277V	14834		2	R 4,125.04
	150-ST-NW-C-3714	NW	Clear	150		L80xW30xH12.5	AC100-277V	15667		2	R 4,125.04
	150-ST-WH-C-3715	WH	Clear	150		L80xW30xH12.5	AC277-480V	16500		2	R 4,125.04
	150-ST-WW-C-3716	WW	Clear	150		L80xW30xH12.5	AC277-480V	14834		2	R 4,125.04
	150-ST-NW-C-3717	NW	Clear	150		L80xW30xH12.5	AC277-480V	15667		2	R 4,125.04

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
STREET LIGHTS											
	28-ST-WH-C-3724	WH	Clear	28	E40	Ø9xL26	AC100-240V	3080		2	R 937.05
	28-ST-WW-C-3725	WW	Clear	28	E40	Ø9xL26	AC100-240V	2769		2	R 937.05
	28-ST-NW-C-3726	NW	Clear	28	E40	Ø9xL26	AC100-240V	2924		2	R 937.05
	32-ST-WH-C-3727	WH	Clear	32	E40	Ø12.4xL26	AC100-240V	3520		2	R 1,162.08
	32-ST-WW-C-3728	WW	Clear	32	E40	Ø12.4xL26	AC100-240V	3164		2	R 1,162.08
	32-ST-NW-C-3729	NW	Clear	32	E40	Ø12.4xL26	AC100-240V	3342		2	R 1,162.08
	36-ST-WH-C-3730	WH	Clear	36	E40	Ø12.4xL27.5	AC100-240V	3960		2	R 1,188.59
	36-ST-WW-C-3731	WW	Clear	36	E40	Ø12.4xL27.5	AC100-240V	3560		2	R 1,188.59
	36-ST-NW-C-3732	NW	Clear	36	E40	Ø12.4xL27.5	AC100-240V	3760		2	R 1,188.59
	40-ST-WH-C-3733	WH	Clear	40	E27	9.3x23.4	AC100-277V	4400		2	R 1,320.02
	40-ST-WW-C-3734	WW	Clear	40	E27	9.3x23.4	AC100-277V	3956		2	R 1,320.02
	40-ST-NW-C-3735	NW	Clear	40	E27	9.3x23.4	AC100-277V	4178		2	R 1,320.02
	80-ST-WH-C-3736	WH	Clear	80	E40	14.6x24	AC100-277V	8800		2	R 2,310.02
	80-ST-WW-C-3737	WW	Clear	80	E40	14.6x24	AC100-277V	7911		2	R 2,310.02
	80-ST-NW-C-3738	NW	Clear	80	E40	14.6x24	AC100-277V	8356		2	R 2,310.02
	80-ST-WH-C-3739	WH	Clear	80	E40	14.6x24	AC277-480V	8800		2	R 2,310.02
	80-ST-WW-C-3740	WW	Clear	80	E40	14.6x24	AC277-480V	7911		2	R 2,310.02
	80-ST-NW-C-3741	NW	Clear	80	E40	14.6x24	AC277-480V	8356		2	R 2,310.02
	120-ST-WH-C-3742	WH	Clear	120	E40	14.6x27	AC100-277V	13200		2	R 2,739.02
	120-ST-WW-C-3743	WW	Clear	120	E40	14.6x27	AC100-277V	11867		2	R 2,739.02
	120-ST-NW-C-3744	NW	Clear	120	E40	14.6x27	AC100-277V	12533		2	R 2,739.02
	120-ST-WH-C-3745	WH	Clear	120	E40	14.6x27	AC277-480V	13200		2	R 2,739.02
	120-ST-WW-C-3746	WW	Clear	120	E40	14.6x27	AC277-480V	11867		2	R 2,739.02
	120-ST-NW-C-3747	NW	Clear	120	E40	14.6x27	AC277-480V	12533		2	R 2,739.02


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
STREET LIGHTS - B Series - High Quality 130Lm/W with Philips 3030 LED chips and Meanwell Driver. IP65											
	50-ST-WH-C-3748-B	WH	Clear	50		36*23*12cm	AC100-277V	6500		4	R 2,344.08
	100-ST-WH-C-3749-B	WH	Clear	100		36*33*12cm	AC100-277V	13000		2	R 3,263.86
	150-ST-WH-C-3750-B	WH	Clear	150		36*43*12cm	AC100-277V	19500		2	R 3,675.71
	200-ST-WH-C-3751-B	WH	Clear	200		36*53*12cm	AC100-277V	26000		2	R 4,739.63
	240-ST-WH-C-3752-B	WH	Clear	240		36*63*12cm	AC100-277V	31200		1	R 5,570.19
	300-ST-WH-C-3753-B	WH	Clear	300		36*73*12cm	AC100-277V	39000		1	R 6,778.26
	350-ST-WH-C-3754-B	WH	Clear	350		36*83*12cm	AC100-277V	45500		1	R 7,591.66

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
ACCESSORIES FOR STREET LIGHTS											
	150-AS-3600			150		158x80x3.5cm	17V			1	R 3,712.53
	AS-3602						12/24V AUTO			1	R 555.23
	120AH-AS-3603			120AH		33x18x24cm	12V			1	R 7,260.07
	80-AS-WH-C-3604	WH	Clear	80		L53xW25xH11.5	12V	8800		2	R 2,739.02
	80-AS-WW-C-3605	WW	Clear	80		L53xW25xH11.5	12V	7911		2	R 2,739.02
	80-AS-NW-C-3606	NW	Clear	80		L53xW25xH11.5	12V	8356		2	R 2,739.02




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	3-DL-WH-C-3000	WH	Clear	3		Φ6.8xH5.6 Cutting Size: 2"	AC100-240V	330		10	R 120.47
	3-DL-WW-C-3001	WW	Clear	3		Φ6.8xH5.6 Cutting Size: 2"	AC100-240V	297		10	R 120.47
	3-DL-NW-C-3002	NW	Clear	3		Φ6.8xH5.6 Cutting Size: 2"	AC100-240V	313		10	R 120.47
	3-DL-WH-C-3003	WH	Clear	3		Φ9xH6 Cutting Size: 3"	AC100-240V	330		10	R 120.47
	3-DL-WW-C-3004	WW	Clear	3		Φ9xH6 Cutting Size: 3"	AC100-240V	297		10	R 120.47
	3-DL-NW-C-3005	NW	Clear	3		Φ9xH6 Cutting Size: 3"	AC100-240V	313		10	R 120.47
	7-DL-WH-C-3006	WH	Clear	7		Φ11xH8.5 Cutting Size: 4"	AC100-240V	770		10	R 127.99
	7-DL-WW-C-3007	WW	Clear	7		Φ11xH8.5 Cutting Size: 4"	AC100-240V	692		10	R 127.99
	7-DL-NW-C-3008	NW	Clear	7		Φ11xH8.5 Cutting Size: 4"	AC100-240V	731		10	R 127.99
	12-DL-WH-C-3009	WH	Clear	12		Φ14xH9 Cutting Size: 5"	AC100-240V	1320		10	R 170.99
	12-DL-WW-C-3010	WW	Clear	12		Φ14xH9 Cutting Size: 5"	AC100-240V	1187		10	R 170.99
	12-DL-NW-C-3011	NW	Clear	12		Φ14xH9 Cutting Size: 5"	AC100-240V	1253		10	R 170.99
	18-DL-WH-C-3012	WH	Clear	18		Φ16xH13.5 Cutting Size: 6"	AC100-240V	1980		10	R 296.38
	18-DL-WW-C-3013	WW	Clear	18		Φ16xH13.5 Cutting Size: 6"	AC100-240V	1780		10	R 296.38
	18-DL-NW-C-3014	NW	Clear	18		Φ16xH13.5 Cutting Size: 6"	AC100-240V	1880		10	R 296.38
	3-DL-WH-C-3015	WH	Clear	3		Φ6.7xH5 Cutting Size: 2"	AC100-240V	330		10	R 120.47
	3-DL-WW-C-3016	WW	Clear	3		Φ6.7xH5 Cutting Size: 2"	AC100-240V	297		10	R 120.47
	3-DL-NW-C-3017	NW	Clear	3		Φ6.7xH5 Cutting Size: 2"	AC100-240V	313		10	R 120.47

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	3-DL-WH-C-3018	WH	Clear	3		Φ8.5xH5 Cutting Size: 3"	AC100-240V	330		10	R 120.47
	3-DL-WW-C-3019	WW	Clear	3		Φ8.5xH5 Cutting Size: 3"	AC100-240V	297		10	R 120.47
	3-DL-NW-C-3020	NW	Clear	3		Φ8.5xH5 Cutting Size: 3"	AC100-240V	313		10	R 120.47
	7-DL-WH-C-3021	WH	Clear	7		Φ10.5xH5 Cutting Size: 4"	AC100-240V	770		10	R 127.99
	7-DL-WW-C-3022	WW	Clear	7		Φ10.5xH5 Cutting Size: 4"	AC100-240V	692		10	R 127.99
	7-DL-NW-C-3023	NW	Clear	7		Φ10.5xH5 Cutting Size: 4"	AC100-240V	731		10	R 127.99
	12-DL-WH-C-3024	WH	Clear	12		Φ13.4xH5 Cutting Size: 5"	AC100-240V	1320		10	R 170.99
	12-DL-WW-C-3025	WW	Clear	12		Φ13.4xH5 Cutting Size: 5"	AC100-240V	1187		10	R 170.99
	12-DL-NW-C-3026	NW	Clear	12		Φ13.4xH5 Cutting Size: 5"	AC100-240V	1253		10	R 170.99
	18-DL-WH-C-3027	WH	Clear	18		Φ16xH5 Cutting Size: 6"	AC100-240V	1980		10	R 296.38
	18-DL-WW-C-3028	WW	Clear	18		Φ16xH5 Cutting Size: 6"	AC100-240V	1780		10	R 296.38
	18-DL-NW-C-3029	NW	Clear	18		Φ16xH5 Cutting Size: 6"	AC100-240V	1880		10	R 296.38
	24-DL-WH-F-3030	WH	Frosted	24		Φ23xH11 Cutting Size: 8"	AC100-240V	2573		10	R 572.20
	24-DL-WW-F-3031	WW	Frosted	24		Φ23xH11 Cutting Size: 8"	AC100-240V	2313		10	R 572.20
	24-DL-NW-F-3032	NW	Frosted	24		Φ23xH11 Cutting Size: 8"	AC100-240V	2443		10	R 572.20
	7-DL-WH-F-3033	WH	Frosted	7		Φ11xH6.7 Cutting Size: 4"	AC100-240V	751		10	R 133.00
	7-DL-WW-F-3034	WW	Frosted	7		Φ11xH6.7 Cutting Size: 4"	AC100-240V	675		10	R 133.00
	7-DL-NW-F-3035	NW	Frosted	7		Φ11xH6.7 Cutting Size: 4"	AC100-240V	713		10	R 133.00

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	12-DL-WH-F-3036	WH	Frosted	12		Φ14xH6.3 Cutting Size: 5"	AC100-240V	1287		10	R 170.99
	12-DL-WW-F-3037	WW	Frosted	12		Φ14xH6.3 Cutting Size: 5"	AC100-240V	1157		10	R 170.99
	12-DL-NW-F-3038	NW	Frosted	12		Φ14xH6.3 Cutting Size: 5"	AC100-240V	1222		10	R 170.99
	18-DL-WH-F-3039	WH	Frosted	18		Φ17xH10.5 Cutting Size: 6"	AC100-240V	1930		10	R 296.38
	18-DL-WW-F-3040	WW	Frosted	18		Φ17xH10.5 Cutting Size: 6"	AC100-240V	1735		10	R 296.38
	18-DL-NW-F-3041	NW	Frosted	18		Φ17xH10.5 Cutting Size: 6"	AC100-240V	1832		10	R 296.38
	9-DL-WH-F-3042	WH	Frosted	9		Φ13xH6.6 Cutting Size: 4"	AC100-240V	965		10	R 133.00
	9-DL-WW-F-3043	WW	Frosted	9		Φ13xH6.6 Cutting Size: 4"	AC100-240V	867		10	R 133.00
	9-DL-NW-F-3044	NW	Frosted	9		Φ13xH6.6 Cutting Size: 4"	AC100-240V	916		10	R 133.00
	12-DL-WH-F-3045	WH	Frosted	12		Φ16.5xH6.6 Cutting Size: 5"	AC100-240V	1287		10	R 170.99
	12-DL-WW-F-3046	WW	Frosted	12		Φ16.5xH6.6 Cutting Size: 5"	AC100-240V	1157		10	R 170.99
	12-DL-NW-F-3047	NW	Frosted	12		Φ16.5xH6.6 Cutting Size: 5"	AC100-240V	1222		10	R 170.99
	24-DL-WH-F-3048	WH	Frosted	24		Φ23xH6.6 Cutting Size: 8"	AC100-240V	2573		10	R 572.20
	24-DL-WW-F-3049	WW	Frosted	24		Φ23xH6.6 Cutting Size: 8"	AC100-240V	2313		10	R 572.20
	24-DL-NW-F-3050	NW	Frosted	24		Φ23xH6.6 Cutting Size: 8"	AC100-240V	2443		10	R 572.20
	12-DL-WH-F-3051	WH	Frosted	12		Φ16.5xH6.6 Cutting Size: 6"	AC100-240V	1287		10	R 170.99
	12-DL-WW-F-3052	WW	Frosted	12		Φ16.5xH6.6 Cutting Size: 6"	AC100-240V	1157		10	R 170.99
	12-DL-NW-F-3053	NW	Frosted	12		Φ16.5xH6.6 Cutting Size: 6"	AC100-240V	1222		10	R 170.99

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	18-DL-WH-F-3054	WH	Frosted	18		Φ20xH6.6 Cutting Size: 7"	AC100-240V	1930		10	R 296.38
	18-DL-WW-F-3055	WW	Frosted	18		Φ20xH6.6 Cutting Size: 7"	AC100-240V	1735		10	R 296.38
	18-DL-NW-F-3056	NW	Frosted	18		Φ20xH6.6 Cutting Size: 7"	AC100-240V	1832		10	R 296.38
	8-DL-WH-F-3057	WH	Frosted	8		Φ9.2xH5.6 Cutting Size: 4"	AC100-240V	858		10	R 127.99
	8-DL-NW-F-3058	NW	Frosted	8		Φ9.2xH5.6 Cutting Size: 4"	AC100-240V	814		10	R 127.99
	8-DL-WW-F-3059	WW	Frosted	8		Φ9.2xH5.6 Cutting Size: 4"	AC100-240V	771		10	R 127.99
	16-DL-WH-F-3060	WH	Frosted	16		Φ12.9xH6.9 Cutting Size: 5"	AC100-240V	1715		10	R 284.98
	16-DL-NW-F-3061	NW	Frosted	16		Φ12.9xH6.9 Cutting Size: 5"	AC100-240V	1629		10	R 284.98
	16-DL-WW-F-3062	WW	Frosted	16		Φ12.9xH6.9 Cutting Size: 5"	AC100-240V	1542		10	R 284.98
	25-DL-WH-F-3063	WH	Frosted	25		Φ18xH7.75 Cutting Size: 6"	AC100-240V	2680		10	R 433.55
	25-DL-NW-F-3064	NW	Frosted	25		Φ18xH7.75 Cutting Size: 6"	AC100-240V	2545		10	R 433.55
	25-DL-WW-F-3065	WW	Frosted	25		Φ18xH7.75 Cutting Size: 6"	AC100-240V	2410		10	R 433.55
	30-DL-WH-F-3066	WH	Frosted	30		Φ19.1xH8 Cutting Size: 7"	AC100-240V	3217		10	R 555.23
	30-DL-NW-F-3067	NW	Frosted	30		Φ19.1xH8 Cutting Size: 7"	AC100-240V	3054		10	R 555.23
	30-DL-WW-F-3068	WW	Frosted	30		Φ19.1xH8 Cutting Size: 7"	AC100-240V	2892		10	R 555.23
	8-DL-WH-F-3069	WH	Frosted	8		Φ23xH8.5 Cutting Size: 8"	AC100-240V	858		10	R 127.99
	8-DL-NW-F-3070	NW	Frosted	8		Φ23xH8.5 Cutting Size: 8"	AC100-240V	814		10	R 127.99
8-DL-WW-F-3071	WW	Frosted	8		Φ23xH8.5 Cutting Size: 8"	AC100-240V	771		10	R 127.99	




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	16-DL-WH-F-3072	WH	Frosted	16		Φ23xH8.5 Cutting Size: 8"	AC100-240V	1715		10	R 284.98
	16-DL-NW-F-3073	NW	Frosted	16		Φ23xH8.5 Cutting Size: 8"	AC100-240V	1629		10	R 284.98
	16-DL-WW-F-3074	WW	Frosted	16		Φ23xH8.5 Cutting Size: 8"	AC100-240V	1542		10	R 284.98
	35-DL-WH-F-3075	WH	Frosted	35		Φ23xH8.5 Cutting Size: 8"	AC100-240V	3753		10	R 284.98
	35-DL-NW-F-3076	NW	Frosted	35		Φ23xH8.5 Cutting Size: 8"	AC100-240V	3563		10	R 605.91
	35-DL-WW-F-3077	WW	Frosted	35		Φ23xH8.5 Cutting Size: 8"	AC100-240V	3374		10	R 605.91
	7-DL-WH-C-3078	WH	Clear	7		L20.5xW20.5xH14	AC100-240V	770		10	R 133.00
	7-DL-WW-C-3079	WW	Clear	7		L20.5xW20.5xH14	AC100-240V	692		10	R 133.00
	7-DL-NW-C-3080	NW	Clear	7		L20.5xW20.5xH14	AC100-240V	731		10	R 133.00
	21-DL-WH-C-3081	WH	Clear	21		L51.5xW20.5xH14	AC100-240V	2310		10	R 415.79
	21-DL-WW-C-3082	WW	Clear	21		L51.5xW20.5xH14	AC100-240V	2077		10	R 415.79
	21-DL-NW-C-3083	NW	Clear	21		L51.5xW20.5xH14	AC100-240V	2193		10	R 415.79
	14-DL-WH-C-3084	WH	Clear	14		L55xW22xH3	AC100-240V	1540		10	R 277.38
	14-DL-WW-C-3085	WW	Clear	14		L55xW22xH3	AC100-240V	1384		10	R 277.38
	14-DL-NW-C-3086	NW	Clear	14		L55xW22xH3	AC100-240V	1462		10	R 277.38
	21-DL-WH-C-3087	WH	Clear	21		L69xW22xH3	AC100-240V	2310		10	R 415.79
	21-DL-WW-C-3088	WW	Clear	21		L69xW22xH3	AC100-240V	2077		10	R 415.79
	21-DL-NW-C-3089	NW	Clear	21		L69xW22xH3	AC100-240V	2193		10	R 415.79


Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	28-DL-WH-C-3090	WH	Clear	28		L55xW40xH3	AC100-240V	3080		10	R 655.75
	28-DL-WW-C-3091	WW	Clear	28		L55xW40xH3	AC100-240V	2769		10	R 655.75
	28-DL-NW-C-3092	NW	Clear	28		L55xW40xH3	AC100-240V	2924		10	R 655.75
	3-DL-WH-C-3093	WH	Clear	3		L9.9xW9.9xH5.5	AC100-240V	330		10	R 159.59
	3-DL-WW-C-3094	WW	Clear	3		L9.9xW9.9xH5.5	AC100-240V	297		10	R 159.59
	3-DL-NW-C-3095	NW	Clear	3		L9.9xW9.9xH5.5	AC100-240V	313		10	R 159.59
	3-DL-WH-C-3096	WH	Clear	3		Φ8xH4 Cutting Size: 3"	AC100-240V	330		10	R 133.00
	3-DL-WW-C-3097	WW	Clear	3		Φ8xH4 Cutting Size: 3"	AC100-240V	297		10	R 133.00
	3-DL-NW-C-3098	NW	Clear	3		Φ8xH4 Cutting Size: 3"	AC100-240V	313		10	R 133.00
	3-DL-WH-C-3099	WH	Clear	3		Φ5.2xH2.9 Cutting Size: 2"	AC100-240V	330		10	R 133.00
	3-DL-WW-C-3100	WW	Clear	3		Φ5.2xH2.9 Cutting Size: 2"	AC100-240V	297		10	R 133.00
	3-DL-NW-C-3101	NW	Clear	3		Φ5.2xH2.9 Cutting Size: 2"	AC100-240V	313		10	R 133.00
	1-DL-WH-C-3102	WH	Clear	1		Φ5.2xH2.9 Cutting Size: 2"	AC100-240V	110		10	R 107.69
	1-DL-WW-C-3103	WW	Clear	1		Φ5.2xH2.9 Cutting Size: 2"	AC100-240V	99		10	R 107.69
	1-DL-NW-C-3104	NW	Clear	1		Φ5.2xH2.9 Cutting Size: 2"	AC100-240V	104		10	R 107.69
	3-DL-WH-C-3105	WH	Clear	3		Φ8xH5 Cutting Size: 3"	AC100-240V	330		10	R 133.00
	3-DL-WW-C-3106	WW	Clear	3		Φ8xH5 Cutting Size: 3"	AC100-240V	297		10	R 133.00
	3-DL-NW-C-3107	NW	Clear	3		Φ8xH5 Cutting Size: 3"	AC100-240V	313		10	R 133.00



Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	10-DL-WH-C-3108	WH	Clear	10	COB	Φ14.5xH6.5 Cutting Size: 5"	AC100-240V	1100		10	R 246.98
	10-DL-WW-C-3109	WW	Clear	10	COB	Φ14.5xH6.5 Cutting Size: 5"	AC100-240V	989		10	R 246.98
	10-DL-NW-C-3110	NW	Clear	10	COB	Φ14.5xH6.5 Cutting Size: 5"	AC100-240V	1044		10	R 246.98
	15-DL-WH-C-3111	WH	Clear	15	COB	Φ16.5xH6.5 Cutting Size: 6"	AC100-240V	1650		10	R 360.97
	15-DL-WW-C-3112	WW	Clear	15	COB	Φ16.5xH6.5 Cutting Size: 6"	AC100-240V	1483		10	R 360.97
	15-DL-NW-C-3113	NW	Clear	15	COB	Φ16.5xH6.5 Cutting Size: 6"	AC100-240V	1567		10	R 360.97
	20-DL-WH-C-3114	WH	Clear	20	COB	Φ20.5xH6.5 Cutting Size: 7"	AC100-240V	2200		10	R 433.55
	20-DL-WW-C-3115	WW	Clear	20	COB	Φ20.5xH6.5 Cutting Size: 7"	AC100-240V	1978		10	R 433.55
	20-DL-NW-C-3116	NW	Clear	20	COB	Φ20.5xH6.5 Cutting Size: 7"	AC100-240V	2089		10	R 433.55
	5-DL-WH-F-3117	WH	Frosted	5	COB	Φ10.6xH7.4 Cutting Size: 4"	AC100-240V	536		10	R 189.98
	5-DL-WW-F-3118	WW	Frosted	5	COB	Φ10.6xH7.4 Cutting Size: 4"	AC100-240V	482		10	R 189.98
	5-DL-NW-F-3119	NW	Frosted	5	COB	Φ10.6xH7.4 Cutting Size: 4"	AC100-240V	509		10	R 189.98
	7-DL-WH-F-3120	WH	Frosted	7	COB	Φ13.3xH9.2 Cutting Size: 5"	AC100-240V	751		10	R 208.98
	7-DL-WW-F-3121	WW	Frosted	7	COB	Φ13.3xH9.2 Cutting Size: 5"	AC100-240V	675		10	R 208.98
	7-DL-NW-F-3122	NW	Frosted	7	COB	Φ13.3xH9.2 Cutting Size: 5"	AC100-240V	713		10	R 208.98
	12-DL-WH-F-3123	WH	Frosted	12	COB	Φ18.9xH11.7 Cutting Size: 7"	AC100-240V	1287		10	R 246.98
	12-DL-WW-F-3124	WW	Frosted	12	COB	Φ18.9xH11.7 Cutting Size: 7"	AC100-240V	1157		10	R 246.98
	12-DL-NW-F-3125	NW	Frosted	12	COB	Φ18.9xH11.7 Cutting Size: 7"	AC100-240V	1222		10	R 246.98



Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	3-DL-WH-F-3126	WH	Frosted	3		Φ9xH5.8 Cutting Size: 3"	AC100-240V	322		10	R 107.69
	3-DL-WW-F-3127	WW	Frosted	3		Φ9xH5.8 Cutting Size: 3"	AC100-240V	289		10	R 107.69
	3-DL-NW-F-3128	NW	Frosted	3		Φ9xH5.8 Cutting Size: 3"	AC100-240V	305		10	R 107.69
	7-DL-WH-F-3129	WH	Frosted	7		Φ11.3xH7.6 Cutting Size: 4"	AC100-240V	751		10	R 133.00
	7-DL-WW-F-3130	WW	Frosted	7		Φ11.3xH7.6 Cutting Size: 4"	AC100-240V	675		10	R 133.00
	7-DL-NW-F-3131	NW	Frosted	7		Φ11.3xH7.6 Cutting Size: 4"	AC100-240V	713		10	R 133.00
	12-DL-WH-F-3132	WH	Frosted	12		Φ14.3xH8.7 Cutting Size: 5"	AC100-240V	1287		10	R 170.99
	12-DL-WW-F-3133	WW	Frosted	12		Φ14.3xH8.7 Cutting Size: 5"	AC100-240V	1157		10	R 170.99
	12-DL-NW-F-3134	NW	Frosted	12		Φ14.3xH8.7 Cutting Size: 5"	AC100-240V	1222		10	R 170.99
	6-DL-WH-F-3135	WH	Frosted	6		Φ11.2xH5 Cutting Size: 4"	AC100-240V	643		10	R 133.00
	6-DL-WW-F-3136	WW	Frosted	6		Φ11.2xH5 Cutting Size: 4"	AC100-240V	578		10	R 133.00
	6-DL-NW-F-3137	NW	Frosted	6		Φ11.2xH5 Cutting Size: 4"	AC100-240V	611		10	R 133.00
	12-DL-WH-F-3138	WH	Frosted	12		Φ17.3xH5.8 Cutting Size: 6"	AC100-240V	1287		10	R 170.99
	12-DL-WW-F-3139	WW	Frosted	12		Φ17.3xH5.8 Cutting Size: 6"	AC100-240V	1157		10	R 170.99
	12-DL-NW-F-3140	NW	Frosted	12		Φ17.3xH5.8 Cutting Size: 6"	AC100-240V	1222		10	R 170.99
	16-DL-WH-F-3141	WH	Frosted	16		Φ22.4xH7.9 Cutting Size: 8"	AC100-240V	1715		10	R 265.98
	16-DL-WW-F-3142	WW	Frosted	16		Φ22.4xH7.9 Cutting Size: 8"	AC100-240V	1542		10	R 265.98
	16-DL-NW-F-3143	NW	Frosted	16		Φ22.4xH7.9 Cutting Size: 8"	AC100-240V	1629		10	R 265.98

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	10-DL-WH-F-3144	WH	Frosted	10		Φ13.5xH9.2 Cutting Size: 4"	AC100-240V	1072		10	R 170.99
	10-DL-WW-F-3145	WW	Frosted	10		Φ13.5xH9.2 Cutting Size: 4"	AC100-240V	964		10	R 170.99
	10-DL-NW-F-3146	NW	Frosted	10		Φ13.5xH9.2 Cutting Size: 4"	AC100-240V	1018		10	R 170.99
	16-DL-WH-F-3147	WH	Frosted	16		Φ18.4xH9.92 Cutting Size: 6"	AC100-240V	1715		10	R 265.98
	16-DL-WW-F-3148	WW	Frosted	16		Φ18.4xH9.92 Cutting Size: 6"	AC100-240V	1542		10	R 265.98
	16-DL-NW-F-3149	NW	Frosted	16		Φ18.4xH9.92 Cutting Size: 6"	AC100-240V	1629		10	R 265.98
	25-DL-WH-F-3150	WH	Frosted	25		Φ23.7xH10.5 Cutting Size: 8"	AC100-240V	2680		10	R 538.14
	25-DL-WW-F-3151	WW	Frosted	25		Φ23.7xH10.5 Cutting Size: 8"	AC100-240V	2410		10	R 538.14
	25-DL-NW-F-3152	NW	Frosted	25		Φ23.7xH10.5 Cutting Size: 8"	AC100-240V	2545		10	R 538.14
	5-DL-WH-F-3153	WH	Frosted	5		Φ14.8xH1.4 Cutting Size: 4"	AC100-240V	536		10	R 133.00
	5-DL-WW-F-3154	WW	Frosted	5		Φ14.8xH1.4 Cutting Size: 4"	AC100-240V	482		10	R 133.00
	5-DL-NW-F-3155	NW	Frosted	5		Φ14.8xH1.4 Cutting Size: 4"	AC100-240V	509		10	R 133.00
	9-DL-WH-F-3156	WH	Frosted	9		Φ19xH1.4 Cutting Size: 6"	AC100-240V	965		10	R 151.99
	9-DL-WW-F-3157	WW	Frosted	9		Φ19xH1.4 Cutting Size: 6"	AC100-240V	867		10	R 151.99
	9-DL-NW-F-3158	NW	Frosted	9		Φ19xH1.4 Cutting Size: 6"	AC100-240V	916		10	R 151.99
	18-DL-WH-F-3159	WH	Frosted	18		Φ25.5xH1.5 Cutting Size: 8"	AC100-240V	1930		10	R 277.38
	18-DL-WW-F-3160	WW	Frosted	18		Φ25.5xH1.5 Cutting Size: 8"	AC100-240V	1735		10	R 277.38
	18-DL-NW-F-3161	NW	Frosted	18		Φ25.5xH1.5 Cutting Size: 8"	AC100-240V	1832		10	R 277.38
	8-DL-WH-F-3162	WH	Frosted	8		Φ9.2xH5.6 Cutting Size: 5"	AC200-240V	858		10	R 151.99
	8-DL-NW-F-3163	NW	Frosted	8		Φ9.2xH5.6 Cutting Size: 5"	AC200-240V	814		10	R 151.99
	8-DL-WW-F-3164	WW	Frosted	8		Φ9.2xH5.6 Cutting Size: 5"	AC200-240V	771		10	R 151.99

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	16-DL-WH-F-3168	WH	Frosted	16		Φ12.9xH6.9 Cutting Size: 5"	AC200-240V	1715		10	R 265.98
	16-DL-NW-F-3169	NW	Frosted	16		Φ12.9xH6.9 Cutting Size: 5"	AC200-240V	1629		10	R 265.98
	16-DL-WW-F-3170	WW	Frosted	16		Φ12.9xH6.9 Cutting Size: 5"	AC200-240V	1542		10	R 265.98
	25-DL-WH-F-3174	WH	Frosted	25		Φ18xH7.75 Cutting Size: 6"	AC200-240V	2680		10	R 538.14
	25-DL-NW-F-3175	NW	Frosted	25		Φ18xH7.75 Cutting Size: 6"	AC200-240V	2545		10	R 538.14
	25-DL-WW-F-3176	WW	Frosted	25		Φ18xH7.75 Cutting Size: 6"	AC200-240V	2410		10	R 538.14
	30-DL-WH-F-3180	WH	Frosted	30		Φ19.1xH8 Cutting Size: 7"	AC200-240V	3217		10	R 605.91
	30-DL-NW-F-3181	NW	Frosted	30		Φ19.1xH8 Cutting Size: 7"	AC200-240V	3054		10	R 605.91
	30-DL-WW-F-3182	WW	Frosted	30		Φ19.1xH8 Cutting Size: 7"	AC200-240V	2892		10	R 605.91
	35-DL-WH-F-3186	WH	Frosted	35		Φ23xH8.5 Cutting Size: 8"	AC200-240V	3753		10	R 672.20
	35-DL-NW-F-3187	NW	Frosted	35		Φ23xH8.5 Cutting Size: 8"	AC200-240V	3563		10	R 672.20
	35-DL-WW-F-3188	WW	Frosted	35		Φ23xH8.5 Cutting Size: 8"	AC200-240V	3374		10	R 672.20
	3-DL-WH-C-3192	WH	Clear	3	PLS	5 (external diameter) Cutting Size: 2"	12V	330		10	R 672.20
	3-DL-NW-C-3193	NW	Clear	3	PLS	5 (external diameter) Cutting Size: 2"	12V	313		10	R 107.69
	3-DL-WW-C-3194	WW	Clear	3	PLS	5 (external diameter) Cutting Size: 2"	12V	297		10	R 107.69

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	3-DL-WH-C-3207	WH	Clear	3	PLS	5 (external diameter) Cutting Size: 2"	12V	330		10	R 107.69
	3-DL-NW-C-3208	NW	Clear	3	PLS	5 (external diameter) Cutting Size: 2"	12V	313		10	R 107.69
	3-DL-WW-C-3209	WW	Clear	3	PLS	5 (external diameter) Cutting Size: 2"	12V	297		10	R 107.69
	5-DL-WH-C-3222	WH	Clear	5	LIZS	5 (external diameter) Cutting Size: 2"	AC100-240V	550		10	R 133.00
	5-DL-NW-C-3223	NW	Clear	5	LIZS	5 (external diameter) Cutting Size: 2"	AC100-240V	522		10	R 133.00
	5-DL-WW-C-3224	WW	Clear	5	LIZS	5 (external diameter) Cutting Size: 2"	AC100-240V	494		10	R 133.00
	6-DL-WH-C-3231	WH	Clear	6	LIZS	18 (external diameter) Cutting Size: 6"	AC100-240V	660		10	R 144.38
	6-DL-NW-C-3232	NW	Clear	6	LIZS	18 (external diameter) Cutting Size: 6"	AC100-240V	627		10	R 144.38
	6-DL-WW-C-3233	WW	Clear	6	LIZS	18 (external diameter) Cutting Size: 6"	AC100-240V	593		10	R 144.38
	8-DL-WH-C-3237	WH	Clear	8	LIZS	9.9 (external diameter) Cutting Size: 3"	230V	880		10	R 170.99
	8-DL-NW-C-3238	NW	Clear	8	LIZS	9.9 (external diameter) Cutting Size: 3"	230V	836		10	R 170.99
	8-DL-WW-C-3239	WW	Clear	8	LIZS	9.9 (external diameter) Cutting Size: 3"	230V	791		10	R 170.99
	16-DL-WH-C-3255	WH	Clear	16	LIZS	12 (external diameter) Cutting Size: 4"	AC100-240V	1760		10	R 360.97
	16-DL-NW-C-3256	NW	Clear	16	LIZS	12 (external diameter) Cutting Size: 4"	AC100-240V	1671		10	R 360.97
	16-DL-WW-C-3257	WW	Clear	16	LIZS	12 (external diameter) Cutting Size: 4"	AC100-240V	1582		10	R 360.97

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	20-DL-WH-C-3264	WH	Clear	20	LIZS	14.3 (external diameter) Cutting Size: 5"	AC100-240V	2200		10	R 379.96
	20-DL-NW-C-3265	NW	Clear	20	LIZS	14.3 (external diameter) Cutting Size: 5"	AC100-240V	2089		10	R 379.96
	20-DL-WW-C-3266	WW	Clear	20	LIZS	14.3 (external diameter) Cutting Size: 5"	AC100-240V	1978		10	R 379.96
	25-DL-WH-C-3273	WH	Clear	25	LIZS	15.5 (external diameter) Cutting Size: 5.5"	AC100-240V	2750		10	R 451.20
	25-DL-NW-C-3274	NW	Clear	25	LIZS	15.5 (external diameter) Cutting Size: 5.5"	AC100-240V	2611		10	R 451.20
	25-DL-WW-C-3275	WW	Clear	25	LIZS	15.5 (external diameter) Cutting Size: 5.5"	AC100-240V	2472		10	R 451.20
	35-DL-WH-C-3282	WH	Clear	35	LIZS	16.7 (external diameter) Cutting Size: 6"	AC100-240V	3850		10	R 555.23
	35-DL-NW-C-3283	NW	Clear	35	LIZS	16.7 (external diameter) Cutting Size: 6"	AC100-240V	3656		10	R 555.23
	35-DL-WW-C-3284	WW	Clear	35	LIZS	16.7 (external diameter) Cutting Size: 6"	AC100-240V	3461		10	R 555.23
	45-DL-WH-C-3291	WH	Clear	45	LIZS	19.6 (external diameter) Cutting Size: 7"	AC100-240V	4950		10	R 655.75
	45-DL-NW-C-3292	NW	Clear	45	LIZS	19.6 (external diameter) Cutting Size: 7"	AC100-240V	4700		10	R 655.75
	45-DL-WW-C-3293	WW	Clear	45	LIZS	19.6 (external diameter) Cutting Size: 7"	AC100-240V	4450		10	R 655.75

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
DOWNLIGHTS											
	1-DL-WH-C-3300	WH	Clear	1	LIC	3.2 (external diameter)	12V	110		10	R 107.69
	1-DL-NW-C-3301	NW	Clear	1	LIC	3.2 (external diameter)	12V	104		10	R 107.69
	1-DL-WW-C-3302	WW	Clear	1	LIC	3.2 (external diameter)	12V	99		10	R 107.69
	3-DL-WH-C-3303	WH	Clear	3	LIC	4 (external diameter)	12V	330		10	R 133.00
	3-DL-NW-C-3304	NW	Clear	3	LIC	4 (external diameter)	12V	313		10	R 133.00
	3-DL-WW-C-3305	WW	Clear	3	LIC	4 (external diameter)	12V	297		10	R 133.00
	3-DL-WH-F-3306	WH	Frosted	3	LIC	4 (external diameter)	12V	322		10	R 133.00
	3-DL-NW-F-3307	NW	Frosted	3	LIC	4 (external diameter)	12V	305		10	R 133.00
	3-DL-WW-C-3308	WW	Clear	3	LIC	4 (external diameter)	12V	297		10	R 133.00
	35-DL-WH-C-3309	WH	Clear	35		18.85 (external diameter)	AC100-240V	3850		10	R 877.14
	35-DL-WW-C-3310	WW	Clear	35		18.85 (external diameter)	AC100-240V	3461		10	R 877.14

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	7-SL-WH-C-1300	WH	Clear	7	P30	Ø9.5x8	AC100-240V	770		100	R 208.98
	7-SL-WW-C-1301	WW	Clear	7	P30	Ø9.5x8	AC100-240V	692		100	R 208.98
	7-SL-NW-C-1302	NW	Clear	7	P30	Ø9.5x8	AC100-240V	731		100	R 208.98
	12-SL-WH-C-1303	WH	Clear	12	P38	Ø12x12.7	AC100-240V	1320		100	R 341.98
	12-SL-WW-C-1304	WW	Clear	12	P38	Ø12x12.7	AC100-240V	1187		100	R 341.98
	12-SL-NW-C-1305	NW	Clear	12	P38	Ø12x12.7	AC100-240V	1253		100	R 341.98
	7-SL-WH-C-1306	WH	Clear	7	P30	Ø9.5x9.5	AC100-240V	770		100	R 208.98
	7-SL-WW-C-1307	WW	Clear	7	P30	Ø9.5x9.5	AC100-240V	692		100	R 208.98
	7-SL-NW-C-1308	NW	Clear	7	P30	Ø9.5x9.5	AC100-240V	731		100	R 208.98
	12-SL-WH-C-1309	WH	Clear	12	P38	Ø12x12.5	AC100-240V	1320		100	R 341.98
	12-SL-WW-C-1310	WW	Clear	12	P38	Ø12x12.5	AC100-240V	1187		100	R 341.98
	12-SL-NW-C-1311	NW	Clear	12	P38	Ø12x12.5	AC100-240V	1253		100	R 341.98
	5-SL-WH-C-1312	WH	Clear	5	E27	Ø5x10	AC100-240V	550		100	R 115.51
	5-SL-WW-C-1313	WW	Clear	5	E27	Ø5x10	AC100-240V	494		100	R 115.51
	5-SL-NW-C-1314	NW	Clear	5	E27	Ø5x10	AC100-240V	522		100	R 115.51
	5-SL-WH-C-1315	WH	Clear	5	MR16	Ø5x10	AC100-240V	550		100	R 115.51
	5-SL-WW-C-1316	WW	Clear	5	MR16	Ø5x10	AC100-240V	494		100	R 115.51
	5-SL-NW-C-1317	NW	Clear	5	MR16	Ø5x10	AC100-240V	522		100	R 115.51

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	5-SL-WH-C-1318	WH	Clear	5	GU10	Φ5x10	AC100-240V	550		100	R 115.51
	5-SL-WW-C-1319	WW	Clear	5	GU10	Φ5x10	AC100-240V	494		100	R 115.51
	5-SL-NW-C-1320	NW	Clear	5	GU10	Φ5x10	AC100-240V	522		100	R 115.51
	4-SL-WH-C-1321	WH	Clear	4	E27	Φ4.8x7.2	AC100-240V	440		100	R 82.50
	4-SL-WW-C-1322	WW	Clear	4	E27	Φ4.8x7.2	AC100-240V	396		100	R 82.50
	4-SL-NW-C-1323	NW	Clear	4	E27	Φ4.8x7.2	AC100-240V	418		100	R 82.50
	4-SL-WH-C-1324	WH	Clear	4	MR16	Φ4.8x7.2	AC100-240V	440		100	R 82.50
	4-SL-WW-C-1325	WW	Clear	4	MR16	Φ4.8x7.2	AC100-240V	396		100	R 82.50
	4-SL-NW-C-1326	NW	Clear	4	MR16	Φ4.8x7.2	AC100-240V	418		100	R 82.50
	4-SL-WH-C-1327	WH	Clear	4	GU10	Φ4.8x7.2	AC100-240V	440		100	R 82.50
	4-SL-WW-C-1328	WW	Clear	4	GU10	Φ4.8x7.2	AC100-240V	396		100	R 82.50
	4-SL-NW-C-1329	NW	Clear	4	GU10	Φ4.8x7.2	AC100-240V	418		100	R 82.50
	3-SL-WH-C-1330	WH	Clear	3	E27	Φ5x6.5	AC100-240V	330		100	R 115.51
	3-SL-WW-C-1331	WW	Clear	3	E27	Φ5x6.5	AC100-240V	297		100	R 115.51
	3-SL-NW-C-1332	NW	Clear	3	E27	Φ5x6.5	AC100-240V	313		100	R 115.51
	3-SL-WH-C-1333	WH	Clear	3	MR16	Φ5x6.5	AC100-240V	330		100	R 115.51
	3-SL-WW-C-1334	WW	Clear	3	MR16	Φ5x6.5	AC100-240V	297		100	R 115.51
	3-SL-NW-C-1335	NW	Clear	3	MR16	Φ5x6.5	AC100-240V	313		100	R 115.51





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	3-SL-WH-C-1336	WH	Clear	3	GU10	Ø5x6.5	AC100-240V	330		100	R 115.51
	3-SL-WW-C-1337	WW	Clear	3	GU10	Ø5x6.5	AC100-240V	297		100	R 115.51
	3-SL-NW-C-1338	NW	Clear	3	GU10	Ø5x6.5	AC100-240V	313		100	R 115.51
	3-SL-WH-C-1339	WH	Clear	3	E27	Ø5x6	AC100-240V	330		100	R 115.51
	3-SL-WW-C-1340	WW	Clear	3	E27	Ø5x6	AC100-240V	297		100	R 115.51
	3-SL-NW-C-1341	NW	Clear	3	E27	Ø5x6	AC100-240V	313		100	R 115.51
	3-SL-WH-C-1342	WH	Clear	3	MR16	Ø5x6	AC100-240V	330		100	R 115.51
	3-SL-WW-C-1343	WW	Clear	3	MR16	Ø5x6	AC100-240V	297		100	R 115.51
	3-SL-NW-C-1344	NW	Clear	3	MR16	Ø5x6	AC100-240V	313		100	R 115.51
	3-SL-WH-C-1345	WH	Clear	3	GU10	Ø5x6	AC100-240V	330		100	R 115.51
	3-SL-WW-C-1346	WW	Clear	3	GU10	Ø5x6	AC100-240V	297		100	R 115.51
	3-SL-NW-C-1347	NW	Clear	3	GU10	Ø5x6	AC100-240V	313		100	R 115.51
	4-SL-WH-F-1348	WH	Frosted	4	E27	Ø5x6.8	AC100-240V	429		100	R 107.69
	4-SL-WW-F-1349	WW	Frosted	4	E27	Ø5x6.8	AC100-240V	386		100	R 107.69
	4-SL-NW-F-1350	NW	Frosted	4	E27	Ø5x6.8	AC100-240V	407		100	R 107.69
	4-SL-WH-F-1351	WH	Frosted	4	MR16	Ø5x6.8	AC100-240V	429		100	R 107.69
	4-SL-WW-F-1352	WW	Frosted	4	MR16	Ø5x6.8	AC100-240V	386		100	R 107.69
	4-SL-NW-F-1353	NW	Frosted	4	MR16	Ø5x6.8	AC100-240V	407		100	R 107.69

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	4-SL-WH-F-1354	WH	Frosted	4	GU10	Φ5x6.8	AC100-240V	429		100	R 107.69
	4-SL-WW-F-1355	WW	Frosted	4	GU10	Φ5x6.8	AC100-240V	386		100	R 107.69
	4-SL-NW-F-1356	NW	Frosted	4	GU10	Φ5x6.8	AC100-240V	407		100	R 107.69
	5-SL-WH-F-1357	WH	Frosted	5	E27	Φ5x9	AC100-240V	536		100	R 107.69
	5-SL-WW-F-1358	WW	Frosted	5	E27	Φ5x9	AC100-240V	482		100	R 107.69
	5-SL-NW-F-1359	NW	Frosted	5	E27	Φ5x9	AC100-240V	509		100	R 107.69
	5-SL-WH-F-1360	WH	Frosted	5	MR16	Φ5x9	AC100-240V	536		100	R 107.69
	5-SL-WW-F-1361	WW	Frosted	5	MR16	Φ5x9	AC100-240V	482		100	R 107.69
	5-SL-NW-F-1362	NW	Frosted	5	MR16	Φ5x9	AC100-240V	509		100	R 107.69
	5-SL-WH-F-1363	WH	Frosted	5	GU10	Φ5x9	AC100-240V	536		100	R 107.69
	5-SL-WW-F-1364	WW	Frosted	5	GU10	Φ5x9	AC100-240V	482		100	R 107.69
	5-SL-NW-F-1365	NW	Frosted	5	GU10	Φ5x9	AC100-240V	509		100	R 107.69
	7-SL-WH-F-1366	WH	Frosted	7	E27	Φ5x10.8	AC100-240V	751		100	R 115.67
	7-SL-WW-F-1367	WW	Frosted	7	E27	Φ5x10.8	AC100-240V	675		100	R 115.67
	7-SL-NW-F-1368	NW	Frosted	7	E27	Φ5x10.8	AC100-240V	713		100	R 115.67
	7-SL-WH-F-1369	WH	Frosted	7	MR16	Φ5x10.8	AC100-240V	751		100	R 115.67
	7-SL-WW-F-1370	WW	Frosted	7	MR16	Φ5x10.8	AC100-240V	675		100	R 115.67
	7-SL-NW-F-1371	NW	Frosted	7	MR16	Φ5x10.8	AC100-240V	713		100	R 115.67

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	7-SL-WH-F-1372	WH	Frosted	7	GU10	Φ5x10.8	AC100-240V	751		100	R 115.67
	7-SL-WW-F-1373	WW	Frosted	7	GU10	Φ5x10.8	AC100-240V	675		100	R 115.67
	7-SL-NW-F-1374	NW	Frosted	7	GU10	Φ5x10.8	AC100-240V	713		100	R 115.67
	9-SL-WH-C-1375	WH	Clear	9	E27	Φ5x11.4	AC100-240V	990		100	R 140.59
	9-SL-WW-C-1376	WW	Clear	9	E27	Φ5x11.4	AC100-240V	890		100	R 133.00
	9-SL-NW-C-1377	NW	Clear	9	E27	Φ5x11.4	AC100-240V	940		100	R 133.00
	9-SL-WH-C-1378	WH	Clear	9	MR16	Φ5x11.4	AC100-240V	990		100	R 133.00
	9-SL-WW-C-1379	WW	Clear	9	MR16	Φ5x11.4	AC100-240V	890		100	R 133.00
	9-SL-NW-C-1380	NW	Clear	9	MR16	Φ5x11.4	AC100-240V	940		100	R 133.00
	9-SL-WH-C-1381	WH	Clear	9	GU10	Φ5x11.4	AC100-240V	990		100	R 133.00
	9-SL-WW-C-1382	WW	Clear	9	GU10	Φ5x11.4	AC100-240V	890		100	R 133.00
	9-SL-NW-C-1383	NW	Clear	9	GU10	Φ5x11.4	AC100-240V	940		100	R 133.00
	7-SL-WH-C-1384	WH	Clear	7	E27	Φ11x10	AC100-240V	770		100	R 133.00
	7-SL-WW-C-1385	WW	Clear	7	E27	Φ11x10	AC100-240V	692		100	R 133.00
	7-SL-NW-C-1386	NW	Clear	7	E27	Φ11x10	AC100-240V	731		100	R 133.00
	12-SL-WH-C-1387	WH	Clear	12	E27	Φ12.2x14.5	AC100-240V	1320		100	R 133.00
	12-SL-WW-C-1388	WW	Clear	12	E27	Φ12.2x14.5	AC100-240V	1187		100	R 133.00
	12-SL-NW-C-1389	NW	Clear	12	E27	Φ12.2x14.5	AC100-240V	1253		100	R 133.00

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	5-SL-WH-C-1390	WH	Clear	5	E27	Φ5x6	AC100-240V	550		100	R 99.00
	5-SL-WW-C-1391	WW	Clear	5	E27	Φ5x6	AC100-240V	494		100	R 99.00
	5-SL-NW-C-1392	NW	Clear	5	E27	Φ5x6	AC100-240V	522		100	R 99.00
	5-SL-WH-C-1393	WH	Clear	5	MR16	Φ5x6	AC100-240V	550		100	R 99.00
	5-SL-WW-C-1394	WW	Clear	5	MR16	Φ5x6	AC100-240V	494		100	R 99.00
	5-SL-NW-C-1395	NW	Clear	5	MR16	Φ5x6	AC100-240V	522		100	R 99.00
	5-SL-WH-C-1396	WH	Clear	5	GU10	Φ5x6	AC100-240V	550		100	R 99.00
	5-SL-WW-C-1397	WW	Clear	5	GU10	Φ5x6	AC100-240V	494		100	R 99.00
	5-SL-NW-C-1398	NW	Clear	5	GU10	Φ5x6	AC100-240V	522		100	R 99.00
	5-SL-WH-C-1399	WH	Clear	5	E27	Φ6.2x7	AC100-240V	550		100	R 115.51
	5-SL-WW-C-1400	WW	Clear	5	E27	Φ6.2x7	AC100-240V	494		100	R 115.51
	5-SL-NW-C-1401	NW	Clear	5	E27	Φ6.2x7	AC100-240V	522		100	R 115.51
	5-SL-WH-C-1402	WH	Clear	5	MR16	Φ6.2x7	AC100-240V	550		100	R 115.51
	5-SL-WW-C-1403	WW	Clear	5	MR16	Φ6.2x7	AC100-240V	494		100	R 115.51
	5-SL-NW-C-1404	NW	Clear	5	MR16	Φ6.2x7	AC100-240V	522		100	R 115.51
	5-SL-WH-C-1405	WH	Clear	5	GU10	Φ6.2x7	AC100-240V	550		100	R 115.51
	5-SL-WW-C-1406	WW	Clear	5	GU10	Φ6.2x7	AC100-240V	494		100	R 115.51
	5-SL-NW-C-1407	NW	Clear	5	GU10	Φ6.2x7	AC100-240V	522		100	R 115.51

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	6-SL-WH-C-1408	WH	Clear	6	E27	Ø5x7.3	AC100-240V	660		100	R 99.00
	6-SL-WW-C-1409	WW	Clear	6	E27	Ø5x7.3	AC100-240V	593		100	R 99.00
	6-SL-NW-C-1410	NW	Clear	6	E27	Ø5x7.3	AC100-240V	627		100	R 99.00
	6-SL-WH-C-1411	WH	Clear	6	MR16	Ø5x7.3	AC100-240V	660		100	R 99.00
	6-SL-WW-C-1412	WW	Clear	6	MR16	Ø5x7.3	AC100-240V	593		100	R 99.00
	6-SL-NW-C-1413	NW	Clear	6	MR16	Ø5x7.3	AC100-240V	627		100	R 99.00
	6-SL-WH-C-1414	WH	Clear	6	GU10	Ø5x7.3	AC100-240V	660		100	R 99.00
	6-SL-WW-C-1415	WW	Clear	6	GU10	Ø5x7.3	AC100-240V	593		100	R 99.00
	6-SL-NW-C-1416	NW	Clear	6	GU10	Ø5x7.3	AC100-240V	627		100	R 99.00
	6-SL-WH-C-1417	WH	Clear	6	E27	Ø5x7.3	AC100-240V	660		100	R 99.00
	6-SL-WW-C-1418	WW	Clear	6	E27	Ø5x7.3	AC100-240V	593		100	R 99.00
	6-SL-NW-C-1419	NW	Clear	6	E27	Ø5x7.3	AC100-240V	627		100	R 99.00
	6-SL-WH-C-1420	WH	Clear	6	MR16	Ø5x7.3	AC100-240V	660		100	R 99.00
	6-SL-WW-C-1421	WW	Clear	6	MR16	Ø5x7.3	AC100-240V	593		100	R 99.00
	6-SL-NW-C-1422	NW	Clear	6	MR16	Ø5x7.3	AC100-240V	627		100	R 99.00
	6-SL-WH-C-1423	WH	Clear	6	GU10	Ø5x7.3	AC100-240V	660		100	R 99.00
	6-SL-WW-C-1424	WW	Clear	6	GU10	Ø5x7.3	AC100-240V	593		100	R 99.00
	6-SL-NW-C-1425	NW	Clear	6	GU10	Ø5x7.3	AC100-240V	627		100	R 99.00

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	6-SL-WH-C-1426	WH	Clear	6	IP65	Ø8.5x13.5	AC100-240V	660		20	R 555.23
	6-SL-WW-C-1427	WW	Clear	6	IP65	Ø8.5x13.5	AC100-240V	593		20	R 555.23
	6-SL-NW-C-1428	NW	Clear	6	IP65	Ø8.5x13.5	AC100-240V	627		20	R 555.23
	3-SL-WH-C-1429	WH	Clear	3	IP65	Ø6.5x11.5	AC100-240V	330		20	R 303.98
	3-SL-WW-C-1430	WW	Clear	3	IP65	Ø6.5x11.5	AC100-240V	297		20	R 303.98
	3-SL-NW-C-1431	NW	Clear	3	IP65	Ø6.5x11.5	AC100-240V	313		20	R 303.98
	6-SL-WH-C-1432	WH	Clear	6	IP65	Ø11.5x13	AC100-240V	660		20	R 555.23
	6-SL-WW-C-1433	WW	Clear	6	IP65	Ø11.5x13	AC100-240V	593		20	R 555.23
	6-SL-NW-C-1434	NW	Clear	6	IP65	Ø11.5x13	AC100-240V	627		20	R 555.23
	3-SL-WH-C-1435	WH	Clear	3	IP65	Ø9.5x11.5	AC100-240V	330		20	R 303.98
	3-SL-WW-C-1436	WW	Clear	3	IP65	Ø9.5x11.5	AC100-240V	297		20	R 303.98
	3-SL-NW-C-1437	NW	Clear	3	IP65	Ø9.5x11.5	AC100-240V	313		20	R 303.98
	3-SL-WH-C-1438	WH	Clear	3	IP65	Ø6.8x10.5	AC100-240V	330		20	R 303.98
	3-SL-WW-C-1439	WW	Clear	3	IP65	Ø6.8x10.5	AC100-240V	297		20	R 303.98
	3-SL-NW-C-1440	NW	Clear	3	IP65	Ø6.8x10.5	AC100-240V	313		20	R 303.98
	3-SL-WH-C-1441	WH	Clear	3	IP65	Ø7x9	AC100-240V	330		20	R 303.98
	3-SL-WW-C-1442	WW	Clear	3	IP65	Ø7x9	AC100-240V	297		20	R 303.98
	3-SL-NW-C-1443	NW	Clear	3	IP65	Ø7x9	AC100-240V	313		20	R 303.98

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	3-SL-WH-C-1444	WH	Clear	3	IP65	Φ4.3x8.5	AC100-240V	330		20	R 303.98
	3-SL-WW-C-1445	WW	Clear	3	IP65	Φ4.3x8.5	AC100-240V	297		20	R 303.98
	3-SL-NW-C-1446	NW	Clear	3	IP65	Φ4.3x8.5	AC100-240V	313		20	R 303.98
	3-SL-WH-C-1447	WH	Clear	3	IP65	Φ5.5xH9	AC100-240V	330		20	R 555.23
	3-SL-WW-C-1448	WW	Clear	3	IP65	Φ5.5xH9	AC100-240V	297		20	R 555.23
	3-SL-NW-C-1449	NW	Clear	3	IP65	Φ5.5xH9	AC100-240V	313		20	R 555.23
	3-SL-WH-C-1450	WH	Clear	3	IP65	Φ5.5xH8.5	AC100-240V	330		20	R 555.23
	3-SL-WW-C-1451	WW	Clear	3	IP65	Φ5.5xH8.5	AC100-240V	297		20	R 555.23
	3-SL-NW-C-1452	NW	Clear	3	IP65	Φ5.5xH8.5	AC100-240V	313		20	R 555.23
	5.5-SL-WH-C-1453	WH	Clear	5.5	MR16	Φ5xH4.6	AC/DC12V	605		100	R 120.47
	5.5-SL-WW-C-1454	WW	Clear	5.5	MR16	Φ5xH4.6	AC/DC12V	544		100	R 120.47
	5.5-SL-NW-C-1455	NW	Clear	5.5	MR16	Φ5xH4.6	AC/DC12V	574		100	R 120.47
	5.5-SL-WH-C-1456	WH	Clear	5.5	GU10	Φ5xH5.5	AC100-240V	605		100	R 120.47
	5.5-SL-WW-C-1457	WW	Clear	5.5	GU10	Φ5xH5.5	AC100-240V	544		100	R 120.47
	5.5-SL-NW-C-1458	NW	Clear	5.5	GU10	Φ5xH5.5	AC100-240V	574		100	R 120.47
	5.5-SL-WH-C-1459	WH	Clear	5.5	E27	Φ5xH5.6	AC100-240V	605		100	R 120.47
	5.5-SL-WW-C-1460	WW	Clear	5.5	E27	Φ5xH5.6	AC100-240V	544		100	R 120.47
	5.5-SL-NW-C-1461	NW	Clear	5.5	E27	Φ5xH5.6	AC100-240V	574		100	R 120.47

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	5.5-SL-WH-C-1462	WH	Clear	5.5	E26	Φ5xH5.6	AC100-240V	605		100	R 120.47
	5.5-SL-WW-C-1463	WW	Clear	5.5	E26	Φ5xH5.6	AC100-240V	544		100	R 120.47
	5.5-SL-NW-C-1464	NW	Clear	5.5	E26	Φ5xH5.6	AC100-240V	574		100	R 120.47
	4.5-SL-WH-C-1465	WH	Clear	4.5	MR16	Φ4.95xH5	12V	495		100	R 120.47
	4.5-SL-NW-C-1466	NW	Clear	4.5	MR16	Φ4.95xH5	12V	470		100	R 120.47
	4.5-SL-WW-C-1467	WW	Clear	4.5	MR16	Φ4.95xH5	12V	445		100	R 120.47
	5-SL-WH-C-1468	WH	Clear	5	GU10	Φ4.95xH5.65	AC100-240V	550		100	R 120.47
	5-SL-NW-C-1469	NW	Clear	5	GU10	Φ4.95xH5.65	AC100-240V	522		100	R 120.47
	5-SL-WW-C-1470	WW	Clear	5	GU10	Φ4.95xH5.65	AC100-240V	494		100	R 120.47
	5-SL-WH-C-1471	WH	Clear	5	E27	Φ4.95xH5.8	AC100-240V	550		100	R 120.47
	5-SL-NW-C-1472	NW	Clear	5	E27	Φ4.95xH5.8	AC100-240V	522		100	R 120.47
	5-SL-WW-C-1473	WW	Clear	5	E27	Φ4.95xH5.8	AC100-240V	494		100	R 120.47
	4.5-SL-WH-C-1474	WH	Clear	4.5	MR16	Φ4.95xH5	12V	495		100	R 107.69
	4.5-SL-NW-C-1475	NW	Clear	4.5	MR16	Φ4.95xH5	12V	470		100	R 107.69
	4.5-SL-WW-C-1476	WW	Clear	4.5	MR16	Φ4.95xH5	12V	445		100	R 107.69
	5-SL-WH-C-1477	WH	Clear	5	GU10	Φ4.95xH5.65	AC100-240V	550		100	R 107.69
	5-SL-NW-C-1478	NW	Clear	5	GU10	Φ4.95xH5.65	AC100-240V	522		100	R 107.69
	5-SL-WW-C-1479	WW	Clear	5	GU10	Φ4.95xH5.65	AC100-240V	494		100	R 107.69

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	5-SL-WH-C-1480	WH	Clear	5	E27	Φ4.95xH5.8	AC100-240V	550		100	R 107.69
	5-SL-NW-C-1481	NW	Clear	5	E27	Φ4.95xH5.8	AC100-240V	522		100	R 107.69
	5-SL-WW-C-1482	WW	Clear	5	E27	Φ4.95xH5.8	AC100-240V	494		100	R 107.69
	5-SL-WH-C-1483	WH	Clear	5	E27	Φ4.95xH5.65	110V	550		100	R 107.69
	5-SL-NW-C-1484	NW	Clear	5	E27	Φ4.95xH5.65	110V	522		100	R 107.69
	5-SL-WW-C-1485	WW	Clear	5	E27	Φ4.95xH5.65	110V	494		100	R 107.69
	5-SL-WH-C-1486	WH	Clear	5	GU10	Φ4.95xH5.8	110V	550		100	R 107.69
	5-SL-NW-C-1487	NW	Clear	5	GU10	Φ4.95xH5.8	110V	522		100	R 107.69
	5-SL-WW-C-1488	WW	Clear	5	GU10	Φ4.95xH5.8	110V	494		100	R 107.69
	5-SL-WH-C-1489	WH	Clear	5	E27	Φ4.95xH5.65	110V	550		100	R 107.69
	5-SL-NW-C-1490	NW	Clear	5	E27	Φ4.95xH5.65	110V	522		100	R 107.69
	5-SL-WW-C-1491	WW	Clear	5	E27	Φ4.95xH5.65	110V	494		100	R 107.69
	5-SL-WH-C-1492	WH	Clear	5	GU10	Φ4.95xH5.8	110V	550		100	R 107.69
	5-SL-NW-C-1493	NW	Clear	5	GU10	Φ4.95xH5.8	110V	522		100	R 107.69
	5-SL-WW-C-1494	WW	Clear	5	GU10	Φ4.95xH5.8	110V	494		100	R 107.69
	5-SL-WH-C-1495	WH	Clear	5	E27	Φ4.95xH5.65	220V	550		100	R 107.69
	5-SL-NW-C-1496	NW	Clear	5	E27	Φ4.95xH5.65	220V	522		100	R 107.69
	5-SL-WW-C-1497	WW	Clear	5	E27	Φ4.95xH5.65	220V	494		100	R 107.69

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	5-SL-WH-C-1498	WH	Clear	5	GU10	Φ4.95xH5.8	220V	550		100	R 107.69
	5-SL-NW-C-1499	NW	Clear	5	GU10	Φ4.95xH5.8	220V	522		100	R 107.69
	5-SL-WW-C-1500	WW	Clear	5	GU10	Φ4.95xH5.8	220V	494		100	R 107.69
	5-SL-WH-C-1501	WH	Clear	5	E27	Φ4.95xH5.65	220V	550		100	R 107.69
	5-SL-NW-C-1502	NW	Clear	5	E27	Φ4.95xH5.65	220V	522		100	R 107.69
	5-SL-WW-C-1503	WW	Clear	5	E27	Φ4.95xH5.65	220V	494		100	R 107.69
	5-SL-WH-C-1504	WH	Clear	5	GU10	Φ4.95xH5.8	220V	550		100	R 107.69
	5-SL-NW-C-1505	NW	Clear	5	GU10	Φ4.95xH5.8	220V	522		100	R 107.69
	5-SL-WW-C-1506	WW	Clear	5	GU10	Φ4.95xH5.8	220V	494		100	R 107.69
	3-SL-WH-C-1507	WH	Clear	3	MR16	Φ4.9xH5.3	12V	330		100	R 93.87
	3-SL-NW-C-1508	NW	Clear	3	MR16	Φ4.9xH5.3	12V	313		100	R 93.87
	3-SL-WW-C-1509	WW	Clear	3	MR16	Φ4.9xH5.3	12V	297		100	R 93.87
	3-SL-WH-C-1510	WH	Clear	3	GU10	Φ4.95xH6.1	AC100-240V	330		100	R 93.87
	3-SL-NW-C-1511	NW	Clear	3	GU10	Φ4.95xH6.1	AC100-240V	313		100	R 93.87
	3-SL-WW-C-1512	WW	Clear	3	GU10	Φ4.95xH6.1	AC100-240V	297		100	R 93.87
	3-SL-WH-C-1513	WH	Clear	3	E27	Φ4.95xH6.2	AC100-240V	330		100	R 93.87
	3-SL-NW-C-1514	NW	Clear	3	E27	Φ4.95xH6.2	AC100-240V	313		100	R 93.87
	3-SL-WW-C-1515	WW	Clear	3	E27	Φ4.95xH6.2	AC100-240V	297		100	R 93.87

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	3-SL-WH-C-1516	WH	Clear	3	GU5.3	Φ4.95x6.2	AC100-240V	330		100	R 93.87
	3-SL-NW-C-1517	NW	Clear	3	GU5.3	Φ4.95x6.2	AC100-240V	313		100	R 93.87
	3-SL-WW-C-1518	WW	Clear	3	GU5.3	Φ4.95x6.2	AC100-240V	297		100	R 93.87
	3-SL-WH-C-1519	WH	Clear	3	MR16	Φ5xH4.8	12V	330		100	R 93.87
	3-SL-NW-C-1520	NW	Clear	3	MR16	Φ5xH4.8	12V	313		100	R 93.87
	3-SL-WW-C-1521	WW	Clear	3	MR16	Φ5xH4.8	12V	297		100	R 93.87
	3-SL-WH-C-1522	WH	Clear	3	GU10	Φ5xH5.7	AC100-240V	330		100	R 98.71
	3-SL-NW-C-1523	NW	Clear	3	GU10	Φ5xH5.7	AC100-240V	313		100	R 98.71
	3-SL-WW-C-1524	WW	Clear	3	GU10	Φ5xH5.7	AC100-240V	297		100	R 98.71
	3-SL-WH-C-1525	WH	Clear	3	E27	Φ5xH5.7	AC100-240V	330		100	R 107.69
	3-SL-NW-C-1526	NW	Clear	3	E27	Φ5xH5.7	AC100-240V	313		100	R 107.69
	3-SL-WW-C-1527	WW	Clear	3	E27	Φ5xH5.7	AC100-240V	297		100	R 107.69
	3-SL-WH-C-1528	WH	Clear	3	GU5.3	Φ5xH5.8	AC100-240V	330		100	R 93.87
	3-SL-NW-C-1529	NW	Clear	3	GU5.3	Φ5xH5.8	AC100-240V	313		100	R 93.87
	3-SL-WW-C-1530	WW	Clear	3	GU5.3	Φ5xH5.8	AC100-240V	297		100	R 93.87
	4-SL-WH-C-1531	WH	Clear	4	MR16	Φ4.9xH5.3	12V	440		100	R 93.87
	4-SL-NW-C-1532	NW	Clear	4	MR16	Φ4.9xH5.3	12V	418		100	R 93.87
	4-SL-WW-C-1533	WW	Clear	4	MR16	Φ4.9xH5.3	12V	396		100	R 93.87

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	4-SL-WH-C-1534	WH	Clear	4	GU10	Φ4.9xH6.2	AC100-240V	440		100	R 98.71
	4-SL-NW-C-1535	NW	Clear	4	GU10	Φ4.9xH6.2	AC100-240V	418		100	R 98.71
	4-SL-WW-C-1536	WW	Clear	4	GU10	Φ4.9xH6.2	AC100-240V	396		100	R 98.71
	4-SL-WH-C-1537	WH	Clear	4	E27	Φ4.9xH6.2	AC100-240V	440		100	R 101.81
	4-SL-NW-C-1538	NW	Clear	4	E27	Φ4.9xH6.2	AC100-240V	418		100	R 101.81
	4-SL-WW-C-1539	WW	Clear	4	E27	Φ4.9xH6.2	AC100-240V	396		100	R 101.81
	4-SL-WH-C-1540	WH	Clear	4	GU5.3	Φ4.9xH6.3	AC100-240V	440		100	R 98.71
	4-SL-NW-C-1541	NW	Clear	4	GU5.3	Φ4.9xH6.3	AC100-240V	418		100	R 98.71
	4-SL-WW-C-1542	WW	Clear	4	GU5.3	Φ4.9xH6.3	AC100-240V	396		100	R 98.71
	6-SL-WH-C-1543	WH	Clear	6	MR16	Φ4.9xH6.7	12V	660		100	R 120.47
	6-SL-NW-C-1544	NW	Clear	6	MR16	Φ4.9xH6.7	12V	627		100	R 120.47
	6-SL-WW-C-1545	WW	Clear	6	MR16	Φ4.9xH6.7	12V	593		100	R 120.47
	6-SL-WH-C-1546	WH	Clear	6	GU10	Φ4.9*H7.5	AC100-240V	660		100	R 120.47
	6-SL-NW-C-1547	NW	Clear	6	GU10	Φ4.9*H7.5	AC100-240V	627		100	R 120.47
	6-SL-WW-C-1548	WW	Clear	6	GU10	Φ4.9*H7.5	AC100-240V	593		100	R 120.47
	6-SL-WH-C-1549	WH	Clear	6	E27	Φ4.9xH7.8	AC100-240V	660		100	R 120.47
	6-SL-NW-C-1550	NW	Clear	6	E27	Φ4.9xH7.8	AC100-240V	627		100	R 120.47
	6-SL-WW-C-1551	WW	Clear	6	E27	Φ4.9xH7.8	AC100-240V	593		100	R 120.47

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	6-SL-WH-C-1552	WH	Clear	6	GU5.3	Φ4.9*H7.6	AC100-240V	660		100	R 120.47
	6-SL-NW-C-1553	NW	Clear	6	GU5.3	Φ4.9*H7.6	AC100-240V	627		100	R 120.47
	6-SL-WW-C-1554	WW	Clear	6	GU5.3	Φ4.9*H7.6	AC100-240V	593		100	R 120.47
	9-SL-WH-C-1555	WH	Clear	9	MR16	Φ4.9*H9.7	12V	990		100	R 120.47
	9-SL-NW-C-1556	NW	Clear	9	MR16	Φ4.9*H9.7	12V	940		100	R 120.47
	9-SL-WW-C-1557	WW	Clear	9	MR16	Φ4.9*H9.7	12V	890		100	R 120.47
	9-SL-WH-C-1558	WH	Clear	9	GU10	Φ4.9*H10.5	AC100-240V	990		100	R 120.47
	9-SL-NW-C-1559	NW	Clear	9	GU10	Φ4.9*H10.5	AC100-240V	940		100	R 120.47
	9-SL-WW-C-1560	WW	Clear	9	GU10	Φ4.9*H10.5	AC100-240V	890		100	R 120.47
	9-SL-WH-C-1561	WH	Clear	9	E27	Φ4.9*H10.8	AC100-240V	990		100	R 120.47
	9-SL-NW-C-1562	NW	Clear	9	E27	Φ4.9*H10.8	AC100-240V	940		100	R 120.47
	9-SL-WW-C-1563	WW	Clear	9	E27	Φ4.9*H10.8	AC100-240V	890		100	R 120.47
	9-SL-WH-C-1564	WH	Clear	9	GU5.3	Φ4.9*H10.6	AC100-240V	990		100	R 120.47
	9-SL-NW-C-1565	NW	Clear	9	GU5.3	Φ4.9*H10.6	AC100-240V	940		100	R 120.47
	9-SL-WW-C-1566	WW	Clear	9	GU5.3	Φ4.9*H10.6	AC100-240V	890		100	R 120.47
	7-SL-WH-C-1567	WH	Clear	7	E27	Φ5xH8.5	AC100-240V	770		100	R 120.47
	7-SL-NW-C-1568	NW	Clear	7	E27	Φ5xH8.5	AC100-240V	731		100	R 120.47
	7-SL-WW-C-1569	WW	Clear	7	E27	Φ5xH8.5	AC100-240V	692		100	R 120.47





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	7-SL-WH-C-1570	WH	Clear	7	GU10	Φ5xH8.1	AC100-240V	770		100	R 120.47
	7-SL-NW-C-1571	NW	Clear	7	GU10	Φ5xH8.1	AC100-240V	731		100	R 120.47
	7-SL-WW-C-1572	WW	Clear	7	GU10	Φ5xH8.1	AC100-240V	692		100	R 120.47
	7-SL-WH-C-1573	WH	Clear	7	MR16	Φ5xH8	12/24V	770		100	R 120.47
	7-SL-NW-C-1574	NW	Clear	7	MR16	Φ5xH8	12/24V	731		100	R 120.47
	7-SL-WW-C-1575	WW	Clear	7	MR16	Φ5xH8	12/24V	692		100	R 120.47
	7-SL-WH-C-1576	WH	Clear	7	E27	Φ5xH8.5	AC100-240V	770		100	R 120.47
	7-SL-NW-C-1577	NW	Clear	7	E27	Φ5xH8.5	AC100-240V	731		100	R 120.47
	7-SL-WW-C-1578	WW	Clear	7	E27	Φ5xH8.5	AC100-240V	692		100	R 120.47
	7-SL-WH-C-1579	WH	Clear	7	GU10	Φ5xH8.1	AC100-240V	770		100	R 120.47
	7-SL-NW-C-1580	NW	Clear	7	GU10	Φ5xH8.1	AC100-240V	731		100	R 120.47
	7-SL-WW-C-1581	WW	Clear	7	GU10	Φ5xH8.1	AC100-240V	692		100	R 120.47
	7-SL-WH-C-1582	WH	Clear	7	MR16	Φ5xH8	12-24V	770		100	R 120.47
	7-SL-NW-C-1583	NW	Clear	7	MR16	Φ5xH8	12-24V	731		100	R 120.47
	7-SL-WW-C-1584	WW	Clear	7	MR16	Φ5xH8	12-24V	692		100	R 120.47
	8-SL-WH-C-1585	WH	Clear	8	AR111	Φ11	11-16V	880		100	R 120.47
	8-SL-NW-C-1586	NW	Clear	8	AR111	Φ11	11-16V	836		100	R 120.47
	8-SL-WW-C-1587	WW	Clear	8	AR111	Φ11	11-16V	791		100	R 120.47






Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	9-SL-WH-C-1588	WH	Clear	9	AR111	Φ11	AC100-240V	990		100	R 133.00
	9-SL-NW-C-1589	NW	Clear	9	AR111	Φ11	AC100-240V	940		100	R 133.00
	9-SL-WW-C-1590	WW	Clear	9	AR111	Φ11	AC100-240V	890		100	R 133.00
	9-SL-WH-C-1591	WH	Clear	9	AR111	Φ11	AC100-240V	990		100	R 133.00
	9-SL-NW-C-1592	NW	Clear	9	AR111	Φ11	AC100-240V	940		100	R 133.00
	9-SL-WW-C-1593	WW	Clear	9	AR111	Φ11	AC100-240V	890		100	R 133.00
	4.5-SL-WH-C-1594	WH	Clear	4.5	MR16	Φ4.95x5	12-24V	495		100	R 107.69
	4.5-SL-NW-C-1595	NW	Clear	4.5	MR16	Φ4.95x5	12-24V	470		100	R 107.69
	4.5-SL-WW-C-1596	WW	Clear	4.5	MR16	Φ4.95x5	12-24V	445		100	R 107.69
	4.5-SL-WH-C-1597	WH	Clear	4.5	MR16	Φ4.95x5	12-24V	495		100	R 107.69
	4.5-SL-NW-C-1598	NW	Clear	4.5	MR16	Φ4.95x5	12-24V	470		100	R 107.69
	4.5-SL-WW-C-1599	WW	Clear	4.5	MR16	Φ4.95x5	12-24V	445		100	R 107.69
	4.5-SL-WH-C-1600	WH	Clear	4.5	GU10	Φ4.95x5	AC100-240V	495		100	R 107.69
	4.5-SL-NW-C-1601	NW	Clear	4.5	GU10	Φ4.95x5	AC100-240V	470		100	R 107.69
	4.5-SL-WW-C-1602	WW	Clear	4.5	GU10	Φ4.95x5	AC100-240V	445		100	R 107.69
	4.5-SL-WH-C-1603	WH	Clear	4.5	GU10	Φ4.95x5	AC100-240V	495		100	R 107.69
	4.5-SL-NW-C-1604	NW	Clear	4.5	GU10	Φ4.95x5	AC100-240V	470		100	R 107.69
	4.5-SL-WW-C-1605	WW	Clear	4.5	GU10	Φ4.95x5	AC100-240V	445		100	R 107.69






Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	4.5-SL-WH-C-1606	WH	Clear	4.5	E27	Φ4.95x5	AC100-240V	495		100	R 107.69
	4.5-SL-NW-C-1607	NW	Clear	4.5	E27	Φ4.95x5	AC100-240V	470		100	R 107.69
	4.5-SL-WW-C-1608	WW	Clear	4.5	E27	Φ4.95x5	AC100-240V	445		100	R 107.69
	4.5-SL-WH-C-1609	WH	Clear	4.5	E27	Φ4.95x5	AC100-240V	495		100	R 107.69
	4.5-SL-NW-C-1610	NW	Clear	4.5	E27	Φ4.95x5	AC100-240V	470		100	R 107.69
	4.5-SL-WW-C-1611	WW	Clear	4.5	E27	Φ4.95x5	AC100-240V	445		100	R 107.69
	8-SL-WH-C-1612	WH	Clear	8	P20	Φ6.62x9	AC100-240V	880		100	R 133.00
	8-SL-NW-C-1613	NW	Clear	8	P20	Φ6.62x9	AC100-240V	836		100	R 133.00
	8-SL-WW-C-1614	WW	Clear	8	P20	Φ6.62x9	AC100-240V	791		100	R 133.00
	18-SL-WH-C-1615	WH	Clear	18	P38	Φ12x13..25	AC100-240V	1980		20	R 360.97
	18-SL-NW-C-1616	NW	Clear	18	P38	Φ12x13..25	AC100-240V	1880		20	R 360.97
	18-SL-WW-C-1617	WW	Clear	18	P38	Φ12x13..25	AC100-240V	1780		20	R 360.97
	12-SL-WH-C-1618	WH	Clear	12	P30	Φ9.2x10.4	AC100-240V	1320		20	R 216.59
	12-SL-NW-C-1619	NW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1253		20	R 216.59
	12-SL-WW-C-1620	WW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1187		20	R 216.59
	12-SL-WH-C-1621	WH	Clear	12	P30	Φ9.2x10.4	AC100-240V	1320		20	R 216.59
	12-SL-NW-C-1622	NW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1253		20	R 216.59
	12-SL-WW-C-1623	WW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1187		20	R 216.59
	18-SL-WH-C-1624	WH	Clear	18	P38	Φ12x13..25	AC100-240V	1980		20	R 360.97
	18-SL-NW-C-1625	NW	Clear	18	P38	Φ12x13..25	AC100-240V	1880		20	R 360.97
	18-SL-WW-C-1626	WW	Clear	18	P38	Φ12x13..25	AC100-240V	1780		20	R 360.97






Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
SPOTLIGHTS											
	18-SL-WH-C-1627	WH	Clear	18	P38	Φ12x13..25	AC100-240V	1980		20	R 360.97
	18-SL-NW-C-1628	NW	Clear	18	P38	Φ12x13..25	AC100-240V	1880		20	R 360.97
	18-SL-WW-C-1629	WW	Clear	18	P38	Φ12x13..25	AC100-240V	1780		20	R 360.97
	8-SL-WH-C-1630	WH	Clear	8	P20	Φ6.62x9	AC100-240V	880		20	R 133.00
	8-SL-NW-C-1631	NW	Clear	8	P20	Φ6.62x9	AC100-240V	836		20	R 133.00
	8-SL-WW-C-1632	WW	Clear	8	P20	Φ6.62x9	AC100-240V	791		20	R 133.00
	8-SL-WH-C-1633	WH	Clear	8	P20	Φ6.62x9	AC100-240V	880		20	R 133.00
	8-SL-NW-C-1634	NW	Clear	8	P20	Φ6.62x9	AC100-240V	836		20	R 133.00
	8-SL-WW-C-1635	WW	Clear	8	P20	Φ6.62x9	AC100-240V	791		20	R 133.00
	12-SL-WH-C-1636	WH	Clear	12	P30	Φ9.2x10.4	AC100-240V	1320		20	R 216.59
	12-SL-NW-C-1637	NW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1253		20	R 216.59
	12-SL-WW-C-1638	WW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1187		20	R 216.59
	12-SL-WH-C-1639	WH	Clear	12	P30	Φ9.2x10.4	AC100-240V	1320		20	R 216.59
	12-SL-NW-C-1640	NW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1253		20	R 216.59
	12-SL-WW-C-1641	WW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1187		20	R 216.59
	12-SL-WH-C-1642	WH	Clear	12	P30	Φ9.2x10.4	AC100-240V	1320		20	R 216.59
	12-SL-NW-C-1643	NW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1253		20	R 216.59
	12-SL-WW-C-1644	WW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1187		20	R 216.59
	12-SL-WH-C-1645	WH	Clear	12	P30	Φ9.2x10.4	AC100-240V	1320		20	R 216.59
	12-SL-NW-C-1646	NW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1253		20	R 216.59
	12-SL-WW-C-1647	WW	Clear	12	P30	Φ9.2x10.4	AC100-240V	1187		20	R 216.59






Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
TRACK LIGHTS											
	12-TR-WH-C-1000	WH	Clear	12		Φ10xL12	AC100-240V	1320		6	R 415.79
	12-TR-WW-C-1001	WW	Clear	12		Φ10xL12	AC100-240V	1187		6	R 415.79
	12-TR-NW-C-1002	NW	Clear	12		Φ10xL12	AC100-240V	1253		6	R 415.79
	7-TR-WH-C-1003	WH	Clear	7		Φ8xL11	AC100-240V	770		6	R 303.98
	7-TR-WW-C-1004	WW	Clear	7		Φ8xL11	AC100-240V	692		6	R 303.98
	7-TR-NW-C-1005	NW	Clear	7		Φ8xL11	AC100-240V	731		6	R 303.98
	7-TR-WH-C-1018	WH	Clear	7		Φ9xL11.5	AC100-240V	770		6	R 265.98
	7-TR-WW-C-1019	WW	Clear	7		Φ9xL11.5	AC100-240V	692		6	R 265.98
	7-TR-NW-C-1020	NW	Clear	7		Φ9xL11.5	AC100-240V	731		6	R 265.98
	7-TR-WH-C-1021	WH	Clear	7		Φ9xL14	AC100-240V	770		6	R 265.98
	7-TR-WW-C-1022	WW	Clear	7		Φ9xL14	AC100-240V	692		6	R 265.98
	7-TR-NW-C-1023	NW	Clear	7		Φ9xL14	AC100-240V	731		6	R 265.98
	10-TR-WH-C-1024	WH	Clear	10		Φ7.5xL14.5	AC100-240V	1100		6	R 486.27
	10-TR-WW-C-1025	WW	Clear	10		Φ7.5xL14.5	AC100-240V	989		6	R 486.27
	10-TR-NW-C-1026	NW	Clear	10		Φ7.5xL14.5	AC100-240V	1044		6	R 486.27
	18-TR-WH-C-1027	WH	Clear	18		Φ11.6xL14	AC100-240V	1980		6	R 720.89
	18-TR-WW-C-1028	WW	Clear	18		Φ11.6xL14	AC100-240V	1780		6	R 720.89
	18-TR-NW-C-1029	NW	Clear	18		Φ11.6xL14	AC100-240V	1880		6	R 720.89
	24-TR-WH-C-1030	WH	Clear	24		Φ26xL13	AC100-240V	2640		6	R 877.14
	24-TR-WW-C-1031	WW	Clear	24		Φ26xL13	AC100-240V	2373		6	R 877.14
	24-TR-NW-C-1032	NW	Clear	24		Φ26xL13	AC100-240V	2507		6	R 877.14



Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	12-OL-WH-C-0500	WH	Clear	12		Φ16xH21.5	DC24V	1320		6	R 834.34
	12-OL-WW-C-0501	WW	Clear	12		Φ16xH21.5	DC24V	1187		6	R 834.34
	12-OL-NW-C-0502	NW	Clear	12		Φ16xH21.5	DC24V	1253		6	R 834.34
	12-OL-WH-C-0503	WH	Clear	12		Φ15.5xH17.5	DC24V	1320		6	R 834.34
	12-OL-WW-C-0504	WW	Clear	12		Φ15.5xH17.5	DC24V	1187		6	R 834.34
	12-OL-NW-C-0505	NW	Clear	12		Φ15.5xH17.5	DC24V	1253		6	R 834.34
	18-OL-WH-C-0506	WH	Clear	18		Φ15.9xH20	DC24V	1980		6	R 1,148.63
	18-OL-WW-C-0507	WW	Clear	18		Φ15.9xH20	DC24V	1780		6	R 1,148.63
	18-OL-NW-C-0508	NW	Clear	18		Φ15.9xH20	DC24V	1880		6	R 1,148.63
	9-OL-WH-C-0509	WH	Clear	9		Φ15xH18	DC24V	990		6	R 672.20
	9-OL-WW-C-0510	WW	Clear	9		Φ15xH18	DC24V	890		6	R 672.20
	9-OL-NW-C-0511	NW	Clear	9		Φ15xH18	DC24V	940		6	R 672.20
	18-OL-WH-C-0512	WH	Clear	18		Φ21xH5.8	AC100-240V	1980		6	R 1,148.63
	18-OL-WW-C-0513	WW	Clear	18		Φ21xH5.8	AC100-240V	1780		6	R 1,148.63
	18-OL-NW-C-0514	NW	Clear	18		Φ21xH5.8	AC100-240V	1880		6	R 1,148.63




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	6-OL-WH-C-0515	WH	Clear	6		Φ15xH5.8	AC100-240V	660		6	R 579.01
	6-OL-WW-C-0516	WW	Clear	6		Φ15xH5.8	AC100-240V	593		6	R 579.01
	6-OL-NW-C-0517	NW	Clear	6		Φ15xH5.8	AC100-240V	627		6	R 579.01
	9-OL-WH-C-0518	WH	Clear	9		Φ18xH5.8	AC100-240V	990		6	R 672.20
	9-OL-WW-C-0519	WW	Clear	9		Φ18xH5.8	AC100-240V	890		6	R 672.20
	9-OL-NW-C-0520	NW	Clear	9		Φ18xH5.8	AC100-240V	940		6	R 672.20
	7-OL-WH-C-0521	WH	Clear	7		Φ17xH5.8	AC100-240V	770		6	R 615.94
	7-OL-WW-C-0522	WW	Clear	7		Φ17xH5.8	AC100-240V	692		6	R 615.94
	7-OL-NW-C-0523	NW	Clear	7		Φ17xH5.8	AC100-240V	731		6	R 615.94
	3-OL-WH-C-0524	WH	Clear	3		Φ9xH9.5	AC100-240V	330		6	R 322.98
	3-OL-WW-C-0525	WW	Clear	3		Φ9xH9.5	AC100-240V	297		6	R 322.98
	3-OL-NW-C-0526	NW	Clear	3		Φ9xH9.5	AC100-240V	313		6	R 322.98
	12-OL-WH-C-0527	WH	Clear	12		Φ18xH10	AC100-240V	1320		6	R 834.34
	12-OL-WW-C-0528	WW	Clear	12		Φ18xH10	AC100-240V	1187		6	R 834.34
	12-OL-NW-C-0529	NW	Clear	12		Φ18xH10	AC100-240V	1253		6	R 834.34




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	24-OL-WH-C-0530	WH	Clear	24		Φ24xH6	AC100-240V	2640		6	R 1,947.02
	24-OL-WW-C-0531	WW	Clear	24		Φ24xH6	AC100-240V	2373		6	R 1,947.02
	24-OL-NW-C-0532	NW	Clear	24		Φ24xH6	AC100-240V	2507		6	R 1,947.02
	9-OL-WH-C-0533	WH	Clear	9		L16.5xW16.5xH6	AC100-240V	990		6	R 672.20
	9-OL-WW-C-0534	WW	Clear	9		L16.5xW16.5xH6	AC100-240V	890		6	R 672.20
	9-OL-NW-C-0535	NW	Clear	9		L16.5xW16.5xH6	AC100-240V	940		6	R 672.20
	9-OL-WH-C-0536	WH	Clear	9		L35.5xW9xH6	AC100-240V	990		6	R 672.20
	9-OL-WW-C-0537	WW	Clear	9		L35.5xW9xH6	AC100-240V	890		6	R 672.20
	9-OL-NW-C-0538	NW	Clear	9		L35.5xW9xH6	AC100-240V	940		6	R 672.20
	3-OL-WH-C-0539	WH	Clear	3		L11xW4.5xH5.8	AC100-240V	330		6	R 322.98
	3-OL-WW-C-0540	WW	Clear	3		L11xW4.5xH5.8	AC100-240V	297		6	R 322.98
	3-OL-NW-C-0541	NW	Clear	3		L11xW4.5xH5.8	AC100-240V	313		6	R 322.98
	30-OL-WH-C-0542	WH	Clear	30		Φ22xH10	AC100-240V	3300		6	R 2,244.02
	30-OL-WW-C-0543	WW	Clear	30		Φ22xH10	AC100-240V	2967		6	R 2,244.02
	30-OL-NW-C-0544	NW	Clear	30		Φ22xH10	AC100-240V	3133		6	R 2,244.02

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	40-OL-WH-C-0545	WH	Clear	40		Φ32xH11	AC100-240V	4400		6	R 2,739.02
	40-OL-WW-C-0546	WW	Clear	40		Φ32xH11	AC100-240V	3956		6	R 2,739.02
	40-OL-NW-C-0547	NW	Clear	40		Φ32xH11	AC100-240V	4178		6	R 2,739.02
	9-OL-WH-C-0548	WH	Clear	9		L30xW6xH12	AC100-240V	990		25	R 338.17
	9-OL-WW-C-0549	WW	Clear	9		L30xW6xH12	AC100-240V	890		25	R 338.17
	9-OL-NW-C-0550	NW	Clear	9		L30xW6xH12	AC100-240V	940		25	R 338.17
	36-OL-WH-C-0551	WH	Clear	36		L120xW6xH12	AC100-240V	3960		25	R 685.25
	36-OL-WW-C-0552	WW	Clear	36		L120xW6xH12	AC100-240V	3560		25	R 685.25
	36-OL-NW-C-0553	NW	Clear	36		L120xW6xH12	AC100-240V	3760		25	R 685.25
	24-OL-WH-C-0554	WH	Clear	24		L100xW7.2xH7.6	AC100-240V	2640		25	R 582.38
	24-OL-WW-C-0555	WW	Clear	24		L100xW7.2xH7.6	AC100-240V	2373		25	R 582.38
	24-OL-NW-C-0556	NW	Clear	24		L100xW7.2xH7.6	AC100-240V	2507		25	R 582.38
	24-OL-WH-C-0557	WH	Clear	24		L100xW4.5xH4.7	AC100-240V	2640		25	R 582.38
	24-OL-WW-C-0558	WW	Clear	24		L100xW4.5xH4.7	AC100-240V	2373		25	R 582.38
	24-OL-NW-C-0559	NW	Clear	24		L100xW4.5xH4.7	AC100-240V	2507		25	R 582.38




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	18-OL-WH-C-0560	WH	Clear	18		L60xW6xH12	AC100-240V	1980		25	R 503.67
	18-OL-WW-C-0561	WW	Clear	18		L60xW6xH12	AC100-240V	1780		25	R 503.67
	18-OL-NW-C-0562	NW	Clear	18		L60xW6xH12	AC100-240V	1880		25	R 503.67
	24-OL-WH-C-0563	WH	Clear	24		L100xW6xH12	AC100-240V	2640		25	R 582.38
	24-OL-WW-C-0564	WW	Clear	24		L100xW6xH12	AC100-240V	2373		25	R 582.38
	24-OL-NW-C-0565	NW	Clear	24		L100xW6xH12	AC100-240V	2507		25	R 582.38
	15-OL-WH-C-0566	WH	Clear	15		L50xW7.6xH7.5	AC100-240V	1650		25	R 433.55
	15-OL-WW-C-0567	WW	Clear	15		L50xW7.6xH7.5	AC100-240V	1483		25	R 433.55
	15-OL-NW-C-0568	NW	Clear	15		L50xW7.6xH7.5	AC100-240V	1567		25	R 433.55
	24-OL-WH-C-0569	WH	Clear	24		L100xW7.6xH7.5	AC100-240V	2640		25	R 582.38
	24-OL-WW-C-0570	WW	Clear	24		L100xW7.6xH7.5	AC100-240V	2373		25	R 582.38
	24-OL-NW-C-0571	NW	Clear	24		L100xW7.6xH7.5	AC100-240V	2507		25	R 582.38
	36-OL-WH-C-0572	WH	Clear	36		L120xW7.6xH7.5	AC100-240V	3960		25	R 685.25
	36-OL-WW-C-0573	WW	Clear	36		L120xW7.6xH7.5	AC100-240V	3560		25	R 685.25
	36-OL-NW-C-0574	NW	Clear	36		L120xW7.6xH7.5	AC100-240V	3760		25	R 685.25

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	15-OL-RE-C-0575	RE	Clear	15		L51	24V	1068		25	R 433.55
	15-OL-YE-C-0576	YE	Clear	15		L52	24V	1127		25	R 433.55
	22-OL-GR-C-0577	GR	Clear	22		L53	24V	2023		25	R 555.23
	22-OL-BL-C-0578	BL	Clear	22		L54	24V	805		25	R 555.23
	22-OL-WH-C-0579	WH	Clear	22		L55	24V	2420		25	R 555.23
	22-OL-NW-C-0580	NW	Clear	22		L56	24V	2298		25	R 555.23
	22-OL-WW-C-0581	WW	Clear	22		L57	24V	2176		25	R 555.23
	27-OL-RE-C-0582	RE	Clear	27		L101	24V	1922		25	R 655.75
	27-OL-YE-C-0583	YE	Clear	27		L102	24V	2029		25	R 655.75
	45-OL-GR-C-0584	GR	Clear	45		L103	24V	4139		25	R 815.80
	45-OL-BL-C-0585	BL	Clear	45		L104	24V	1647		25	R 815.80
	45-OL-WH-C-0586	WH	Clear	45		L105	24V	4950		25	R 815.80
	45-OL-NW-C-0587	NW	Clear	45		L106	24V	4700		25	R 815.80
	45-OL-WW-C-0588	WW	Clear	45		L107	24V	4450		25	R 815.80
	15-OL-RE-C-0589	RE	Clear	15		L51	24V	1068		25	R 433.55
	15-OL-YE-C-0590	YE	Clear	15		L52	24V	1127		25	R 433.55
	22-OL-GR-C-0591	GR	Clear	22		L53	24V	2023		25	R 555.23
	22-OL-BL-C-0592	BL	Clear	22		L54	24V	805		25	R 555.23
	22-OL-WH-C-0593	WH	Clear	22		L55	24V	2420		25	R 555.23
	22-OL-NW-C-0594	NW	Clear	22		L56	24V	2298		25	R 555.23
	22-OL-WW-C-0595	WW	Clear	22		L57	24V	2176		25	R 555.23



Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	27-OL-RE-C-0596	RE	Clear	27		L101	24V	1922		25	R 655.75
	27-OL-YE-C-0597	YE	Clear	27		L102	24V	2029		25	R 655.75
	45-OL-GR-C-0598	GR	Clear	45		L103	24V	4139		25	R 815.80
	45-OL-BL-C-0599	BL	Clear	45		L104	24V	1647		25	R 815.80
	45-OL-WH-C-0600	WH	Clear	45		L105	24V	4950		25	R 815.80
	45-OL-NW-C-0601	NW	Clear	45		L106	24V	4700		25	R 815.80
	45-OL-WW-C-0602	WW	Clear	45		L107	24V	4450		25	R 815.80
	18-OL-WH-C-0603	WH	Clear	18		L15.2xW7	AC100-240V	1980		6	R 1,148.63
	18-OL-NW-C-0604	NW	Clear	18		L15.2xW7	AC100-240V	1880		6	R 1,148.63
	18-OL-WW-C-0605	WW	Clear	18		L15.2xW7	AC100-240V	1780		6	R 1,148.63
	36-OL-WH-C-0606	WH	Clear	36		L30.2xW7	AC100-240V	3960		6	R 2,541.03
	36-OL-NW-C-0607	NW	Clear	36		L30.2xW7	AC100-240V	3760		6	R 2,541.03
	36-OL-WW-C-0608	WW	Clear	36		L30.2xW7	AC100-240V	3560		6	R 2,541.03
	36-OL-RE-C-0609	RE	Clear	36		L30.2xW7	AC100-240V	2563		6	R 2,541.03
	36-OL-GR-C-0610	GR	Clear	36		L30.2xW7	AC100-240V	3311		6	R 2,541.03
	36-OL-BL-C-0611	BL	Clear	36		L30.2xW7	AC100-240V	1317		6	R 2,541.03
	36-OL-YE-C-0612	YE	Clear	36		L30.2xW7	AC100-240V	2706		6	R 2,541.03



Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	45-OL-RE-C-0613	RE	Clear	45		L31.8xW15.6	24V	3204		6	R 2,805.02
	45-OL-YE-C-0614	YE	Clear	45		L31.8xW15.6	24V	3382		6	R 2,805.02
	45-OL-GR-C-0615	GR	Clear	45		L31.8xW15.6	24V	4139		6	R 2,805.02
	45-OL-BL-C-0616	BL	Clear	45		L31.8xW15.6	24V	1647		6	R 2,805.02
	45-OL-WH-C-0617	WH	Clear	45		L31.8xW15.6	24V	4950		6	R 2,805.02
	45-OL-NW-C-0618	NW	Clear	45		L31.8xW15.6	24V	4700		6	R 2,805.02
	45-OL-WW-C-0619	WW	Clear	45		L31.8xW15.6	24V	4450		6	R 2,805.02
	45-OL-RE-C-0620	RE	Clear	45		L31.8xW15.6	24V	3204		6	R 2,805.02
	45-OL-YE-C-0621	YE	Clear	45		L31.8xW15.6	24V	3382		6	R 2,805.02
	45-OL-GR-C-0622	GR	Clear	45		L31.8xW15.6	24V	4139		6	R 2,805.02
	45-OL-BL-C-0623	BL	Clear	45		L31.8xW15.6	24V	1647		6	R 2,805.02
	45-OL-WH-C-0624	WH	Clear	45		L31.8xW15.6	24V	4950		6	R 2,805.02
	45-OL-NW-C-0625	NW	Clear	45		L31.8xW15.6	24V	4700		6	R 2,805.02
	45-OL-WW-C-0626	WW	Clear	45		L31.8xW15.6	24V	4450		6	R 2,805.02
	18-OL-WH-C-0627	WH	Clear	18		Φ20	24V	1980		6	R 1,148.63
	18-OL-NW-C-0628	NW	Clear	18		Φ20	24V	1880		6	R 1,148.63
	18-OL-WW-C-0629	WW	Clear	18		Φ20	24V	1780		6	R 1,148.63
	1-OL-WH-C-0630	WH	Clear	1		L4.32xW6.55	12-24V	110		6	R 322.98
	1-OL-NW-C-0631	NW	Clear	1		L4.32xW6.55	12-24V	104		6	R 322.98
	1-OL-WW-C-0632	WW	Clear	1		L4.32xW6.55	12-24V	99		6	R 322.98




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	3-OL-WH-C-0633	WH	Clear	3		L9xW9.45	AC100-240V	330		6	R 322.98
	3-OL-NW-C-0634	NW	Clear	3		L9xW9.45	AC100-240V	313		6	R 322.98
	3-OL-WW-C-0635	WW	Clear	3		L9xW9.45	AC100-240V	297		6	R 322.98
	3-OL-WH-C-0636	WH	Clear	3		L11.6xW9.55	AC100-240V	330		6	R 322.98
	3-OL-NW-C-0637	NW	Clear	3		L11.6xW9.55	AC100-240V	313		6	R 322.98
	3-OL-WW-C-0638	WW	Clear	3		L11.6xW9.55	AC100-240V	297		6	R 322.98
	4-OL-WH-C-0639	WH	Clear	4		L9.88xW8.18	AC100-240V	440		6	R 330.58
	4-OL-NW-C-0640	NW	Clear	4		L9.88xW8.18	AC100-240V	418		6	R 330.58
	4-OL-WW-C-0641	WW	Clear	4		L9.88xW8.18	AC100-240V	396		6	R 330.58
	4-OL-WH-C-0642	WH	Clear	4		L9.88xW5.49	AC100-240V	440		6	R 330.58
	4-OL-NW-C-0643	NW	Clear	4		L9.88xW5.49	AC100-240V	418		6	R 330.58
	4-OL-WW-C-0644	WW	Clear	4		L9.88xW5.49	AC100-240V	396		6	R 330.58
	5-OL-WH-C-0645	WH	Clear	5		L12xW12	AC100-240V	550		6	R 579.01
	5-OL-NW-C-0646	NW	Clear	5		L12xW12	AC100-240V	522		6	R 579.01
	5-OL-WW-C-0647	WW	Clear	5		L12xW12	AC100-240V	494		6	R 579.01





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	6-OL-WH-C-0648	WH	Clear	6		L15xW9.87	AC100-240V	660		6	R 579.01
	6-OL-NW-C-0649	NW	Clear	6		L15xW9.87	AC100-240V	627		6	R 579.01
	6-OL-WW-C-0650	WW	Clear	6		L15xW9.87	AC100-240V	593		6	R 579.01
	6-OL-WH-C-0651	WH	Clear	6		L14.2xW9.3	AC100-240V	660		6	R 579.01
	6-OL-NW-C-0652	NW	Clear	6		L14.2xW9.3	AC100-240V	627		6	R 579.01
	6-OL-WW-C-0653	WW	Clear	6		L14.2xW9.3	AC100-240V	593		6	R 579.01
	7-OL-WH-C-0654	WH	Clear	7		L13.05xW9.43	AC100-240V	770		6	R 579.01
	7-OL-NW-C-0655	NW	Clear	7		L13.05xW9.43	AC100-240V	731		6	R 579.01
	7-OL-WW-C-0656	WW	Clear	7		L13.05xW9.43	AC100-240V	692		6	R 579.01
	15-OL-WH-C-0657	WH	Clear	15		L20xW9.35	AC100-240V	1650		6	R 1,052.42
	15-OL-NW-C-0658	NW	Clear	15		L20xW9.35	AC100-240V	1567		6	R 1,052.42
	15-OL-WW-C-0659	WW	Clear	15		L20xW9.35	AC100-240V	1483		6	R 1,052.42
	18-OL-WH-C-0660	WH	Clear	18		L26xW9.3	AC100-240V	1980		6	R 1,148.63
	18-OL-NW-C-0661	NW	Clear	18		L26xW9.3	AC100-240V	1880		6	R 1,148.63
	18-OL-WW-C-0662	WW	Clear	18		L26xW9.3	AC100-240V	1780		6	R 1,148.63




Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	18-OL-WH-C-0663	WH	Clear	18		L16xW16	12-24V	1980		6	R 1,148.63
	18-OL-NW-C-0664	NW	Clear	18		L16xW16	12-24V	1880		6	R 1,148.63
	18-OL-WW-C-0665	WW	Clear	18		L16xW16	12-24V	1780		6	R 1,148.63
	18-OL-WH-C-0666	WH	Clear	18		L16xW16	AC100-240V	1980		6	R 1,148.63
	18-OL-NW-C-0667	NW	Clear	18		L16xW16	AC100-240V	1880		6	R 1,148.63
	18-OL-WW-C-0668	WW	Clear	18		L16xW16	AC100-240V	1780		6	R 1,148.63
	18-OL-WH-C-0669	WH	Clear	18		Φ11.5	24V	1980		6	R 1,148.63
	18-OL-NW-C-0670	NW	Clear	18		Φ11.5	24V	1880		6	R 1,148.63
	18-OL-WW-C-0671	WW	Clear	18		Φ11.5	24V	1780		6	R 1,148.63
	3-OL-WH-C-0672	WH	Clear	3		Φ4.34	12-24V	330		6	R 503.67
	3-OL-NW-C-0673	NW	Clear	3		Φ4.34	12-24V	313		6	R 503.67
	3-OL-WW-C-0674	WW	Clear	3		Φ4.34	12-24V	297		6	R 503.67
	6-OL-WH-C-0675	WH	Clear	6		Φ8.73	12-24V	660		6	R 503.67
	6-OL-NW-C-0676	NW	Clear	6		Φ8.73	12-24V	627		6	R 503.67
	6-OL-WW-C-0677	WW	Clear	6		Φ8.73	12-24V	593		6	R 503.67





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	12-OL-WH-C-0678	WH	Clear	12		H49.2xW10.4	AC100-240V	1320		6	R 834.34
	12-OL-NW-C-0679	NW	Clear	12		H49.2xW10.4	AC100-240V	1253		6	R 834.34
	12-OL-WW-C-0680	WW	Clear	12		H49.2xW10.4	AC100-240V	1187		6	R 834.34
	12-OL-WH-C-0681	WH	Clear	12		H49.2xW10.4	12-24V	1320		6	R 834.34
	12-OL-NW-C-0682	NW	Clear	12		H49.2xW10.4	12-24V	1253		6	R 834.34
	12-OL-WW-C-0683	WW	Clear	12		H49.2xW10.4	12-24V	1187		6	R 834.34
	3-OL-RE-C-0684	RE	Clear	3		H35.7xW10.4	12V	214		6	R 834.34
	3-OL-YE-C-0685	YE	Clear	3		H35.7xW10.4	12V	225		6	R 834.34
	3-OL-GR-C-0686	GR	Clear	3		H35.7xW10.4	12V	276		6	R 834.34
	3-OL-BL-C-0687	BL	Clear	3		H35.7xW10.4	12V	110		6	R 834.34
	3-OL-WH-C-0688	WH	Clear	3		H35.7xW10.4	12V	330		6	R 834.34
	3-OL-NW-C-0689	NW	Clear	3		H35.7xW10.4	12V	313		6	R 834.34
	3-OL-WW-C-0690	WW	Clear	3		H35.7xW10.4	12V	297		6	R 834.34





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	6-OL-WH-C-0691	WH	Clear	6		H21.5xΦ13	24V	660		6	R 579.01
	6-OL-NW-C-0692	NW	Clear	6		H21.5xΦ13	24V	627		6	R 579.01
	6-OL-WW-C-0693	WW	Clear	6		H21.5xΦ13	24V	593		6	R 579.01
	6-OL-RE-C-0694	RE	Clear	6		H21.5xΦ13	24V	427		6	R 579.01
	6-OL-YE-C-0695	YE	Clear	6		H21.5xΦ13	24V	451		6	R 579.01
	6-OL-GR-C-0696	GR	Clear	6		H21.5xΦ13	24V	552		6	R 579.01
	6-OL-BL-C-0697	BL	Clear	6		H21.5xΦ13	24V	220		6	R 579.01
	18-OL-WH-C-0698	WH	Clear	18		H21.5xΦ13	24V	1980		6	R 1,148.63
	18-OL-NW-C-0699	NW	Clear	18		H21.5xΦ13	24V	1880		6	R 1,148.63
	18-OL-WW-C-0700	WW	Clear	18		H21.5xΦ13	24V	1780		6	R 1,148.63
	18-OL-GR-C-0701	GR	Clear	18		H21.5xΦ13	24V	1655		6	R 1,148.63
	18-OL-BL-C-0702	BL	Clear	18		H21.5xΦ13	24V	659		6	R 1,148.63





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
OUTDOOR LUMINARIES											
	30-OL-C-0720	WW	Clear	30		Φ18	AC100-240V	2967		6	R 951.76
	30-OL-RE-C-0721	RE	Clear	30		Φ18	AC100-240V	2136		6	R 951.76
	30-OL-YE-C-0722	YE	Clear	30		Φ18	AC100-240V	2255		6	R 951.76
	30-OL-BL-C-0723	BL	Clear	30		Φ18	AC100-240V	1098		6	R 951.76
	30-OL-GR-C-0724	GR	Clear	30		Φ18	AC100-240V	2759		6	R 951.76
	15-OL-WH-C-0725	WH	Clear	15		Φ12.5	AC100-240V	1650		6	R 800.17
	15-OL-NW-C-0726	NW	Clear	15		Φ12.5	AC100-240V	1567		6	R 800.17
	15-OL-WW-C-0727	WW	Clear	15		Φ12.5	AC100-240V	1483		6	R 800.17
	30-OL-WH-C-0728	WH	Clear	30		Φ29.5xH70	12VAC	3300		6	R 2,079.02
	30-OL-WW-C-0729	WW	Clear	30		Φ29.5xH70	12VAC	2967		6	R 2,079.02
	30-OL-NW-C-0730	NW	Clear	30		Φ29.5xH70	12VAC	3133		6	R 2,079.02





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-0300									10	R 284.98
	CS-0301									10	R 284.98
	CS-0302									10	R 284.98
	CS-0303									10	R 284.98





Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-0304									10	R 284.98
	CS-0305									10	R 284.98
	CS-0306									10	R 284.98






Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-0308									10	R 284.98
	CS-0309									10	R 284.98
	CS-0310									10	R 284.98
	CS-0311									10	R 284.98

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-0312									10	R 284.98
	CS-0313									10	R 284.98
	CS-0314										R 284.98
	CS-0315										R 284.98

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-0316									10	R 284.98
	CS-0317									10	R 555.23
	CS-0318									10	R 555.23
	CS-0319									10	R 284.98

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-3121									10	R 284.98
	CS-3122									10	R 284.98
	CS-3123									10	R 284.98
	CS-3124										R 284.98

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-0324									10	R 284.98
	CS-0325									10	R 284.98
	CS-0326									10	R 555.23
	CS-0327									10	R 555.23

Picture	Model No.	Color	Cover	Power (Watt)	Base	Size (cm)	Voltage	LUMEN	Certification	Qty/Box	MSRP
CONTROL SYSTEMS											
	CS-0328									10	R 284.98
	CS-0329									10	R 284.98
	CS-0330									10	R 284.98
	CS-0331									10	R 284.98
	CS-0332									10	R 555.23